View NSN Online: https://aerobasegroup.kr/nsn/9150-00-985-7236

TEXACO REFINING AND MARKETING INC. -- 00733 MILITARY SYMBOL 2135 T-H -- 9150-00-985-7236

Product ID:00733 MILITARY SYMBOL 2135 T-H MSDS Date:12/08/1995 FSC:9150 NIIN:00-985-7236 MSDS Number: CFFFW === Responsible Party === Company Name: TEXACO REFINING AND MARKETING INC. Address:1111 RUSK STREET City:HOUSTON State:TX ZIP:77002-3310 Country:US Info Phone Num:713-65 0-5206Emergency Phone Num:713-650-5206, CHEMTREC 800-424-9300 CAGE:2R503 === Contractor Identification === Company Name: TEXACO REFINING AND MARKETING INC Address:1111 RUSK ST Box:City:HOUSTON State:TX ZIP:77002-3310 Country:US Phone:713-650-5206 CAGE:2R503 Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA), 0.001315 CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: SEE ING Other REC Limits:NONE RECOMMENDED **OSHA PEL:100** PPM ACGIH TLV:100 PPM/150STEL;9596 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES, 95.00-99.99. CAS:64742-54-7 RTECS #:PY8035501 Fraction by Wt: SEE ING Other REC Limits:NONE RECOMMENDED 

LD50 LC50 Mixture:TLV NOT ESTABLISHED FOR PRODUCT Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acu te and Chronic:ACUTE:EYES:MIN IRRIT AS TEMP

DISCOMFT.SKIN:BRIEF CONTACT NOT IRRIT.PROL CONTACT MAY CAUSE DEFATTING OF SKIN,IRRIT AS LOC REDNESS W/POSSIBLE MILD DISCOMFT.INHAL:VAP/MIST IN EXCESS PERMISS CONC/HI CONC FROM SPRAY/HEAT/EXPO IN POORLY VENTI AREA/CONF SPACES MAY IRRIT NOSE/THROAT,HEAD,NAU,DROWSINESS.INGEST:>SEVERAL (SUPPLE) Explanation of Carcinogenicity:PER MSDS:PROD &/OR COMPO(S) CARC

ACCORDING TO:NONE.

Effects of Overexposure:MATL FROM HI PRESSURE EPQMT/PINH OLE LEAKS/HI

PRESSURE LINE FAILURE CAN PENETRATE SKIN; IF NOT PROPERLY TREATED CAN CAUSE SEVERE INJURY, INCLUDE DISFIGUREMENT, LOSS OF FUNCTION, EVEN REQUIRE AMPUTATION OF AFFECTED AREA. TO PREVENT SUCH SERIOUS INJURY IMMED MED ATTN SHOULD BE SOUGHT EVEN IF INJECTION INJURY APPEARS MINOR.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS DEFATTING PROPERTIES,PROLONG/REP SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS (SKIN CONDITIONS).

========================== First Aid

First Aid:EYE:FLUSH W/PLENTY OF WATER FOR SEVERAL MINS.IRRIT PERSIST GET MED ATTN.SKIN:WASH W/PLENTY OF SOAP/WATER FOR SEVERAL MINS.IRRIT DEVELOPS/PERSIST GET MED ATTN.INGEST:>SEVERAL MOUTHFULS OF MATL INGEST G IVE 2 GLASSES OF WATER(16OZ).GET MED ATTN.INHAL:SYMPTOMS OCCUR REMOVE TO FRESH AIR.BREATH DIFF/RESP IRRIT PERSIST GET MED ATTN.HI PRESSUE INJECTION CAN CAUSE SEV INJURY.FAILURE TO DEBRIDE WOUND(SUPPL)

======= Fire

Flash Point Method:COC Flash Point:410F,210C Autoignition Temp:Autoignition Temp Text:N/DETR Lower Limits:N/DETERMINED Upper Limits:N/DETERMINED Extinguishing Media:USE WATERSPRAY,DRY CHEM,FOAM,CO2 TO EXTINGUISH FLAMES. Eire Eighting Procedures:USE WATERSPRAY TO COOL EIRE-EXPO CNTNRS WATER

Fire Fighting Procedures:USE WATERSPRAY TO COOL FIRE-EXPO CNTNRS.WATER OR FOAM MAY CAUSE FROTHING.NO SPECIAL EQPMT OR PROCEDURES REQURIED. Unusual Fire/Explosion Hazard:NONE

======= Accidental Release Measures ======

Spill Release Procedures:VENTI AREA.AVOID BREATH VAP.WEAR APPRO PPE INCLUDE RESP PROTECT.CONTAIN SPILL IF POSSIBLE.WIPE UP/ABSORB ON SUITABLE MATL.SHOVEL UP.PREVENT ENTRY INTO SEWERS/WATERWAYS.AVOID CONTACT W/SKIN/EYE/CLOTH.> 8230402LBS PROD SPILL REPORT SARA304/CERCLA102E. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:READ/UNDERSTAND MSDS BEF PROD HNDLG/D

ISPO.MAINTAIN MIN FEASIBLE HDNLG TEMPS.PER OF EXPO TO HI TEMP SHOULD BE MIN.WATER CONTAM SHOULD BE AVOIDED. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:AIRBORNE CONC SHOULD BE KEPT TO LOWEST LEVELS POSSIBLE.VAP/MIST/DUST GENERATED/PROD/COMPO OCCUPAT EXPO LIMIT EXCEEDED USE APPROP NIOSH/MSHA AIR PURIFY/AIR SUPPL RESP AFT DETERIMING AIRBORNE CONC CONTA M.AIR SUPP RESP IF CONTAM/OXY CO NC

UNK.

Ventilation: ADEQUATE TO MEET COMPONENT OCCUPATIONAL EXPO LIMITS. Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SAF GLASS,CHEM GOGG,FCSHIELD

Other Protective Equipment: WORKERS SHOULD WASH EXPO SKIN SEVERAL TIMES DAILY W/SOAP/WATER.SOILD CLOTH LAUNDER/DRY CLEAN.

Work Hygienic Practices:REMOVE/DRYCLEAN(MORE EFFECTIVE)/LAUNDER SOAK/SPOIL CLOTH BEF REUSE.INFORM CLEANING PERSON OF POT HAZ ASSOC W/CONTAM CLOT
Supplemental Safety and Health HEALTH:MOUTHFUL ABDO
MINAL DISCOMFT,NAU,DIARR.CHRONIC:NO ADVERSE EFFEDCT IN HUMANS. 1STAID:OF ALL RESIDUAL MATL CAN RESULT IN DISFIGUREMENT,LOSS OF FUNCTION,MAY REQUIRE AMPUTATION OF AFFECTED AREA. DIS PO:PROCESSES/ETC MAY RENDER RESULTING MATLS HAZ.

HCC:V6 Boiling Pt:B.P. Text:N/DETERMINE Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP Vapor Pres:N/DETERMIN Vapor Density:N/DETERMIN Spec Gravity:0.88 pH:NA Viscosity:68CST @1 0C Evaporation Rate & amp; Reference:NP Solubility in Water:NOT DETERMINED Appearance and Odor:LIGHT PALE LIQUID, MILD ODOR Percent Volatiles by Volume:NP Corrosion Rate:NP

STRONG OXIDIZERS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC LEVELS OF CARBONN MONOXIDE,CARBON DIOXIDE,IRRITATING ALDEHYDES AND KETONES.

Waste Disposal Methods:PROD HAS BEEN EVALUATED FOR RCRA CHARACT & DOESNT MEET CRITERIA OF HAZ WASTE IF DISCARDED IN ITS PURCHASED FORM.UNDER RCRA USER RESPONSIBLE TO DETERMINE @DISPO TIME WHETHER PROD MEETS RCRA CRITERIA FO R HAZ WASTE BECAUSE PROD USES/TRANSFORM/MIX/(SUPP)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.