

AKZO NOBEL CHEMICAL INC -- FYRQUEL 220 MLT -- 9150-01-113-2047

=====
Product Identification
=====

Product ID:FYRQUEL 220 MLT

MSDS Date:10/23/1998

FSC:9150

NIIN:01-113-2047

MSDS Number: CFFGQ

=== Responsible Party ===

Company Name:AKZO NOBEL CHEMICAL INC

Address:5 LIVINGSTONE AVE

City:DOBBS FERRY

State:NY

ZIP:10522

Country:US

Info Phone Num:800-666-1200

Emergency Phone Num:914-693-6946

Resp. Party

Other MSDS Num.:16-084436

Chemtrec Ind/Phone:(800)424-9300

CAGE:01GF0

==== Contractor Identification ====

Company Name:AKZO NOBEL CHEMICALS INC

Address:300 S. RIVERSIDE PLAZA

Box:City:CHICAGO

State:IL

ZIP:60606-6613

Country:US

Phone:312-906-7500 TECH: 800-828-792

CAGE:97854

Company Name:AKZO NOBEL CHEMICALS INC.

Address:5 LIVINGSTONE AVE

Box:City:DOBBS FERRY

State:NY

ZIP:10522

Country:US

Phone:800-666-1200

CAGE:01GF0

=====
Composition/Information on Ingredients
=====

Ingred Nam

e:TRIPHENYL PHOSPHATE

CAS:115-86-6

RTECS #:TC8400000

Minumum % Wt:15.

Maxumum % Wt:25.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3 MG/M3

ACGIH TLV:3 MG/M3; 9596

Ingred Name:BUTYLATED TRIPHENYL PHOSPHATE MIXTURE

Minumum % Wt:75.

Maxumum % Wt:85.

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50(RAT) >5000MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE MILD SKIN/EYE IRRITATION.

INHALATION OF VAPOR/MIST MAY CAUSE RESPIRATORY TRACT IRRITATION.

TRIPHENYL PHOSPHATE MAY CAUSE CHOLINESTERASE INHIBITION AT LEVELS

ABOVE EXPOSURE LIMITS. INHALATION : VAPOR/MIST MAY CAUSE

RESPIRATORY TRACT IRRITATION. TRIPHENYL PHOSPHATE CAN CAUSE

CHOLINESTERASE INHIBITION. SKIN:CONTACT MAY CAUSE MILD IRRITATION.

EYE: CONTACT MAY CAUSE MILD IRRITATION. INGESTION: MAY CAUSE

IRRITATION OF GASTROINTESTI

NAL SYSTEM & DIARRHEA. INGESTION OF

TRIPHENYL PHOSPHATE, A COMPONENT, MAY CAUSE CHOLINESTERASE

INHIBITION. TARGET ORGANS: SKIN, EYES, RESPIRATORY SYSTEM, CENTRAL

NERVOUS SYSTEM.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:

IARC/NTP/OSHA/ACGIH: NO.

Effects of Overexposure:EYE/SKIN: MAY CAUSE MILD IRRITATION. INGESTION:

MAY CAUSE IRRITATION OF GI SYSTEM & DIARRHEA. INGESTION OF

TRIPHENYL PHOSPHATE MAY CAUSE CHOLINESTERASE INHIBITION -HEADACHE,

NAUSEA, SWEAT

ING, NUMBNESS , TINGLING OF HANDS/FEET, SALIVATION,

MUSCLE TWITCHING, TREMORS, INCOORDINATION, BLURRED VISION, TEARS,

ABDOMINAL CRAMPS, DIARRHEA, CHEST DISCOMFORT.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING

NEUROMUSCULAR DISORDERS MAY BE AT AN INCREASED RISK FROM EXPOSURE

TO MATERIAL.

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR OR

OXYGEN IF BREATHING DIFFICULT. SKI

N: REMOVE CONTAMINATED CLOTHES.

WASH ALL AFFECTED AREAS WITH SOAP & PLENTY WATER. GET MEDICAL HELP IF IRRITATION PERSISTS. WASH CONTAMINATED CLOTHES BEFORE REUSE. CLEAN OR DESTROY CONTAMINATED SHOES. EYES: IMMEDIATELY FLUSH WITH PLENTY RUNNING WATER. REMOVE CONTACTS. HOLD EYELIDS OPEN. GET MEDICAL HELP. INGESTION: CALL PHYSICIAN OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING UNLESS SO DIRECTED BY MEDICAL PERSONNEL. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO REDUCE RISK OF ASPERATION.

NEVER GIVE ANY THING BY MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:=246.1C, 475.F

Autoignition Temp:Autoignition Temp Text:N/D

Lower Limits:N/D

Upper Limits:N/D

Extinguishing Media:WATER FOG OR SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures:WEAR FULL-FACE, SELF-CONTAINED BREATHING GEAR & IMPERVIOUS CLOTHING. KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER

FOG OR SPRAY TO PREVENT RUPTURE. HIGH PRESSURE WATER MAY SPREAD PRODUCT FROM BROKEN CONTAINERS & INCREASE CONTAMINATION OR FIRE HAZARD. DIKE FIRE CONTROL WATER FOR LATER DISPOSAL.

Unusual Fire/Explosion Hazard:PRODUCT NOT DEFINED AS

FLAMMABLE/COMBUSTIBLE. IS SELF-EXTINGUISHING ONCE IGNITION SOURCE IS REMOVED. NOT SENSITIVE TO STATIC DISCHARGE OR PHYSICAL IMPACT.

MAY DECOMPOSE UNDER FIRE CONDITIONS TO CARBON MONOXIDE, PHOSPHORUS OXIDES, ORGANIC DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:ISOLATE SPILL & RESTRICT ACCESS. CLEAN UP PERSONNEL SHOULD FOLLOW INDUSTRIAL HYGIENE PRACTICES. STOP SOURCE OF SPILL & DIKE. SOAK UP WITH ABSORBENT LIKE CLAY, SAWDUST, KITTY LITTER. SWEEP UP ABSORBED MATERIAL & PUT IN WASTE CONTAINER FOR DISPOSAL. SPILL AREA MAY BE SLIPPERY. CLEAN WITH DETERGENT & WATER. USE STIFF BRUSH TO CLEAN CRACKS. FLUSH WITH WATER BUT DO NOT ALLOW WATER T

O ENTER WATERWAYS.

Neutralizing Agent:NOT PROVIDED

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY WELL VENTILATED AREA AWAY FROM FLAMMABLES, OXIDIZERS, HEAT SOURCES. AVOID PROLONGED STORAGE AT ELEVATED TEMPERATURES UNDER ALKALINE/ACIDIC CONDITIONS. MAX STORAGE TEMP: 149F. CARBON STEEL IS PREFERRED STORAGE CONTAINER. ROTATE CONTAINERS REGULARLY & INSPECT FOR DAMAGE.

Other Precautions:WEAR PROTECTIVE CLOTHIN

G, CHEMICAL GOGGLES, RUBBER

GLOVES. AVOID SKIN/EYE CONTACT & INHALING VAPORS. EMPTY CONTAINERS MAY CONTAIN RESIDUES. STORE AWAY FROM FOOD OR ANIMAL FEED. BELOW 40F VISCOSITY CHARACTERISTICS MAY REQUIRE PRODUCT HEATING TO PUMP IT. VENT BULGED DRUMS SLOWLY IN OPEN AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH-APPROVED ORGANIC/ACID GAS RESPIRATOR WITH DUST, MIST & FUME FILTER. IF HIGHER PROTECTION IS NEEDED USE NIOSH

-APPROVED POSITIVE-PRESSURE, PRESSURE DEMAND, AIR-SUPPLIED RESPIRATOR. WHEN USING RESPI RATOR CARTRIDGES OR CANISTERS, THEY MUST BE CHANGED FREQUENTLY (FOLLOWING USE OR END OF WORK SHIFT).

Ventilation:AT ELEVATED TEMPERATURS OR AIRBORNE VAPOR HANDLE IN WELL VENTILATED AREA. OTHERWISE USE NIOSH-APPROVED POSITIVE-PRESSURE AIR-SUPPLIED RESPIRATOR.

Protective Gloves:COMBINATION NEOPRENE OVER NATURAL LATES GLOVES RECOMMENDED

Eye Protection:CHEMICAL SAFETY GOGGLES OR FACE SHIELD

Ot

her Protective Equipment:SAFETY SHOWERS WITH QUICK OPENING VALVES, EYE WASH FOUNTAINS. WATER SUPPLIED THROUGH INSULATED HEAT TRACED LINES TO PREVENT FREEZING. LONG SLEEVED SHIRTS.

Work Hygienic Practices:WASH CONTAMINAED CLOTHING BEFORE REUSE; THOROUGHLY CLEAN OR DESTROY CONTAMINATED SHOES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:N/D

Melt/Freeze Pt:M.P/F.P Text:N/D

Vapor Pres: 2000 MG/KG. MATERI

AL FOUND TO BE MILD

SKIN IRRITANT IN RABBITS FOLLOWING 24 RH EXPOSURE. CONTACT DERMAL EXPOSURE FOR PRODUCT NOT KNOWN. HOWEVER, PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION.

=====
Ecological Information
=====

Ecological:96 HR LC50 (RAINBOW TROUT): > 2 MG/L. TRIARYL PHOSPHATE ESTERS, INCLUDING TRIPHENYL PHOSPHATE, EXHIBIT LOW AQUEOUS SOLUBILITY, HAVE MODERATE POTENTIAL FOR BIOCONCENTRATION & READILY UNDERGO PRIMARY & ULTIMATE BIODEGRADATION BY NATURALLY OCCURRING MIXED-MICROBIAL POPULATIONS PRESENT IN ACTIVATED SLUDGE & RIVER WATER. CHEMICAL FATE: PRODUCT IS READILY BIODEGRADABLE. HYDROLYSIS RATE FOR TRIPHENYL PHOSPHATE: PH = 9.5, HALF-LIFE 1.3 DAYS; PH = 8.2, HALF-LIFE 7.5 DAYS. AT NEUTRAL & ACIDIC PH: TOO SLOW TO RELIABLY MEASURE.

=====
Disposal Considerations
=====

Waste Disposal Methods:MATERIAL THAT CANNOT BE RECYCLED SHOULD BE DISPOSED OF IAW ALL APPLICABLE REGULATIONS. SINGLE USE PRODUCT CONTAINERS MUST BE THOROUGHLY CLEANED. STATE/LOCAL REGULATIONS MAY BE MORE STRINGENT THAN FEDERAL. UNUSED PRODUCT DOES NOT MEET RCRA CRITERIA AS LISTED OR CHARACTERISTIC WASTE. GENERATORS MUST EVALUATE WASTE STREAM. DRAIN CONTAINERS IAW REGS.

=====
MSDS Transport Information
=====

Transport Information:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (TRIPHENYL PHOSPHATE), CLASS 9, UN 3082, PG III, NORTH AMERICAN EMERGENCY GUIDE NO. 171.

=====
Regulatory Information
=====

Federal Regulatory Information:TRIPHENYL PHOSPHATE LISTED ON TSCA.
State Regulatory Information:TRIPHENYL PHOSPHATE SUBJECT TO FOLLOWING: DOMESTIC SUBSTANCE LIST-CANADA, MASSACHUSETTS SUBSTANCE LIST, NEW JERSEY RTK LIST, PENNSYLVANIA HAZARDOUS SUBSTANCE LIST.

=====
Other Information
=====

Disclaimer (provided with this information by the compiling agency)

encies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.