

COURTAULDS AEROSPACE INC -- PR-1656 GREEN -- 5970-01-288-2973

=====
Product Identification
=====

Product ID:PR-1656 GREEN

MSDS Date:07/02/1986

FSC:5970

NIIN:01-288-2973

Kit Part:Y

MSDS Number: CFGTY

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209-5000

Country:US

Info Phone Num:818-240-2060/800-228-6636

Emergenc

y Phone Num:800-228-6636/818-240-2060

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
Composition/Information on Ingredients
=====

Ingred Name:4,4,'-DIAMINODIPHENYLMETHANE, 4,4-METHYLENE DIANILINE (SUSP
HUMAN CARC BY ACGIH, IARC - GROUP 2B;SUSP CARC BY NTP)*97-1*

CAS:101-77-9

RTECS #:BY54250

00
Other REC Limits:0.1 PPM
ACGIH TLV:0.81 MG/CUM(SKIN) A2
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:HEXONE, METHYL ISOBUTYL KETONE (MIBK), 4-METHYL-2-PENTANONE
97-1

CAS:108-10-1
RTECS #:SA9275000
Other REC Limits:50 PPM
OSHA PEL:100 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health

h Hazards Acute and Chronic:EYES: MAY CAUSE SEVERE IRRITATION.
SKIN: MAY CAUSE LOCAL IRRITATION. INHALATION: MAY CAUSE IRRITATION
OF MUCOUS MEMBRANES, THROAT & LUNGS.

Explanation of Carcinogenicity:SEE INGREDIENTS.

Effects of Overexposure:IRRITATION, TEARING, ALLERGIC RASH, FEVER,
CHILLS, LOSS OF APPETITE, ABDOMINAL PAIN, VOMITING, JAUNDICED
APPEARANCE.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LUKE WARM WATER FOR 15 MINS. SKIN
: WASH W/SOAP
& WATER. DON'T WASH W/SOLVENT. INHALATION: REMOVE TO FRESH AIR.
OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:62F
Lower Limits:1.4
Upper Limits:7.5 (SUPP)
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:WEAR AN AIR-SUPPLIED RESPIRATOR & COMPLETE
PERSONAL PROTECTION. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:HI

GH TEMPS MAY CAUSE PRESSURE BUILDUP IN
CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. WEAR AIR-SUPPLIED
RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER W/ABSORBENT. SCOOP
INTO CONTAINERS. CLEAN-UP RESIDUE W/1,1,1-TRICHLOROETHANE.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID INGESTION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN ORGANIC VAPOR CARTRIDGE/AIR-SUPPLIED
RESPIRATOR WHEN SPRAYING, APPLYING IN CONFINED AREAS/IN OTHER
CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT >PELS.
Ventilation:GENERAL TO MAINTAIN VAPORS