View NSN Online: https://aerobasegroup.com/nsn/8040-00-880-7332

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- SILICON POLYMER & SOLVENT 8040-00-880-7332

============= Product Identification ==================

Product ID:SILICON POLYMER & SOLVENT

MSDS Date:02/06/1996

FSC:8040

NIIN:00-880-7332

Kit Part:Y

MSDS Number: CFJTK === Responsible Party ===

Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address: HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Inf

o Phone Num:518-237-3330

Emergency Phone Num:518-237-3330 Preparer's Name:C.E. HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address: 260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:XTO INC Address:16 CORPORATE DR

Box:UNKNOW

City: EAST SYRACUSE

State:NY

ZIP:13057-1015 Country:US CAGE:1AE59

===== Composition/Information on Ingredients ====

=======

Ingred Name:BENZENE (SARA 313)(VP=75@20C)(LD50=3800MG/KG RAT, LC50=10000PPM/7 HR RAT)

CAS:71-43-2

RTECS #:CY1400000

Fraction by Wt: 40000MG/KG RAT)(LC50 INHAL >535MG/L)

CAS:68554-67-6 Fraction by Wt: 30.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC = 690 G/L

RTECS #:9999999VO

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingesti

on:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGEST: HARMFUL

(VOMITING/NAUSEA/DIARRHEA/IRRIT) SKIN: DRYING/ABSORPTION. INHAL: HEADACHE/DIZZINESS/NAUSEA/INCOORDINATION/IRRIT. EYE: IRRIT/TISSUE DAMAGE. CHRONIC: SKIN/RESP SENSITIZATION. ACUTE TOXIC ANT/POTENTIAL

CANCER HAZARD. TARGETS DERMATITIS/RESP AILMENTS/CNS

DAMAGE/LIVER/KIDNEY/CORNEAS/PULMINARY EDEMA.

Medical Cond Aggravated by Exposure: RESPIRATORY, LIVER, KIDNEY.

=======

======= First Aid Measures ==================

First Aid:INGEST: DON'T INDUCE VOMITING. DILUTE W/102 GLASSES WATER/MILK. GET MED AID. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. SKIN: REMOVE CONTAM CLOTHES/WASH BEFORE REUSE. WASH W/SOAP & WATER. GET MED AID. INHAL: GET FRESH AIR. IF NOT BREATHING GIVE ARTIF RESP(MOUTH-TO-MOUTH). IF TROUBLE BREATHING GIVE OXYGEN. GET MED AID. EYE: IMMED FLUSH W/LOTS WATER >15 MIN. GET IMMED MED AID.

===========

==== Fire Fighting Measures ===============
Flash Point Method:PMCC Flash Point:-12F,-24C Autoignition Temp:Autoignition Temp Text:465F Lower Limits:1.0 Upper Limits:12.0 Extinguishing Media:ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, REGULAR FOAM, WATER MIST. Fire Fighting Procedures:EXTREMELY FLAMMABLE! USE FULL PROTECTIVE CLOTHING!
========= Accidental Release Measures ===========
Spill Release Procedures:WIPE/SCRAPE/SOAK UP ON INERT ABSORBENT. CONTAI NERIZE. WEAR PROPER PROTECTIVE EQUIPMENT. REMOVE IGNITION SOURCES. EVACUATE. INCREASE VENTILATION.
======================================
Handling and Storage Precautions:USE GROUND STRAP. STORE IN ORIGINAL CONTAINER