

FINE ORGANICS CORP -- OMEGA 1024 -- 6850-00-965-2331

===== Product Identification =====

Product ID:OMEGA 1024

MSDS Date:05/08/1996

FSC:6850

NIIN:00-965-2331

MSDS Number: CFJTP

=== Responsible Party ===

Company Name:FINE ORGANICS CORP

Address:205 MAIN ST

Box:687

City:LODI

State:NJ

ZIP:07644-0687

Country:US

CAGE:05867

=== Contractor Identification ===

Company Name:FINE ORGANICS CORP

Address:420 KUL

LER RD

Box:2277

City:CLIFTON

State:NJ

ZIP:07015

Country:US

Phone:973-478 1000

CAGE:05867

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBON

CAS:64741-44-2

RTECS #:LX3296000

Fraction by Wt: 87.0%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE

: IRRITATION. SKIN: IRRITATION,
DERMATITIS. INGEST: PULMONARY INJURY. INHAL: IRRITATION, HEADACHE,
DIZZINESS, DROWSINESS, UNCONSCIOUSNESS, CNS EFFECTS.
Medical Cond Aggravated by Exposure:SKIN DISORDERS.

=====
===== First Aid Measures =====

First Aid:INHAL: REMOVE TO FRESH AIR. GIVE ARTIF RESP IF BREATHING HAS
STOPPED. GET IMMED MED AID. EYE: FLUSH THOROUGHLY W/WATER FOR >15
MINUTES WITHIN 1 MINUTE OF CONTACT. SKIN: WASH W/LARGE AMOUNTS OF
WA
TER. REMOVE CONTAM CLOTHES, WASH BEFORE REUSE. INGEST: DONT
INDUCE VOMIT. GIVE PLENTY OF WATER, GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:135F,57C
Autoignition Temp:Autoignition Temp Text:NE
Lower Limits:NE
Upper Limits:NE
Extinguishing Media:CLASS B EXTINGUISHING MEDIA SUCH AS CO2, FOAM,
SUITABLE DRY CHEMICAL.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA.
Unusual Fire/Explosion Hazard:VAPORS ARE FLAMMABLE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:OUTDOORS: ABSORB, DIKE. INSIDE: SHUT OFF OR
STOP SPILL. ELIMINATE IGNITS, ABSORB, CONTAINERIZE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 32 & 110F. STORE INDOORS
IN TIGHTLY SEALED CONTAINER IN COOL AREA AWAY FROM ALL IGNITS.
EMPTY CONTAINERS RETAIN RESIDUE. DONT CUT *
Other Precautions:NK * PUNCTURE, WELD ON/NEAR C
ONTAINER. RECONDITION
OR DESTROY CONTAINER. KEEP AWAY FROM IGNITS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROVED ORGANIC VAPOR CHEMICAL CARTRIDGE
RESPIRATOR.
Ventilation:LOCAL EXHAUST MAY BE NECESSARY.
Protective Gloves:NEOPRENE.
Eye Protection:SAFETY GOGGLES & FACE SHIELD.
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:250F,121C
Melt/Freeze Pt:M.P/F.

P Text:-20F,-29C

Vapor Pres:NE

Vapor Density: