

DOW CORNING CORP -- 2-1143 SILICONE BRAKE FLUID

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 00-231-9071  
MSDS Date: 12/28/1995  
MSDS Num: CFKCV  
Product ID: 2-1143 SILICONE BRAKE FLUID  
MFN: 01  
Responsible Party  
Cage: 5D028  
Name: DOW CORNING CORP  
Address: 3901 SOUTH SAGINAW ROAD  
Box: 997  
City: MID  
LAND MI 48686  
Info Phone Number: 517-496-6000  
Emergency Phone Number: 517-496-5900(CHEMTREC 800-424-9300)  
Preparer's Name: UNKNOWN  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 4N760  
Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC  
Address: 2210 HACKBERRY LN  
Box: 687  
City: CONROE TX 77305  
Phone: 409-756-1065  
Cage: 5D028  
Name: DOW CORNING CORP  
Address: 3901 S SAG  
INAW RD  
Box: 997  
City: MIDLAND MI 48686-0997  
Phone: 517-496-6000/517-496-6315  
Cage: 71984  
Name: DOW CORNING CORP  
Address: 2200 W SALZBURG RD  
City: AUBURN MI 48611  
Phone: 517-496-4388

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: BRAKE FLUID,AUTOMOTIVE  
Specification Number: SAE J1703  
Type/Grade/Class: NONE  
Unit of Issue: GL  
UI Container Qty: 6  
Type of Container: CAN  
=====

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: IN

HALATION MAY CAUSE RESPIRATORY IRRITATION; INJURE

THE NERVOUS SYSTEM. CONTACT MAY CAUSE SKIN & EYE IRRITATION. INGESTION OF SMALL AMOUNTS SHOULD NOT INJURE; LARGE AMOUNTS MAY INJURE SLIGHTLY. CHRONIC: PROLONGED/REPEATED INHALATIONMAY CAUSE INJURY TO THE NERVOUS SYSTEM.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptoms Of Overexposure: INHALED-DROWSINESS, RESPIRATORY IRRITATION.

SKIN-IRRITATION. EYES-REDNESS, SWELLING. INGESTED-SLIGHT INJURY(?).

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF MEDICAL EFFECTS PERSIST. INGESTED-GET MEDICAL ATTENTION. PHYSICIANS NOTE: TREAT ACCORDING TO PERSON'S CONDITION AND SPECIFIC EXPOSURE.

=====  
Handling and Disposal  
=====

Spill Release Procedures: MOP OR WIPE OR SOAK UP WITH ABSORBENT & CONTAIN FOR SALVAGE OR DISPOSAL. IF SPILL LARGE; PROVIDE DIKING OR OTHER CONTAINMENT. CLEAN ANY REMAINING SLIPPERY SURFACES BY APPROPRIATE TECHNIQUES. OBSERVE PERSONAL PROTECTIVE EQUIPMENT RECOMMENDATIONS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Meth

ods: DISPOSAL OF COLLECTED PRODUCT, RESIDUES AND CLEAN-UP  
MATERIALS MAY BE GOVERNMENTALLY REGULATED. DISPOSE OF IN ACCORDANCE WITH  
LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: NO SPECIAL PRECAUTIONS. USE REASONABLE CARE.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: CC

Flash Poi

nt Text: &gt;213F,&gt;101C

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM. WATER CAN  
BE USED TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE  
FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: NONE.

=====  
Control Measures  
=====

Respiratory Protection: IF ENGIN

EERING CONTROLS FAIL OR NON-ROUTINE USE OR AN

EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR  
CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR  
1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN  
EXPOSURE BELOW TLV(S).

Protective Gloves: NONE NORMALLY REQUIRED.

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. DLA-: EYE WASH  
STATION, WASHING FACILITIES.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING,  
OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

=====  
Physical/Chemical Properties  
=====

HCC: V6

B.P. Text: UNKNOWN

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: UNKNOWN

Vapor Density: UNKNOWN

Spec Gravity: 0.97

Viscosity: UNKNOWN

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: UNKNOWN

Appearance and Odor: PURPLE LIQUID; SLIGHT ODOR.

Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE.

Materials To Avoid: OXIDIZING MATERIAL CAN CAUSE A REACTION.

Hazardous Decomposition Products: NITROGEN OXIDES,CARBON OXIDES & TRACES OF  
INCOMPLETELY BURNED CARBON COMPOUNDS,METAL OXIDES,SILICON  
DIOXIDE,FORMALDEHYDE

Hazardous Polyme

rization Indicator: NO

Conditions To Avoid Polymerization: HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 5D028

Trans ID NO: 58392

Product ID: 2-1143 SILICONE B

RAKE FLUID

MSDS Prepared Date: 12/28/1995

Review Date: 09/22/1997

MFN: 1

Net Unit Weight: 8.1 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: GL

Container QTY: 6

Type Of Container: CAN

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
Detail IMO Information  
=====

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: 2-1143 SILICONE BRAKE FLUID

Cage: 5D028

Company Name: DOW CORNING CORP

Street: 3901 S SAGINAW RD

PO Box: 997

City: MIDLAND MI

Zipcode: 48686-0997

Health Emergency Phone: 517-496-5900(CHEMTREC 800-424-9300)

Label Required IND: Y

Date Of Label Review: 09/18/1997

Stat

us Code: C

Label Date: 09/18/1997

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: INHALATION MAY CAUSE RESPIRATORY IRRITATION; INJURE THE NERVOUS SYSTEM. CONTACT MAY CAUSE SKIN & EYE IRRITATION. INGESTION OF SMALL AMOUNTS SHOULD NOT INJURE; LARGE AMOUNTS MAY INJURE SLIGHTLY. PROLONGED/REPEATED INHALATION

ION MAY CAUSE INJURY TO THE NERVOUS SYSTEM. TARGET  
ORGANS: NERVOUS SYSTEM, SKIN. 1ST AID: EYES-IMMEDIATELY FLUSH WITH WATER FOR  
15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP &  
WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH  
AIR. GET MEDICAL ATTENTION IF MEDICAL EFFECTS PERSIST. INGESTED-GET MEDICAL  
ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies)

: This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction w  
ho is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.