

NU-CALGON WHOLESALERS, INC -- 4316 ICEMATIC SW68 -- 9150-01-387-4469

=====
Product Identification
=====

Product ID:4316 ICEMATIC SW68

MSDS Date:02/23/1994

FSC:9150

NIIN:01-387-4469

MSDS Number: CFMTQ

=== Responsible Party ===

Company Name:NU-CALGON WHOLESALERS, INC

Address:2451 SCHUSTZ ROAD

City:MAYRLAND HEIGHTS

State:MO

ZIP:63043

Country:US

Info Phone Num:314-994-1010/800-554-5499

Emergency Phone

Num:800-424-9300(CHEMTREC)

CAGE:0XX75

=== Contractor Identification ===

Company Name:NU-CALGON WHOLESALER, INC.

Address:2008 ALTOM COURT

Box:City:ST LOUIS

State:MO

ZIP:63146-4151

Country:US

Phone:800-554-5499/314-469-7000

CAGE:0XX75

=====
Composition/Information on Ingredients
=====

Ingred Name:PER MSDS:NO HAZARDOUS INGREDIENTS PRESENT

RTECS #:9999999ZZ

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYOL ESTER LUBRICANT

Other REC Limits:NONE RECOMMENDE

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGEST:CAN CAUSE GASTROINTESTINAL IRRIT,NAU,VOMIT,DIARR.EYE/SKIN:MAY CAUSE MILD IRRIT.PROL/REP SKIN CONTACT MAY CAUSE SKIN IRRIT,DEFATTING.INHAL:MAY CAUSE NASAL/RESPIRATORY IRRIT,DIZZINESS.

Effects of Overexposure:GI IRRIT

,NAUSEA,VOMIT,DIARRHEA. MILD EYE/SKIN

IRRIT, SKIN IRRIT,DEFATTING, NASAL/RESP IRRIT,DIZZINESS IF INGEST.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/LG AMTS OF CLEAN WATER FOR @LEAST 15MINS.CONTACT PHYSICIAN IF IRRIT PERSISTS.SKIN:REMOVE CONTAM CLOTH.WIPE MATL FROM SKIN.WASH THOROUGHLY W/SOAP/WATER.INGEST:DONT INDUCE VOMIT;ASPIRATION H AZARD.CONSULT PHYSICIAN IMMED

.INHAL:REMOVE FROM

AREA OF EXPOSURE.ADMINISTER OXYGEN IF DEEMED NECESSARY.BREATHING STOPPED ADMINISTER CPR;CONTACT PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:>400F,>204C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:ND

Upper Limits:ND

Extinguishing Media:DRY CHEMICAL, CO2, FOAM.

Fire Fighting Procedures:USE WATER AS FOG OR SPRAY TO COOL CONTAINERS EXPO TO FIRE.WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:EMPTY CONTAINERS MAY COTNAIN PRODUCT RESIDUE OR VAPORS WHICH CAN IGNITE EXPLOSIVELY;DONT CUT/WELD/DRILL ON/NEAR EMPTY/FULL CONTAINERS.

=====
Accidental Release Measures
=====

Spill Release Procedures:DONT PERMIT PRODUCT TO ENTER

STREAMS,SEWERS,OTHER WATERWAYS.DIKE SPILL & ELIMINATE LEAK.ABSORB W/INERT MATL & STORE IN CLOSED CONTAINERS TIL DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====

== Handling and Storage =====

Handling and Storage Precautions:AVOID PROL/REP BREATH OF VAP/MIST/FUMES.KEEP CNTNR TIGHTLY CLSD.DONT STORE NEAR HEAT/FLAME/STRONG OXIDANTS.MAINTAIN ADEQUATE VENTILATION.
Other Precautions:DONT WEAR CONTAM CLOTH.LAUNDER BEF REUSE OR DISCARD.DONT TAKE ANY FOOD/DRINK/HNDL TOBACCO PRODUCTS WHILE IN CONTACT W/THIS PRODUCT.WSH THOROUGHLY AFTER USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA PPAROVED ORGANIC VAPOR RESPIRATOR OR SUPPLIED AIR RESPIRATORY EQPMT AS REQUIRED.
Ventilation:PROVIDE SUFFICIENT MECHANICAL,GENERA &/OR LOC EXHAUST TO MAINTAIN EXPO BELOW TLV.GREATER THAN 60/MIN RECOMMENDED.
Protective Gloves:RESISTANT TYPE GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health

===== Physical/Chemical Properties ===

HCC:V6
Boiling Pt:B.P. Text:>500F,>260C
Melt/Freeze Pt:M.P/F.P Text:NP
Decomp Temp:Decomp Text:NP
Vapor Pres:NEGLIGIBLE
Vapor Density:>5
Spec Gravity:0.98
pH:NP
Viscosity:NP
Evaporation Rate & Reference:NEGLIGIBLE, ETHER=1
Solubility in Water:NOT SOLUBLE
Appearance and Odor:SLIGHT PETORLEUM ODOR, CLEAR, COLORLESS LIQUID
Percent Volatiles by Volume:NEGLIG
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to A

void:YES

OXIDIZING AGENTS

Stability Condition to Avoid:AVOID OXIDIZING AGENTS, HEAT, OPEN FLAMES.

Hazardous Decomposition Products:SMOKE, FUMES, CO, CO2.

===== Disposal Considerations =====

Waste Disposal Methods:ALL RECOVERED MATL SHOULD BE
PKGD/LABELLED/TRANSP/DISPO OF OR RECLAIMED IN CONFORMANCE W/GOOD
ENGINEERING PRACTICES.DISPO OF BY METHOD IN COMPLIANCE
W/LOC/STATE/FED REGS REGARDING HEALTH/AIR/WATER POLLUTION.MAY BE
DESTROYED BY CONTROLLED
INCINERATION

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.