

MCGEE INDUSTRIES INC, MCLUBE DIV -- MAC-317 -- 9150-01-447-4411

=====
Product Identification
=====

Product ID:MAC-317

MSDS Date:10/01/1996

FSC:9150

NIIN:01-447-4411

MSDS Number: CFMWQ

=== Responsible Party ===

Company Name:MCGEE INDUSTRIES INC, MCLUBE DIV

Address:9 CROZERVILLE RD

City:ASTON

State:PA

ZIP:19014-1431

Country:US

Info Phone Num:610-459-1890

Emergency Phone Num:800-262-5823/800-424-930

0(CHEMTREC)

CAGE:FO077

=== Contractor Identification ===

Company Name:MCGEE IND INC

Address:9 CROZERVILLE RD

Box:City:ASTON

State:PA

ZIP:19014

Country:US

Phone:800-262-5823

CAGE:04672

Company Name:MCGEE INDUSTRIES/ASTON, PA 19014

CAGE:FO077

=====
Composition/Information on Ingredients
=====

Ingred Name:FLUOROCHEMICAL MIXTURE/FLUOROCARBON

Fraction by Wt: 1 - 4%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 90 - 95%

Other R

EC Limits:NONE RECOMMENDED

Ingred Name:ORGANIC RESIN (MIXTURE)

Fraction by Wt: 2 - 7%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN. ACUTE-

EYE:DIRECT CONTACT MAY IRRITATE SLIGHTLY. SKIN:PROLONGED/REPEATED CONTACT MAY

CAUSE MILD IRRITATION. INHALE:NOT LIKELY. ORAL:LOW

TOXICITY BY INGESTION. CHRONIC- UNKNOWN .

Explanation of Carcinogenicity:NONE.

Effects of Overexposure:MILD IRRITATION

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN

DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH W

ATER FOR 15 MINUTES. HOLD EYELIDS OPEN.

SKIN:WIPE OFF EXCESS & WASH SKIN WITH SOAP & WATER. ORAL:DRINK WATER IF LARGE QUANTITIES ARE INGESTED. CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CO

NTAINED BREATHING APPARATUS. TOXIC FUMES MAY BE FORMED.

Unusual Fire/Explosion Hazard:TOXIC GASES MAY BE FORMED.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PICK-UP SPILL WITH INERT ABSORBENT MATERIAL SUCH AS DIATOMACEOUS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precau

tions:STORE AWAY FROM INCOMPATIBLE

MATERIALS. DO NOT FREEZE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR, MIST OR DUST IS GENERATED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation:ADEQUATE

Protective Gloves:PLASTIC RECOMMENDED

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:18 @ 68F

Spec Gravity:1.1

Viscosity:NOT RELEVANT

Evaporation Rate & Reference: