

LORD CORP CHEMICAL PRODUCTS GROUP -- AEROGLAZE 9947B WASH PRIMER --  
8010-01-197-1691

=====  
===== Product Identification =====

Product ID:AEROGLAZE 9947B WASH PRIMER

MSDS Date:03/02/1994

FSC:8010

NIIN:01-197-1691

Kit Part:Y

MSDS Number: CFNCT

=== Responsible Party ===

Company Name:LORD CORP CHEMICAL PRODUCTS GROUP

Address:2000 W GRANDVIEW BLVD

Box:10038

City:ERIE

State:PA

ZIP:16514

Country:US

Info Phone

Num:814-868-3611 - BUSINESS SERVICES

Emergency Phone Num:814-763-2345 - SAFETY ENGINEER

CAGE:30676

=== Contractor Identification ===

Company Name:CAAP CO INC

Address:152 PEPE'S FARM RD

Box:City:MILFORD

State:CT

ZIP:06460

Country:US

Phone:203-877-0375

CAGE:60922

Company Name:LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Address:2000 WEST GRANDVIEW BLVD

Box:City:ERIE

State:PA

ZIP:16514-0038

Country:US

Phone:814-868-3611

CAGE:30676

=====  
===== Composition/Information on Ingredients =====

==

Ingred Name:1-METHOXY-2-PROPYLACETATE  
CAS:108-65-6  
RTECS #:AI8925000  
Fraction by Wt: 70.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER ACETATE  
CAS:88917-22-0  
Fraction by Wt: 15.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SEC-BUTANOL (SARA 313)  
CAS:78-92-2  
RTECS #:EO1750000  
Fraction by Wt: 10.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:150 PPM  
ACGIH TLV:100 PPM

Ingred Name:ETHYL ALCOHOL (ETHANOL)  
CAS:64-17-5  
RTECS #:KQ6300000  
Fraction by Wt: 10.0%  
O  
ther REC Limits:NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM

Ingred Name:PHOSPHORIC ACID (SARA 313) (CERCLA)  
CAS:7664-38-2  
RTECS #:TB6300000  
Fraction by Wt: 2.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3/STEL 3  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:VOC = 7.73 LBS/GL  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of E

ntry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: DERMATITIS,  
IRRITATION. INHAL: IRRITATION, (DRYNESS OF THROAT, TIGHTNESS OF  
CHEST, SHORTNESS OF BREATH), CNS DEPRESSION, (HEADACHE, DIZZINESS,  
STAGGERING GAIT, CONFUSION, UNCON SCIOUSNESS, COMA). INGEST:  
HARMFUL. CHRONIC: LIVER/KIDNEY/CNS DAMAGE & DERMATITIS.  
Effects of Overexposure:\* NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS  
PERSON.

=====  
===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY WITH LARGE AMOUNTS WATER FOR >15 MIN, LIFT  
LIDS. GET IMMEDIATE MEDICAL AID. SKIN: FLUSH WITH LARGE AMOUNTS WATER, REMOVE  
CONTAMINATED CLOTHES, WASH BEFORE REUSE. WASH WITH SOAP & WATER, GET MEDICAL  
AID. INHAL: GET FRESH AIR. RESTORE/SUPPORT BREATHING. IF BREATHING  
IS DIFFICULT, GIVE OXYGEN, GET IMMEDIATE MEDICAL AID. INGEST: DON'T INDUCE  
VOMIT, GIVE 1-2 GLASSES WATER/MILK CALL DRUG/POISON CONTROL. \*

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:73.0F,22.8C  
Autoignition Temp:Autoignition Temp Text:NE  
Lower Limits:1.3  
Upper Limits:19.0  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.  
Fire Fighting Procedures:USE FULL FIREFIGHTING PROTECTIVE CLOTHING,  
INCLUDING SCBA. WATER SPRAY MAY BE INEFFECTIVE. FOG NOZZLES  
PREFERRED.  
Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE WHEN EXPOSED TO  
EXTREME HEAT. USE WATER SPRAY  
TO KEEP FIRE EXPOSED CONTAINERS COOL.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA. REMOVE SPARKS, USE SCBA. NOTIFY  
AUTHORITIES IF NECESSARY. DIKE WITH ABSORBENT. REMOVE WITH NONSPARKING  
TOOLS. AVOID CONTACT WITH MATERIAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE OR USE NEAR SPARKS. STORE  
IN WELL VENTED AREA. DON'T PUNCTURE, DRAG OR SLIDE CONTAINER. KEEP  
C

CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:GROUND/BOND CONTAINER WHEN TRANSFERRING. DON'T HANDLE UNTIL SAFETY PRECAUTIONS HAVE BEEN READ/UNDERSTOOD. DON'T REUSE CONTAINER. EMPTY CONTAINER RETAINS FLAMMABLE RESIDUE. DON'T CUT, PUNCTURE OR WELD ON/NEAR EMPTY CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL FILTER RESPIRATOR OR APPROVED AIR SUPPLIED RESPIRATOR.

Ventilation:SUFFICIENT

EXPLOSION-PROOF EQUIPMENT.

Protective Gloves:NEOPRENE, NITRILE, RUBBER.

Eye Protection:SAFETY GLASSES W/SIDE SHLD, CHEM GOGGLES

Other Protective Equipment:DISPOSABLE/IMPERVIOUS CLOTHING.

Work Hygienic Practices:WASH HANDS BEFORE EATING/SMOKING/USING RESTROOM. DON'T EAT/DRINK NEAR PRODUCT. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health  
MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

NRC/State Lic Num:NKNK

Boiling Pt:B.P.

Text:172 TO 392F

Melt/Freeze Pt:M.P/F.P Text:NE

Vapor Pres:NE

Vapor Density:>AIR

Spec Gravity:0.94

pH:NA

Evaporation Rate & Reference:SLOWER THAN ETHER.

Solubility in Water:INSOLUBLE.

Appearance and Odor:CLEAR LIQUID, W/SOLVENT ODOR.

Percent Volatiles by Volume:99.2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:HIGH TEMPERATURE & IGNITION SOURCES.

Hazardous Decomposition Products:CARBON MONOXIDE

DE, CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL/STATE/LOCAL ENVIRONMENTAL CONTROL REGULATIONS. IF WASTE IS HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTER & DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.