View NSN Online: https://aerobasegroup.kr/nsn/7930-01-399-5275

Product ID:BRASS & METAL POLISH.

MSDS Date:08/03/1995

FSC:7930

NIIN:01-399-5275

MSDS Number: CFNGN === Responsible Party ===

Company Name: WERTH SANITARY SUPPLY COMPANY, INC.

Address:1561 PIONEER WAY

City:EL CAJON

State:CA ZIP:92020 Country:US

Info Phone Num:800-535-5053

Emergency Pho

ne Num:800-535-5053

CAGE:5T372

=== Contractor Identification ===

Company Name: WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

====== Composition/Information on Ingredients ========

Ingred Name: CITRUS TERPENE

CAS:5989-27-5

RTECS #:GW6360000 Fraction by Wt: 10-20.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE

CAS:102-71-6

RTECS #:KL9275000 Fraction by Wt: 1-5.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PROPYLENE GLYCOL MONOMETHYL ETHER

CAS:34590-94-8 RTECS #:JM1575000 Fraction by Wt: 1-5.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:50 PPM ACGIH TLV:50PPM

Ingred Name: STARYL PROPIONATE

Fraction by Wt: 1-5.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS)

CAS:68476-85-7 RTECS #:SE7545000 Fraction by Wt: 5-10.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name: VOC = 27.0%

RTECS #:9999

999VO

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

========= Hazards Identification ==============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION.
INHAL: IRRITATION, DIZZINESS, NAUSEA, CNS EFECTS. INGEST:
IRRITATION, NAUSEA, VOMIT, DIARRHEA & CHEMICAL PNEUMONITIS.

First Aid:EYE: FLUSH W/LARGE AMOUNTS OF COOL RUNNING WATER FOR >15 MINUTES, LIFT LIDS. GET IMMED MED AID. SKIN: WASH W/SOAP & WATER, GET MED AID. INHAL: REMOVE TO FRESH AIR. GET IMMED MED AID. IF BREATHING STOP S, GIVE ARTIFICIAL RESPIRATION. INGEST:DONT INDUCE VOMIT, GET IMMED MED AID.

Flash Point Method:TOC Flash Point:130F,54C

Extinguishing Media: FOAM, CO2, DRY CHEMICAL.

Fire

Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST AT ABOVE 120F.
========= Accidental Release Measures ===========
Spill Release Procedures:ALLOW PROPELLANT TO EVAPORATE. MAINTAIN LOCAL EXHAUST & VENTILATION. ELIMINATE IGNITS. ABSORB, SCOOP UP, WASH AREA TO PREVENT SLIPPING.
======================================
Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL & INSTITUTIONAL USE ONLY. STORE IN COOL, DRY AREA AWAY FROM HEAT/OPEN FLAME. DONT STORE >120F.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NEEDED. Ventilation:LOCAL EXHAUST. Protective Gloves:NONE NEEDED. Eye Protection:NONE NEEDED. Supplemental Safety and Health NK
========= Physical/Chemical Properties ===========
Boiling Pt:B.P. Text:ABOUT 210F Vapor Pre s:60.0 Vapor Density:>1.0 Spec Gravity:1.055
pH:NA Solubility in Water:COMPLETE. Appearance and Odor:MILKY WHITE FOAM, W/CITRUS FRAGRANCE.
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:CO, CO2.
========= Disposal Considerations =============
Waste Disposal Methods:IN ACCORDANCE W/FEDERAL/STATE/LOCAL REGULATIONS AEROSOL CANS WHEN EMPTY & DEPRESSUR

Fighting Procedures:USE SCBA & PROTECTIVE CLOTHING. COOL FIRE EXPOSED CONTAINERS TO PREVENT RUPTURE.

IZED THROUGH NORMAL USE POSE NO DISPOSAL HAZARD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitab ility of this information to their particular situation.