

COURTAULDS AEROSPACE INC -- PR-2911 WHITE PART B -- 8030-01-357-3567

=====
Product Identification
=====

Product ID:PR-2911 WHITE PART B

MSDS Date:03/15/1995

FSC:8030

NIIN:01-357-3567

Kit Part:Y

MSDS Number: CFXHD

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-549-7586

Emergency P

hone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
Composition/Information on Ingredients
=====

Ingred Name:PM ACETATE

CAS:108-65-6

RTECS #:AI8925000

Fraction by Wt: 15%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

Ingred Name:POLYTHIOETHER POLYMER

CAS:8

3346-49-0

Fraction by Wt: 85%

Other REC Limits:NOT RECOMMENED

Ingred Name:VOC: 510 GM/L (COMBINED PART A & B)

RTECS #:9999999VO

Other REC Limits:NOT RECOMMENED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: BURNING/TEARING/REDDENING/CORNEAL
INJURY/IRRIT. SKIN: DRYING/CRACKING/DERMATITIS. INHAL: IRRIT TO
NOSE,THROAT,UP
PER RESPIRATORY TRACT & LIVER/KIDNEY EFFECTS &
BRONCHIAL IRRIT (COUGHING/TIGHTNESS IN CHEST/DIFFICULTY IN
BREATHING). ASTHMA IN SENSITIZED PERSONS. INGEST: IRRIT DIGESTIVE
TRACT, STOMACH.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WARM WATER FOR 15 MINUTES. GET MED AID. SKIN:
WASH THOROUGHLY W/SOAP & WATER. COVER EXPOSED AREAS W/POLYETHYLENE
GLYCOL (300-500 MW), REPEAT WASH. DISCARD OR DECONTAMINATE
CLOTHING. GET M ED AI
D. INHAL: GET FRESH AIR. GET MED AID. INGEST:
GIVE MILK/WATER TO DRINK. GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:116F,47C
Lower Limits:1.5
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR. USE WATER TO COOL
CONTAINERS.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINERS.

=====
===== Accidental R

Release Measures =====

Spill Release Procedures:USE AIR-SUPPLIED RESPIRATOR. COVER W/ABSORBANT. ADD DECONTAMINATION SOLUTIONS & ALLOW REACT FOR 10 MINUTES. CONTAINERIZE & ADD ADDITIONAL DECONTAM SOLUTION* & LOOSELY COVER FOR 48 HRS. CLEANUP W/SUITABLE SOLVENT.

Neutralizing Agent:*DECONTAMINATION SOLUTION: 5% CONCENTRATED AMMONIA, 2% DETERGENT, 93% WATER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. DONT STORE >120F. USE GROUNDING/BONDING PROCEDURE WHEN TRANSPORTING MATERIAL. AVOID MOISTURE CONTAMINATION. *

Other Precautions:*IT WILL CAUSE CO2 PRESSURE. DONT RESEAL CONTAINER IF MOISTURE CONTAMINATION IS SUSPECTED. EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DONT CUT/WELD ON/NEAR DRUM. VAPORS ARE >AIR & MAY COLLECT IN LOW/CONFINED AREAS. DONT PUNCTURE DRUM.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE AN AIR-SUPPLIED RESPIRATOR OR ORGANIC VAPOR CARTRIDGE.

Ventilation:GENERAL

Protective Gloves:SOLVENT RESISTANT

Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD

Other Protective Equipment:A FULL, PERMEATION RESISTANT, PROTECTIVE SUIT INCLUDING HEAD COVERING, OVERSHOES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:284F,14

OC

Vapor Density:>AIR

Spec Gravity:1.12

Evaporation Rate & Reference:UNAVAILABLE

Appearance and Odor:AMBER LIQUID

Percent Volatiles by Volume:19.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES WATER, ALCOHOLS, STRONG BASES, AMINES.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN; POSSIBLE TRACES OF HCN.

===== Disposal Considerations =====

Waste Disposal Methods:EPA WASTE NO

. D-001. DISPOSE OF SPILLAGE IN
COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.