

CANTOL,INC. -- BELIEVE! -- 6850-01-440-1488

===== Product Identification =====

Product ID:BELIEVE!

MSDS Date:09/20/1996

FSC:6850

NIIN:01-440-1488

MSDS Number: CFYJL

=== Responsible Party ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

City:PHILADELPHIA

State:PA

ZIP:19133

Country:US

Info Phone Num:215-425-1966

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:RICHARD J. PET

SCHE

CAGE:58380

=== Contractor Identification ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19133-3306

Country:US

Phone:215-425-1966

Contract Num:SP0411-01-M-EQ19

CAGE:58380

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL PHENYL ETHER

CAS:122-99-6

RTECS #:KM0350000

Minumum % Wt:10.

Maxumum % Wt:15.

Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL MOBUTYL ETHER

CAS:5131-66-8

RTEC

S #:UA7700000
Minumum % Wt:1.
Maxumum % Wt:5.
Other REC Limits:NONE RECOMMENDED

Ingred Name:MOMOETHANOLAMINE
CAS:141-43-5
RTECS #:KJ5775000
Minumum % Wt:5.
Maxumum % Wt:10.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3 PPM
ACGIH TLV:3 PPM

Ingred Name:SODIUM XYLENE SULFONATE
CAS:1330-72-7
RTECS #:ZE5100000
Minumum % Wt:5.
Maxumum % Wt:10.
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:Y
ES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: CAUSES IRRITATION. SKIN:
CAUSES IRRITATION. INGESTION: HARMFUL IF SWALLOWED. INHALATION:
PROLONGED BREATHING OF VAPORS MAY BE IRRITATING TO MUCOUS
MEMBRANES. CHRONIC: NONE KNOWN.

Effects of Overexposure:EYES: PAIN, IRRITATION. SKIN: REDNESS.
INHALATION: HEADACHE. INGESTION: IRRITATION TO GASTROINTESTINAL
TRACT.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR @LEAST 15 MINS.
SEEK PROMPT MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING.
DRINK LARGE QUANTITIES OF WATER. CALL PHYSICIAN. SKIN:FLUSH
W/WATER. INHA LATION: REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:NO DATA
Upper Limits:NO D

ATA
Extinguishing Media:FOAM, DRY CHEMICAL, WATER, CARBON DIOXIDE.
Fire Fighting Procedures:WEAR PROTECTIVE EQUIPMENT TO GUARD AGAINST
ALKALINE WATER VAPOR.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. SOAK UP SPILL W/OIL ABSORBANT.
REMOVE ANY RESIDUE W/WATER & DETERGENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZ
ING. AVOID CONTACT WITH
SKIN AND EYES.KEEP OUT OF REACH OF CHILDREN.
Other Precautions:FOR INDUSTRIAL & INSTITUTIONAL USE ONLY. READ &
FOLLOW ALL LABEL DIRECTIONS & PRECAUTIONS. DO NOT MIX WITH ANY
OTHER CHEMICALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE WITH ADEQUATE VENTILATION.
Ventilation:NONE
Protective Gloves:RUBBER, NEOPRENE, PLASTIC.
Eye Protection:EYE GOGGLES
Other Protective Equipment:NONE
Work Hygienic Practices:WASH
THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B2
Boiling Pt:=97.8C, 208.F
B.P. Text:208-212
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NP
Vapor Pres:NO DATA
Vapor Density:>1
Spec Gravity:1.034
pH:NP
Viscosity:NP
Evaporation Rate & Reference:>1, BUTYL ACETATE=1
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, FAINT STRAW LIQUID WITH MILD ODOR
Percent Volatiles by Volume:NP
Corrosion Rate

:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

ACIDS, OXIDIZERS.

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: BURNING GIVES CARBON MONOXIDE, CARBON DIOXIDE, SULFUR DIOXIDE, HYDROGEN SULFIDE, OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods: DISCARD USED ABSORBANT IN PROPER RECEPTACLE FOR TRASH COLLECTION. UNDILUTED PRODUCT IS NONHAZARDOUS WASTE AS

DEFINED BY EPA-RCRA (PH:11.9). CHEM SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III SARA/40CF R372: ETHYLENE GLYCOL PHENYL ETHER.

===== Regulatory Information =====

SARA Title III Information: ETHYLENE GLYCOL PHENYL ETHER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.