

MARTIN DECKER, DIV OF COOPER INDUSTRIES INC -- ALL PURPOSE FLUID -- 9150-00-211-6057
===== Product Identification =====

Product ID:ALL PURPOSE FLUID

MSDS Date:12/01/1993

FSC:9150

NIIN:00-211-6057

MSDS Number: CFYLG

=== Responsible Party ===

Company Name:MARTIN DECKER, DIV OF COOPER INDUSTRIES INC

Address:1200 CYPRESS CREEK RD

Box:1179

City:CEDAR PARK

State:TX

ZIP:78613-3614

Country:US

Info Phone

Num:512-331-0411

Emergency Phone Num:512-331-0411

CAGE:KO630

=== Contractor Identification ===

Company Name:MARTIN DECKER, DIV OF COOPER INDUSTRIES INC

Address:1200 CYPRESS CREEK RD

Box:1179

City:CEDAR PARK

State:TX

ZIP:78613-3614

Country:US

Phone:512-331-0411

CAGE:KO630

Company Name:MARTIN-DECKER DIV OF COOPER INDUSTRIES INC

Address:1200 CYPRESS CREEK RD

Box:1179

City:CEDAR PARK

State:TX

ZIP:78613-3614

Country:US

CAGE:38589

Company Name:RIVER CITY AIR AND HYDRAULICS

Box:UNKNOW

CAGE:02GH0

=====

=====
Composition/Information on Ingredients
=====

Ingred Name: DISTILLATES (PETROLEUM) HYDROTREATED LIGHT NAPHTHC
CAS: 64742-53-6
Fraction by Wt: >85%
Other REC Limits: NONE RECOMMENDED

Ingred Name: ADDITIVES

Fraction by Wt: 204C

Extinguishing Media: USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE TO EXTINGUISH FIRE. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS FOR ENCLOSED OR CONFINED SPACES OR AS OTHERWISE NEEDED.

Unusual Fire/Explosion Hazard: WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE. MINIMIZE BREATHING OF GASES, VAPOR, FUMES OR DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures: RECOVER FREE PRODUCT. ADD SAND, EARTH OR OTHER SUITABLE ABSORBENT TO SPILL AREA. MINIMIZE BREATHING VAPORS. RECOVER FREE PRODUCT. OPEN WINDOWS & DOORS. KEEP PRODUCT OUT OF SEWERS & WATERCOURSES BY DIKING OR IMPOUNDING.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT STORE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS.

Other Precautions: IN ORDER TO PREVENT FIRE OR EXPLOSION HAZARDS, USE APPROPRIATE EQUIPMENT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation: USE LOCAL EXHAUST TO CAPTURE VAPOR, MIST OR FUMES IF NECESSARY.

Protective Gloves: USE CHEMICAL RESISTANT GLOVES.

Eye Protection: USE SPLASH GOGGLES/FACE SHIELD.

Other Protective Equipment: USE CHEMICAL RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING IF NEEDED, TO AVOID CONTAMINATING REGULAR CLOTHING.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health
NONHAZARDOUS

=====
Physical/Chemical P
=====

roperties =====

HCC:V6

Boiling Pt:B.P. Text:310F,154C

Vapor Pres:5

Spec Gravity:0.86

pH:7

Viscosity:13.6 CST

Evaporation Rate & Reference: