View NSN Online: https://aerobasegroup.kr/nsn/5970-00-226-9577 CIBA-GEIGY CORP -- EPOCAST HARDNER 946 -- 5970-00-226-9577 ============= Product Identification ======================== Product ID: EPOCAST HARDNER 946 MSDS Date: 10/04/1994 FSC:5970 NIIN:00-226-9577 Kit Part:Y MSDS Number: CFYLJ === Responsible Party === Company Name: CIBA-GEIGY CORP Address:5121 W SAN FERNANDO ROAD City:LOS ANGELES State:CA ZIP:90039-1011 Country:US Info Phone Num:818-247-6210/800-888-8372 **Emergency Phone N** um:818-247-6210/800-888-8372 CAGE:0267X === Contractor Identification === Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE **POLYMERS** Address:5121 SAN FERNANDO RD WEST Box:City:LOS ANGELES State:CA ZIP:90039-1011 Country:US Phone:818-247-6210/800-873-1138 CAGE:99384 Company Name: CIBA-GEIGY CORP Address:4917 DAWN AVE Box:18300

City: EAST LANSING

State:MI

ZIP:48823-5605

Country:US

Phone:517-351-5900

CAGE:0267X

======= Composition/Information on Ingredients ========

I

ngred Name:DIETHYLENETRIAMINE CAS:111-40-0 RTECS #:IE1225000 Other REC Limits: NONE RECOMMENDED **OSHA PEL:1 PPM** ACGIH TLV:S, 1 PPM; 9596 Ingred Name:4,4'-ISOPROPYLIDENEDIPHENOL (SARA 313) CAS:80-05-7 RTECS #:SL6300000 Other REC Limits: NONE RECOMMENDED Ingred Name:TRADE SECRET- ADDUCT OF ETHYLAMINE, SUBSTITUTEDAMINE AND **BISPHENOL A** Fraction by Wt: SECRET Other REC Limits: NONE RECOMMENDED Ingred Name: ETHANOLAMINE CAS:141-43-5 RTECS #:KJ5775000 Other REC Limits: NONE RECOMMENDED **OSHA PEL:3 PPM** ACGIH TLV:3 PPM/6 STEL; 9596 =========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION-VAPOR OR MISTS CAN CAUSE SEVERE IRRITATION TO THE NOSE & THROAT, DELAYED EFFECTS: PROLONGED OR REPEATED EXPOSURE CAN CAUSE LIVER AND KIDNEY DAMAGE. SUBSTANCE CAN CAUSE ALLERGIC SKIN REACTIO N. Explanation of Carcinogenicity: NOT CARCINO GENIC. Effects of Overexposure: EYE-CORROSIVE TO EYES; CAUSES PERMANENT, IRREVERSIBLE EYE INJURY. SKIN-CORROSIVE TO SKIN; CAUSES BURNS.

Effects of Overexposure:EYE-CORROSIVE TO EYES; CAUSES PERMANENT, IRREVERSIBLE EYE INJURY. SKIN-CORROSIVE TO SKIN; CAUSES BURNS. INGESTION-SUBSTANCE WILL CAUSE BURNING AND SWELLING OF MOUTH, THROAT AND ABDOMEN.

Medical Cond Aggravated by Exposure:ALLERGY, ECZEMA, EYE OR RESPIRATORY CONDITIONS.

First Aid:INHALATION-MOVE SUBJECT TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. EYE AND SKIN-FLUSH EY

ES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MIN. GET PROMPT MEDICAL ATTENTION. WASH SKIN THOROUGHLY WITH SOAP AND WATER. REMOVE AND WASH CLOTHING BEFORE RESUE. INGESTION-DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. SEE A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. ============= Fire Fighting Measures ========================

Flash Point Method:PMCC Flash Point:>210F,>99C

Lower Limits: 1.4 Upper Limits:7.2

Extinguishing Media:FOAM, CARBON DIO

XIDE, DRY CHEMICAL, WATER.

Fire Fighting Procedures: WEAR BREATHING APPARATUS AND FULL PROTECTIVE GEAR. DO NOT USE A SOLID STREAM OF WATER. A SOLID STREAM OF WATER CAN SPREAD FIRE.

Unusual Fire/Explosion Hazard: DECOMPOSITION AND COMBUSTION PRODUCTS MAT BE TOXIC.

======== Accidental Release Measures ============

Spill Release Procedures: EVACUATE THE SPILL AREA. WEAR FULL PROTECTIVE EQUIPMENT. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. TRANSFER TO **CONTAINERS**

SUITABLE FOR DISPOSAL. KEEP SPILL AND CLEANING RUNOFFS OUT OF MUNICIPAL SEWE RS AND OPEN BODIES OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

============ Handling and Storage ===========================

Handling and Storage Precautions: MAXIMUM 35C. STORE AWAY FROM EXCESSIVE HEAT, FROM SOURCES OF IGNITION AND FROM REACTIVE MATERIALS. DO NOT STORE NEAR FOOD OR FEED.

Other Precautions: CORROSIVE TO COPPER AND BRASS ON LONG TERM STORAGE. **CORROSIVE MATERIAL! AV**

OID ALL EYE AND SKIN CONTACT. PLEASE READ TECHNICAL DATA SHEET BEFORE HANDLING THE PRODUCT.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: WEAR RESPIRATOR (MSHA/NIOSH) SUITABLE FOR CONCENTRATIONS AND TYPES OF AIR CONTAMINANTS ENCOUNTERED.

Ventilation: MECHANICAL LOCAL EXHAUST VENTILATION AT POINT OF CONTAMINANT ENCOUNTERED.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: CHEMICAL SPALSH GOGGLES.

Other Protective Equipment:PROTECTIVE CL

OTHING, SAFETY SHOWER AND EYE WASH FACILITY. Work Hygienic Practices: WASH AFTER HANDLING.

Supplemental Safety and Health

CORROSIVE.

======== Physical/Chemical Properties ==========

HCC:B2

Boiling Pt:=207.2C, 405.F

Vapor Pres:1 Spec Gravity:1.05 Viscosity:400 CPS

Evaporation Rate & Dr. Reference: