

COE LABORATORIES INC -- COE-SOFT POWDER -- 6520-01-125-6595

=====  
Product Identification  
=====

Product ID:COE-SOFT POWDER

MSDS Date:03/26/1993

FSC:6520

NIIN:01-125-6595

MSDS Number: CFYPC

=== Responsible Party ===

Company Name:COE LABORATORIES INC

Address:3737 W 127TH ST

City:CHICAGO

State:IL

ZIP:60658-1532

Country:US

Info Phone Num:708-597-0900

Emergency Phone Num:708-597-0900/800-424-9300(CHEMTR  
EC)

Preparer's Name:T. JORITZ

CAGE:13373

=== Contractor Identification ===

Company Name:G C AMERICA (FORMERLY COE LABORATORIES, INC)

Address:3737 W 127TH ST

Box:72076

City:CHICAGO

State:IL

ZIP:60678-2076

Country:US

Phone:708-597-0900

CAGE:13373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC UNDECYLENATE

CAS:112-38-9

RTECS #:YQ2975000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

=

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION MAY CAUSE NAUSEA AND VOMITING.MAY CAUSE EYE IRRITATION.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NO.

Effects of Overexposure:NOT ESTABLISHED.

=====  
===== First Aid Measures =====

First Aid:INHAL:REMOVE VICTIM TO FRESH AIR.INGEST:GIVE ONE OR TW

O

GLASSES OF WATER TO DRINK.IF GASTROINTESTINAL SYMPTOMS DEVELOP SEEK MED ATTN.SKIN:WASH W/SOAP/WATER.EYE:FLUSH W/WATER FOR 15MINS.IF REDNESS,ITCH ING OR BURNIGN SENSATION DEVELOPS SEEK MED ATTN.

=====  
===== Fire Fighting Measures =====

Flash Point:NA

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NE

Upper Limits:NE

Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS W/FULL FACE

PIECE AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:DUST EXPLOSION HAZARD.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND RECOVER OR MIX MATL W/MOIST ABSORBENT & SHOVEL INTO WASTE CNTNR.WASH SPILL AREA W/HOT WATER & DETERGENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE;KEEP

AWAY FROM  
HEAT OR OPEN FLAME.

Other Precautions: SHELF LIFE OF PROD IS 36 MONTHS FRM DATE OF MFG OF LIQ  
COMPO OF THIS LIQ/POWDER SYST. THE DATE OF MFG IS DETERMINED BY  
BATCH#. WHILE MANY BATCHES OF MATL WILL CONT TO PERFORM AS CLAIMED  
BEYOND RECOMMENDE D SHELF LIFT THIS CANT BE GAURANTEED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: MINIMIZE EXPOSURE IN ACCORDANCE WITH GOOD  
HYGIENE PRACTICE. USE MSHA-NIOSH APPROVED RESPIRATOR FOR

DUSTS/MISTS/FUMES.

Ventilation: LOC EXHAUST/MECHANICAL/SPECIAL/OTHER: NE.

Protective Gloves: DISPOSABLE VINYL GLOVES

Eye Protection: SAFTY GLASSES

Other Protective Equipment: EYEWASH STATION

Work Hygienic Practices: FOLLOW SAFE HYGIENE PRACTICE.

Supplemental Safety and Health

KEY1: HCC=N1, 2-PART SYSTEM SEE NSN PNIND: C.

===== Physical/Chemical Properties =====

HCC: N1

Boiling Pt: B.P. Text: NA

Melt/Freeze Pt: M.P/F.P Text: NE

Decomp Temp: Decomp Text: NP

Vapor Pres: NA

Vapor De

nsity: NA

Spec Gravity: NA

pH: NP

Viscosity: NP

Evaporation Rate & Reference: NE

Solubility in Water: NE

Appearance and Odor: PINK ODORLESS POWDER

Percent Volatiles by Volume: NP

Corrosion Rate: NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS OR ALKALIES.

Stability Condition to Avoid: HIGH HEAT; STRONG ACIDS OR ALKALIES.

Hazardous Decomposition Products: NE. HAZ COMBUST PROD: CARBON MONOXIDE  
AND CARBON DIOXID, METHYL ME

THACRYLATE.

===== Disposal Considerations =====

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.