View NSN Online: https://aerobasegroup.kr/nsn/6750-01-426-9554

TREBIA, A CPAC COMPANY -- 30BF376 TRECON RA BLEACH-FIX & REPLENISHER, PART A -- 6750-01-426-9554

============= Product Identification ========================

Product ID:30BF376 TRECON RA BLEACH-FIX & REPLENISHER, PART A

MSDS Date:08/02/1993

FSC:6750

NIIN:01-426-9554

Kit Part:Y

MSDS Number: CFZDD === Responsible Party ===

Company Name: TREBIA, A CPAC COMPANY Address: 8417 CHAPIN INDUSTRIAL DRIVE

City:ST.LOUISE

State:MO ZIP:63 114

Country:US

Info Phone Num:314-423-1919/800-325-4404

Emergency Phone Num:314-423-1919

CAGE:NO637

=== Contractor Identification ===

Company Name:TREBIA, A CPAC COMPANY Address:8417 CHAPIN INDUSTRIAL DRIVE

Box:City:ST.LOUISE

State:MO ZIP:63114 Country:US

Phone:314-423-1919/800-325-4404

CAGE:NO637

Company Name:TREBLA CHEMICALS Address:8417 CHAPIN INDUSTRIAL DR

Box:City:ST LOUIS

State:MO ZIP:63114 Country:US

Phone:314-423-1919;800-325-4404

CAGE:40023

====== Composition/Information on Ing

redients ========
Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 40-45% Other REC Limits:NONE RECOMMENDED
Ingred Name:SODIUM METABISULFITE CAS:7681-57-4 RTECS #:UX8225000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9596
Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED
========= Hazards Identification ===========
LD50 LC50 Mixtu re:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL:EXPECTED TO BE LOW HAZ UNDER NORMAL CONDITIONS.EYE:MAY CAUSE IRRIT.SKIN:REPEATED/PROL CONTACGT MAY CAUSE IRRIT.INGEST:DONT TAKE INTERNALLY.EXPECTED TO BE LOW HAZ.MAY CAUSE NAUSEA. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NA.
Effects of Overexposure:EYE IRRIT, SKIN IRRIT.  Medical Cond Aggr
avated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYE:FLUSH W/LG AMTS OF WATER FOR 15MINS.SEEK MED ATTN.SKIN:WASH SKIN W/SOAP/WATER.IF IRRIT OCCURS SEEK MED ATTN INGEST:INDUCE VOMITING SEEK MED ATTN IMMED GIVING FULL DETAILS

OF AMT INGESTED & TOXICIT Y.INHAL:MOVE TO FRESH AIR.

============ Fire Fighting Measures ==============

Flash Point:NONE Autoignition Temp:Autoignition Temp Text Upper Limits:NA Extinguishing Media: USE METHOD APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING TO PREVENT CONTACT W/SKIN/EYES. Unusual Fire/Explosion Hazard: WHEN HEATED TO DECOMPOSITION, IT CAN EMIT TOXIC FUMES OF AMMONIA AND SOX. ========= Accidental Release Measures =============== Spill Release Procedures: WEAR PROTECTIVE CLOTHING AS SPECIFIED IN MSDS.IF LOCAL, STATE AND FEDE RAL LAWS PERMIT FLUSH TO SEWER W/LARGE AMOUNTS OF WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: DONT STORE NEAR STRONG ACIDS AND STRONG ALKALIS.WASH THOROUGHLY AFTER USE. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: SHOULD NOT BE NECESSARY UNDER NORMAL CONDITIONS. Ventilation:GO OD LOCAL MECHANICAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: WEAR PROTECTIVE GOGGLES Other Protective Equipment: AS NECESSARY TO PREVENT SKIN CONTACT. EYEWASH FACILITIES IN VICINITY OF USE. Work Hygienic Practices: WASH THOROUGHLY AFTER USE. Supplemental Safety and Health INCOMPAT MATLS: W/STRONG ALKALIS WILL RELEASE AMMONIA. ======== Physical/Chemical Properties ============= HCC:N1 Boiling Pt:B.P. Text:>212F,>100C

:NP

Lower Limits:NA

Melt/Freeze Pt:M.

P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:17 Vapor Density:0.6 Spec Gravity:1.28 pH:5.5 Viscosity:NP Evaporation Rate & Dr. Reference: NA Solubility in Water: COMPLETE Appearance and Odor: CLEAR LIGHT YELLOW COLOR, SULFUR DIOXIDE ODOR Percent Volatiles by Volume:51 Corrosion Rate:NP ======== Stability and Reactivity Data ============ Stability Indicator/Materials to Avoid:YES STRONG ACIDS, STRONG ALKALIS. Stability Condition to Avoid: DONT STORE NEAR STRONG ACIDS OR STRON G ALKALIS. Hazardous Decomposition Products: WHEN HEATED TO DECOMPO IT CAN EMIT TOXIC FUMES OF AMMONIA & SOX.CONTACT W/STRONG ACIDS WILL RELEASE SO2 & CONTACT (SUPP) ======= Disposal Considerations =========== Waste Disposal Methods: IF FED/STATE &/OR LOC LAWS PERMIT FLUSH TO SEWER W/LG AMTS OF WATER.OTHERWISE DISPO OF CONTAM PRODUCT & MATLS USED IN CLEANING UP SPILL IN MANNER APPROVED FOR THIS MATL.CONSULT PROPER FED/STATE &/OR L OC REG AGENCIES T O ASCERTAIN PROPER DISPO **PROCEDUR** 

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this i

nformation to their particular situation.