

KRYLON PRODUCTS GROUP -- 1602 ULTRA FLT BLACK, K01602 -- 8010-00-054-1950

=====
Product Identification
=====

Product ID:1602 ULTRA FLT BLACK, K01602

MSDS Date:04/16/1997

FSC:8010

NIIN:00-054-1950

MSDS Number: CGDSF

=== Responsible Party ===

Company Name:KRYLON PRODUCTS GROUP

Address:31500 SOLON RD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:800-832-2541

Emergency Phone Num:216-566-291

7

CAGE:IO479

=== Contractor Identification ===

Company Name:KRYLON PRODUCTS

Address:180 EAST BROAD ST

Box:City:COLUMBUS

State:OH

ZIP:43215

Country:US

Phone:614-431-6600;800-848-9400

CAGE:IO479

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPANE. VP: 760.00

CAS:74-98-6

RTECS #:T

X2275000
Fraction by Wt: 14%
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9495

Ingred Name:BUTANE. VP: 760.00
CAS:106-97-8
RTECS #:EJ4200000
Fraction by Wt: 6%
OSHA PEL:800 PPM
ACGIH TLV:800 PPM; 9495

Ingred Name:TOLUENE (SARA 313) (CERCLA). VP: 22.00
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 33%
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9495
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA). VP: 180.00
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 32%
OSHA PE
L:1000 PPM
ACGIH TLV:750PPM/1000STEL;9495
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:AMORPHOUS SILICA GEL; (AMORPHOUS PRECIPITATED SILICA)
CAS:112926-00-8
Fraction by Wt: 2%
OSHA PEL:6 MG/M3 AS D (MFR)
ACGIH TLV:2 MG/M3 (MFR)

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 2%
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9495

Ingred Name:SUPDAT:ASSOCIATED REPEATED & PROLONGED OVEREXPOSURE TO
SOLVENTS WITH PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.
RTECS #:99999

EXP MAY RSLT IN UNCONSCIOUSNESS & (EFTS OF
OVEREXP)

Explanation of Carcinogenicity:CARBON BLACK:IARC MONOGRAPHS, VOL 65, PG
24-27, 1995: GROUP 2B.

Effects of Overexposure:HLTH HAZ:POSSIBLY DEATH. SIGNS & SYMPS OF
OVEREXP:HDCH, DIZZ, NAUS, & LOSS OF COORDINATION ARE INDICATIONS OF
EXCESSIVE EXPOS TO VAPS/SPRAY MISTS. REDNESS & ITCHING/BURNING
SENSATION MAY INDICATE EYE/ EXCESSIVE SKIN EXPOS. CHRONIC:PRLNG
OVEREXP TO SOLV INGRED IN INGRED SECTION MAY CAUSE ADVERSE EFFECTS

(SUPDAT)

Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

=====
===== First Aid Measures =====

First Aid:INHAL:IF AFFECTED, REMOVE FROM EXPOS. RESTORE BRTHG. KEEP
WARM & QUIET. SKIN:WASH AFFECTED AREA THOROUGHLY W/SOAP & WATER.
REMOVE CONTAMD CLTHG & LAUNDER BEFORE RE-USE. EYES:FLUSH W/LRG AMTS
OF H*2O F OR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.
INGEST:NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO
NOT INDUCE
VOMIT. GIVE CONSCIOUS PATIENT SEVERAL GLASSES OF WATER.
SEEK MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

Flash Point: