

GRIGNARD CO INC -- PRELUBE 19 -- 9150-01-398-7341

=====  
Product Identification  
=====

Product ID:PRELUBE 19

MSDS Date:01/01/1998

FSC:9150

NIIN:01-398-7341

MSDS Number: CGFQF

=== Responsible Party ===

Company Name:GRIGNARD CO INC

Address:900 PORT READING AVE

Box:221

City:PORT READING (FORMALLY IN CARTERET

State:NJ

ZIP:07064-0221

Country:US

Info Phone Num:908-541-6661

Emergency Phone Num:732-541-666

1

CAGE:27843

=== Contractor Identification ===

Company Name:GRIGNARD CO INC

Address:900 PORT READING AVE

Box:City:PORT READING

State:NJ

ZIP:07064-1044

Country:US

Phone:732-541-6661/FAX: 731-541-1916

Contract Num:SP0450-00-M-C038

CAGE:27843

Company Name:HOLLAND J HENRY CORP (804-460-3300)

Box:UNKNOW

CAGE:8D826

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANUFACTURER LISTS NOTHING UNDER "INGREDIENTS" IMPLYING  
THAT THERE ARE NO HAZARDOUS INGREDIENTS PER HA

Z COM STD.

Other REC Limits:NONE RECOMMENDED

Ingred Name:PRELUBE 19

= Wt:100.

Code:F

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PRODUCT IS NOT A PRIMARY IRRITANT.  
Effects of Overexposure:NOT A PRIMARY IRRITANT.

===== First Aid Measures =====

First Aid:INHALATION- EXHALE CONTAMINATED AIR,  
INHALE FRESH AIR. EYES-  
FLUSH WITH WATER FOR AT LEAST 15 MIN. SKIN- WASH WITH SOAP AND  
WATER. INGESTION- CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:=236.1C, 457.F  
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures:USE AIR-SUPPLIED BREATHING EQUIPMENT IN  
CONFINED AREAS.  
Unusual Fire/Explosion Hazard:DEVELOPS HEAT SPONTANEOUSLY, MODERATE  
FIRE RISK. IMMEDIATELY DISPOSE  
OF MATERIALS WETTED WITH THIS  
PRODUCT. STORE WETTED MATERIALS IN APPROVED SAFETY CONTAINERS  
PENDING DISPOSAL.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILLED MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINER AWAY FROM  
EXTREME HEAT AND OPEN FLAME. STORE WETTED MATERIALS IN APPROVED  
SAFETY CONTAINERS PENDING DISPOSAL.

Other Precautio

ns:AVOID BREATHING OF OIL MIST. REMOVE ALL OIL  
IMPREGNATED CLOTHING AND WASH THOROUGHLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED.  
Ventilation:LOCAL EXHAUST TO CAPTURE HOT FUMES.  
Protective Gloves:NOT NEEDED.  
Eye Protection:NOT NEEDED.  
Other Protective Equipment:NOT REQUIRED.  
Work Hygienic Practices:GOOD HYGIENE PRACTICES.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

H  
CC:V6  
Boiling Pt:B.P. Text:DOES NOT DISTILL  
Spec Gravity:0.916  
Solubility in Water:INSOLUBLE  
Appearance and Odor:LIGHT COLOR, BLAND ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Hazardous Decomposition Products:NONE  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL AND STATE  
AND FEDERAL  
REGULATIONS GOVERNING ANIMAL FATS AND OIL DISPOSAL  
METHODS (CONSULT FEDERAL, STATE, AND LOCAL REGULATIONS).

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional

advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.