View NSN Online: https://aerobasegroup.kr/nsn/8465-01-361-4877

KILGORE CORP -- MK124 MODO SIGNAL, SMOKE & ILLUMINATION -- 8465-01-361-4877

Product ID:MK124 MODO SIGNAL, SMOKE & ILLUMINATION

MSDS Date:03/14/1994

FSC:8465

NIIN:01-361-4877

Kit Part:Y

MSDS Number: CGLHC === Responsible Party ===

Company Name: KILGORE CORP

Address: KILGORE DR

City:TOONE State:TN

ZIP:38381-5000 Country:US

Info Phone Num:901-658-5231/800-535-5053

rgency Phone Num:901-658-5231/800-535-5053

CAGE:75324

=== Contractor Identification === Company Name: KILGORE CORP

Address:KILGORE DR

Box:City:TOONE

State:TN

ZIP:38381-5000 Country:US

Phone:901-658-5231/800-535-5053

CAGE:75324

======= Composition/Information on Ingredients ========

Ingred Name: 1-XYLYLAZO-2-NAPHTHOL, SCARLET DYE (SUSPECTED ANIMAL CARCINOGEN BY IARC - GROUP 3) 95-1

CAS:3118-97-6

RTECS #:QL5850000

Ingred Name: POTASSIUM PERCHLORATE

CAS:7778-74-7

RTECS #:SC9700000

Ingred Name:POTASSIUM NITRATE

CAS:7757-79-1

RTECS #:TT3700000

Ingred Name: POTASSIUM CHLORATE

CAS:3811-04-9

RTECS #:FO0350000

Ingred Name: AMORPHOUS SILICA, AMORPHOUS-DIATOMACEOUS EARTH

CAS:61790-53-2

RTECS #:HL8600000

Other REC Limits:20 MCCPF (MSHA)

ACGIH TLV:10 MG/CUM DUST

Ingred Name:STRONTIUM (II) NITRATE (1:2); NITRIC ACID, STRONTIUM SALT

CAS:10042-76-9

RTECS #:WK9800000

Ingred Name:FLUORINATED SYNTHETIC RUBBER 95-1

CAS:9011-17-0

Ingred Name: CHLOROETHYLENE POLYMER, POLYVINYLCHLORIDE, P

OLYVINYL

**CHLORIDE** 

CAS:9002-86-2

RTECS #:KV0350000

Ingred Name:BORON

CAS:7440-42-8

RTECS #:ED7350000

Ingred Name: C.I. SOLVENT RED 111

CAS:82-38-2

Ingred Name:MAGNESIUM

CAS:7439-95-4

RTECS #: OM2100000

Ingred Name:SUCROSE

CAS:57-50-1

RTECS #:WN6500000

ACGIH TLV:10 MG/CUM

Ingred Name: GRAPHITE

CAS:7782-42-5

RTECS #:MD9659600

Other REC Limits: 2.5MG/CUM

ACGIH TLV:2 MG/CUM RESP IC

Ingred Name:SILICON

CAS:7440-21-3

RTECS #:VW0400000

ACGIH TLV:10 MG/CUM

Ingred Name:LEAD TETROXIDE

CAS:1314-41-6

RTECS #: OG5425000 Other REC Limits: 0.1 MG(PB)/CUM TWA ACGIH TLV:0.15 MG(PB)/CUM LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: HAZARDOUS MATERIAL IS SEALED INSIDE. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: HAZARDOUS MATERIAL IS SEALED INSIDE. \_\_\_\_\_ First Aid Measures ========== First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES. Extinguishing Media:LARGE VOLUME OF WATER/SMOTHER W/SAND Fire Fighting Procedures: AVOID INHALING VAPORS, WEAR SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: UNIT GIVES OFF LARGE VOLUMES OF ORANGE SMOKE WHEN BURNING. AUTO-IGNITION TEMP: >350F. ======== Accidental Release Measures ========= Spill Release Procedures: HANDLE CAREFULLY TO AVOID ACCIDENTAL IGNITION. DON'T SMOKE IN AREA. ============ Handling and Storage ===========================

Handling and Storage Precautions:KEEP AWAY FROM OPEN FLAMES/FLAME PRODUCING SOURCES. UNITS SHOULD BE HANDLED IN ACCORDANCE W/REGULATIONS GOVERNING DOD HAZARD CLASS 1.4 G EXPLOSIVES. Other Precautions:HANDLE CAREFULLY TO AVOID ACCIDENTAL IGNITION. DON'T SMOKE IN AREA.

====== Exposure Controls/Personal Prote

ction ========

Ventilation:LOCAL EXHAUST; MECHANICAL (GENERAL)

Supplemental Safety and Health

KEY1:E2. THIS ENTRY DESCRIBES THE SMOKE AND ILLUMINATION SIGNAL IN THE LIFE-SAVING APPLIANCE KIT. SEE THIS SAME NSN FOR DATA ON THE OTHER THREE HAZARDOUS ITEMS IN KIT; PERSONNEL DISTRESS SIGNAL, FIRE STARTING TOOL, SAFETY MATCHES.

======================================
HCC:E2 Net Prop Wt for Ammo:0.20LBS
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:SPARKS, HIGH HEAT/OPEN FLAME
Disposal Considerations

Disconing I/Ob a main all Duran a miles

Waste Disposal Methods:OPEN PIT BURNING. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. UN0191.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in n o manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.