

CULL-TECH CHEMICALS, DBA CTC GROUP -- O-I-1279 B,CLASS 3 -- 6810-00-849-7811

=====
Product Identification
=====

Product ID:O-I-1279 B,CLASS 3

MSDS Date:09/23/1999

FSC:6810

NIIN:00-849-7811

MSDS Number: CGLSV

=== Responsible Party ===

Company Name:CULL-TECH CHEMICALS, DBA CTC GROUP

Address:4110 COLUMBIA ROAD

City:LEBANON

State:OH

ZIP:45036

Country:US

Info Phone Num:513-336-6160

Emergency Phone Num

:513-891-2219

Resp. Party Other MSDS Num.:OSHA HCS

Preparer's Name:ROBERT S. BOKON

CAGE:MO098

==== Contractor Identification ====

Company Name:C.T. CHEMICALS, INC./CULL-TECH CHEMICALS INC.

Address:4110 COLUMBIA ROAD

Box:City:LEBANON

State:OH

ZIP:45036-9588

Country:US

Phone:513-336-6160/459-9744

Contract Num:SP0450-00-M-D307

CAGE:0CVK4

Company Name:CULL-TECH CHEMICALS, DBA CTC GROUP

Address:4110 COLUMBIA ROAD

Box:City:LEBANON

State:OH

ZIP:45036

Country:US

Phone:513-336-6160

CAGE:MO098

=====

= Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

= Wt:100.

Other REC Limits:NOT PROVIDED.

OSHA PEL:NOT PROVIDED.

ACGIH TLV:NOT PROVIDED.

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED.

Health Hazards Acute and Chronic:ACUTE - NONE CHRONIC - NONE.

Explanation of Carcinogenicity:NOT PROVIDED.

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:FOREIGN PARTICULATE MATTER MAY CAUSE

MECHANICAL IRRITATION.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN/INHALED/ORAL:NONE.

===== Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:=427.C, 800.6F

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER FOG, CARBON DIOXIDE,DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/

MSHA-APPROVED SELF-CONTAINED

BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:VACUUM OR SWEEP UP SPILL. AVOID CREATING DUST. PLACE IN APPROPRIATE CONTAINER FOR DISPOSAL. VENTILATE AREA. RESIN BEADS ON FLOOR MAY MECHANICALLY CAUSE FLOOR TO BE SLIPPERY. WASH SPILL SITE WELL.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handli

ng and Storage Precautions:KEEP MATERIAL DRY, AVOID PUNCTURING.
DO NOT OPEN UNTIL READY FOR IMMEDIATE USE.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:NOT PROVIDED.
Supplemental Safety and Health
NONE

=====
===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic
Num:NOT RELEVANT
Spec Gravity:1.26
Viscosity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:INSOLUBLE
Appearance and Odor:AMBER SPHERICAL BEADS - ODORLESS (PH AQUEOUS SLURRY
5 TO 7)

=====
===== Stability and Reactivity Data =====

NOT PROVIDED.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NOT PROVIDED.

=====
===== Toxicological Information =====

Toxicological Information:NOT PROVIDED.

=====

=====
===== Ecological Information =====

Ecological:NOT PROVIDED.

=====
===== Disposal Considerations =====

Waste Disposal Methods:CAN BE DISPOSED OF IN ORDINARY TRASH.

=====
===== MSDS Transport Information =====

Transport Information:NOT PROVIDED.

=====
===== Regulatory Information =====

SARA Title III Information:NOT PROVIDED.
Federal Regulatory Information:NOT PROVIDED.
State Regulatory

Information:NOT PROVIDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.