View NSN Online: https://aerobasegroup.kr/nsn/6810-01-383-6261

ARCO CHEMICAL CO -- N-METHYL PYRROLIDONE -- 6810-01-383-6261

Product ID:N-METHYL PYRROLIDONE MSDS Date:02/22/1996 FSC:6810 NIIN:01-383-6261 MSDS Number: CGLXD === Responsible Party === Company Name: ARCO CHEMICAL CO Address:3801 WEST CHESTER PIKE City:NEWTOWN SQUARE State:PA ZIP:19073 Country:US Info Phone Num:800-321-7000 Emergency Phone Num:610-353-8300/800-424-9300(CHEMTREC) CAGE:ARCOC === Contractor Identification === Company Name: ARCO CHEMICAL CO Address:3801 WEST CHESTER PIKE Box:City:NEWTON SQUARE State:PA ZIP:19073 Country:US Phone:800-321-7000 CAGE:ARCOC Company Name: PHOENIX INDUSTRIES INC Address:1519 CHAMBERLAYNE PARKWAY Box:City:RICHMOND State:VA ZIP:23222 Country:US Phone:804-264-5183/FAX: 264-5535 CAGE:0YED2

Ingred Name:N-METHYL-2-PYRROLIDINONE/N-METHYLPYRROLIDONE CAS:87

2-50-4 RTECS #:UY5790000 Fraction by Wt: 99.9% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, GASTROINTESTINAL TRACT. ACUTE- EYES: MAY CAUSE MODERATE IRRITATION & BURNING SENSATION. SKIN: MAY CAUSE DELAYED IRRITATION & BLIS TERING. INHALE:NO SIGNIFICANT HEALTH HAZARDS ARE EXPECTED. ORAL:MAY BE SLIGHTLY HEALTH HAZARD IF INGESTED IN LARGE AMOUNTS. CHRONIC-DEFATTING, CONTACT DERMATITIS. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, NAUSEA, VOMITING, TEARING, BURNING SENSATION, PAIN, BLISTERING, REDNESS, SWELLING Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS SUCH AS ALLERGIES, ECZEMA MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSC IOUS, DRINK PLENTY OF WATER. SEEK IMMEDIATE MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

======= Fire Fighti

ng Measures ================

Flash Point Method:CC Flash Point:199F,93C Autoignition Temp:Autoignition Temp Text:518F Lower Limits:1.3% Upper Limits:9.5% Extinguishing Media:USE WATER FOG, CARBON DIOXIDE (CO2), ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:VA

POR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. ABSORB ON SAND, VERMICULITE OR SIMILAR MATERIAL. SWEEP UP AND PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL. WASH CONTAMINATED SPILL AREA WITH DETERGENT AND WATER. Neutralizing Agent:NO T RELEVANT

Handling and Storage Precautions:STORE AWAY FROM IGNITION SOURCES & INCOMPATIBLE MATERIALS.

Other Precautions: WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY. DO NOT GET IN EYES OR ON SKIN.

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED RESPIRATOR.

Ventilation:ADEQUATE

Protective Gloves:LATEX FOR REPEATED/PROLONGED CONTACT

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

================== Physical/Chemical Properties

==================

HCC:V4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:396F,202C Melt/Freeze Pt:M.P/F.P Text:-11F,-24C Vapor Pres:0.3 @ 68F Vapor Density:3.4 Spec Gravity:1.028 pH:7.7- 8 Evaporation Rate & amp; Reference:0.03 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIQUID - AMINE LIKE ODOR Percent Volatiles by Volume:NEGLIG

GENTS, STRONG REDUCING AGENTS

Stability Condition to Avoid:HEAT, SPARKS, FLAME, OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OTHER TOXIC GASES MAY BE FORMED.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. CONTRACT WITH A LICENSED WASTE DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling age ncies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.