

DANKA EBS -- PN6916,DEX 720/740/760 REMANUFACTURED LASER TONER CARTRIDGE --  
6850-01-430-5633

===== Product Identification =====

Product ID:PN6916,DEX 720/740/760 REMANUFACTURED LASER TONER CARTRIDGE

MSDS Date:11/10/1994

FSC:6850

NIIN:01-430-5633

MSDS Number: CGLYR

=== Responsible Party ===

Company Name:DANKA EBS

Address:2013-A CENTIMETER CIRCLE

City:AUSTIN

State:TX

ZIP:78753

Country:US

Info Phone

Num:512-832-4800

Emergency Phone Num:512-832-4800

CAGE:NO641

=== Contractor Identification ===

Company Name:DANKA EBS

Address:2013-A CENTIMETER CIRCLE

Box:City:AUSTIN

State:TX

ZIP:78753

Country:US

Phone:512-832-4800

CAGE:NO641

Company Name:FAX UNLIMITED

Address:11 TAYLOR CT

Box:City:MONROE

State:NY

ZIP:10950

Country:US

Phone:914-783-8555

CAGE:04SS2

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE ACRYLATE COPOLYMER

CAS:25767-47-9

Other REC Limits:NONE RE

COMMENDED

Ingred Name:IRON OXIDE  
CAS:1309-37-1  
RTECS #:NO7400000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:FERRITE POWDER  
CAS:12645-50-0  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYPROPYLENE (POLYOLEFIN)  
CAS:9003-07-0  
RTECS #:TR5000000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA GEL; (AMORPHOUS SILICA)  
CAS:112945-52-5  
RTECS #:VV7310000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:6 MG/M3  
ACGIH TLV:10 MG/M3

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE/CHRONIC HEALTH  
HAZARDS:NONE.MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS  
W/EXPOSURE TO LARGE AMTS OF ANY NON-TOXIC DUST.  
Explanation of Carcinogenicity:PER MSDS:CARCINOGEN LISTED IN:NOT  
LISTED.  
Effects of Overexposure:MINIMAL RESP  
IRATORY TRACT IRRITATION MAY OCCUR  
AS W/EXPOSURE TO LARGE AMTS OF ANY NON-TOXIC DUST.  
Medical Cond Aggravated by Exposure:SIMILAR TO DUST ALLERGIES.

===== First Aid Measures =====

First Aid:SEEK MED ASSISTANCE FOR FURTHER TREATMENT,OBSERVATION, AND  
SUPPORT IF NECESSARY.EYE:NO SPECIFIC HAZ;FLUSH W/WATER.SKIN:WASH  
W/SOAP/WATER.INHAL:REMOVE FROM EXPOSURE.INGEST:DILUTE STOMACH  
CONTENTS W/SEV ERAL GLASSES OF WATER.

===== Fire F

ighting Measures =====

Flash Point:NA

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:WATER, FOG, FOAM, DRY CHEMICAL, CO2.

Fire Fighting Procedures:AVOID INHALATION OF SMOKE, WEAR MSHA/NIOSH  
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:MATL LIKE MOST ORGANIC MATL IN POWDER  
FORM,IS CAPABLE OF CREATING DUST EXPLO;REF:NFPA PAMPHLET 543-STD  
FOR PRECAUT OF FIRE/DUST EXPLO IN CHEM,DYE,PHARM,PLST IND

===

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP OR VACUUM SPILLED TONER AND CAREFULLY  
TRANSFER TO SEALABLE WASTE CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:AVOID PROLONGED INHALATION OF EXCESSIVE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED IN EQPMT.

Ventilation:BULK HAND

LING MAY REQUIRED LOCAL EXHAUST.

Protective Gloves:NONE REQUIRED WHEN USED IN EQPMT.

Eye Protection:NONE REQUIRED WHEN USED IN EQPMT.

Other Protective Equipment:FOR BULK HANDLERS GOGGLES AND RESPIRATORS  
MAY BE REQUIRED.

Work Hygienic Practices:NA

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:212F,100C

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.0

pH:

NP  
Viscosity:NP  
Evaporation Rate & Reference:NA  
Solubility in Water:INSOLUBLE  
Appearance and Odor:FINE BLACK POWDER, FAINT ODOR  
Percent Volatiles by Volume:NP  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS  
Stability Condition to Avoid:NA  
Hazardous Decomposition Products:AS W/ANY OTHER ORGANIC MATL.COMBUSTION  
WILL PROUDCE CO2 AND PROBABLY CO.

===== Disposal Considerations

=====

Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUE REQUIRED.INSURE  
COMPLIANCE WITH FED/STATE &/OR LOCAL REGULATIONS.INCINERATE ONLY IH  
CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its us  
e. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.