

SHERWIN INC -- DUBL-CHEK D-100 & D-350 DEVELOPER -- 6850-00-782-2740

===== Product Identification =====

Product ID:DUBL-CHEK D-100 & D-350 DEVELOPER

MSDS Date:06/01/1997

FSC:6850

NIIN:00-782-2740

Kit Part:Y

MSDS Number: CGMWD

=== Responsible Party ===

Company Name:SHERWIN INC

Address:5530 BORWICK AVE

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Info Phone Num:310-861-6324

Emergency Phone Nu

m:310-861-6324

CAGE:21405

=== Contractor Identification ===

Company Name:SHERWIN INC.

Address:5530 BORWICK AVE.

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Phone:562-861-6324/FAX 923-8370

CAGE:21405

===== Composition/Information on Ingredients =====

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS); HYDROCARBON PROPELLANT

CAS:68476-85-7

RTECS #:SE7545000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9596

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:6

7-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9596

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:BREATHING OF VAP MAY CAUSE
ANESTHESIA,HEAD,DIZZ,UPPER RESP IRRIT.SKIN CONTACT MAY CAUSE DRYING
OF SKIN &/OR IRRIT.EYE CONTACT
T MAY CAUSE
IRRIT,TEARING,REDNESS.SWALLOWING MAY CAUSE IRRIT,NAU,VOMIT,DIARR
.ASPIRATION INTO LUNGS MAY CAUSE PNEUMONITIS.(INTENTIONAL
ABUSE,MISUSE,OTHER MASSIVE EXPO TO ISOPROPYL ALCOHOL(SIGN/SYM)
Explanation of Carcinogenicity:PER
MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.
Effects of Overexposure:HEALTH:MAY RESULT IN DIFFICULT
BREATH,NAU,VOMIT,HEAD ACCOMPANIED BY VARIOUS DEGREES OF CNS
DEPRESSION.COMA &/OR DEATH ARE EVEN POSSIBLE.)
SIGNS/SYMPT:EYE-IRRIT.INHAL-LIGHTHEADI
NESS.SKIN-MODERATE IRRIT .
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN,EYE,RESPIRATORY
DISORDERS.

=====
===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/WATER.CONT WASHING FOR @LEAST 15MINS.OBTAIN
MED ATTN W/O DELAY.SKIN:WASH W/SOAP/WATER.REMOVE CONTAM
CLOTH.INGEST:DONT INDUCE VOMIT.GET MED ATTN.IF VOMITING OCCURS
SPONTANEOUSLY KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID
INTO LUNGS.INHAL:REMOVE TO FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:1.8 PROPELLA
Upper Limits:9.5 PROPELLA
Extinguishing Media:CO2, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:SPRAY CANS UNDER PRESSURE-EXPLO HAZ
EXISTS.DONT ENTER SPRAY CAN STORAGE AREA IF FIRE PRESENT.
Unusual Fire/Explosion Hazard:AS ENCOUNTERED W/PRESSURIZED SPRAY CANS,
USING FLAMM GAS AS PROPELLANT.CONSIDERED "EXTREMELY
FLAMM".EXPLOSION HAZ EXI

STS WHEN SPRAY CAN HEATED.

===== Accidental Release Measures =====

Spill Release Procedures:W/AEROSOLS SPILL OF CONSEQUENCE

UNLIKELY.REMOVE ALL OPN FLAMES & IGN SOURCES IN VICINITY OF
SPILL/RELEASE VAP.VENTI AREA.DONT ALLOW VAP TO BUILDUP.ABSORB
SPILLS W/ASBSORBENT MATL.FIRE/VAP HAZ MAY STIL L EXIST AS ABSORBENT
MATL WILL ABSORB LIQ NOT VAP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

=====

Handling and Storage Precautions:STORE SPRAY CANS IN COOL VENTI AREAS
AWAY FROM SOURCES OF IGN SUCH AS SPARKS,FLAMES,WELDING ARCS.DONT
STORE ABOVE 120F.

Other Precautions:CHECK W/LOC FIRE DEPT FOR STORING REQMTS.EMPTIED
CNTNRS RETAIN VAP/PRODUCT RESIDUES.DONT WELD/CUT/DRILL
CNTNR.RETAINED VAP IS EXPLO.DISPOSE OF EMPTY SPRAY CANS
PROPERLY.DONT INCINERATE,CRUSH,COMPACT,B URN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection

:NOT NORMALLY REQUIRED.(VAPOR CONCENTRATION FROM
SPRAY CANS SUFFICIENT TO WARRANT RESPIRATORY EQPMT SHOULD NOT BE
PERMITTED.)

Ventilation:LOC EXHAU -SUFFICIENT TO KEEP VAP CONCENTRATION BELOW
TLV.MECHANICAL(GEN)-IF VAPORS ARE A PROBLEM.

Protective Gloves:PLASTIC,RUBBER,NEOPRENE

Eye Protection:CHEM SAF IF POSSIBILITY SPRAY INTO EYES

Other Protective Equipment:NONE

Work Hygienic Practices:WASH CONTAM CLOTHING.WASH BEFORE EATING.DONT
SMOKE.

Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:50PSIG

Vapor Density:NA

Spec Gravity:NA

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NA

Solubility in Water:SOLUBLE

Appearance and Odor:DRIES TO WHITE POWDER

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZ

ING MATLS.

Stability Condition to Avoid:OPEN FLAMES.BUILD UP OF VAPORS.HIGH
TEMPERATURES.HAZARDS NORMALLY ASSOCIATED W/AEROSOLS.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE CONTAM MATLS IN DISPOSABLE CNTNRS &
DISPOSE OF WHERE PERMITTED UNDER FED/STATE/LOC REGS.LEAKING SPRAY
CANS SHOULD BE PLACED IN OPN PAIL UNTIL PRESSURE HAS DISSIPATED.

Disclaimer (provided with
this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.