

ARMSTRONG WORLD INDUSTRIES INC -- S-725 WALL BASE ADHESIVE -- 8040-00-194-0312

=====
Product Identification
=====

Product ID:S-725 WALL BASE ADHESIVE

MSDS Date:01/02/1996

FSC:8040

NIIN:00-194-0312

MSDS Number: CGNCX

=== Responsible Party ===

Company Name:ARMSTRONG WORLD INDUSTRIES INC

Address:313 WEST LIBERTY STREET

Box:3001

City:LANCASTER

State:PA

ZIP:17604

Country:US

Info Phone Num:717-396-2328

/FAX 717-396-4426

Emergency Phone Num:717-396-2328

CAGE:03938

=== Contractor Identification ===

Company Name:ARMSTRONG WORLD INDUSTRIES, INC.

Address:313 W. LIBERTY ST.

Box:3209

City:LANCASTER

State:PA

ZIP:17604

Country:US

Phone:717-396-2328; 717-396-2935

CAGE:03938

=====
Composition/Information on Ingredients
=====

Ingred Name:VM&P NAPHTHA

CAS:64742-89-8

Fraction by Wt: 4-5.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:300 PPM/STEL 400

ACGIH TLV:300 PPM

Ingred Name:ETHYLE

NE GLYCOL (SARA 313) (CERCLA)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 1.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:KAOLIN CLAY

CAS:1332-58-7

RTECS #:GF1670500

Fraction by Wt: 0-20.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3

Ingred Name:LIMESTONE

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 0-20.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

=====
Hazards Id
entification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: DRYING,
CRACKING, DEFATTING, DERMATITIS. INHAL: RESPIRATORY TRACT
IRRITATION, COUGHING, CNS EFFECTS, HEADACHE, DIZZY, DROWSY, NAUSEA,
INCOORDINATION, LOSS OF APPETITE, DIZZY, IN TOXICATION.
Medical Cond Aggravated by Exposure:CONDITIONS AGGRAVATED BY SOLVENTS
INCLUDING UPPER RESPI
RATORY, LUNG AND SKIN CONDITIONS.

=====
First Aid Measures =====

First Aid:EYE: FLUSH W/WATER. SKIN: FLUSH W/WATER. WASH W/SOAP & WATER.
INHAL: REMOVE TO FRESH AIR. INGEST: DONT INDUCE VOMIT. CALL POISON
CONTROL CENTER. IN ALL CASES, GET MED AID.

=====
Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>200F,>93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, HALON,

WATER SPRAY.

Fire Fighting Procedures:PROTECT FIRE FIGHTERS FROM TOXIC PRODUCTS OF COMBUSTION BY WEARING SCBA.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS IN FIRE MAY RUPTURE. USE WATER TO COOL CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:VENT AREA. CONTAIN SPILL. PREVENT FROM ENTERING WATERWAYS. USE ABSORBENT TO PICK UP MATERIAL. SCRAPE UP AND PLACE IN CONTAINER. WET RESIDUE CAN BE CLEANED UP W/WARM SOAPY WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AREA SUITABLE FOR COMBUSTIBLE MIXTURES. STORE BELOW 90F.

Other Precautions:VAPORS ARE HEAVIER THAN AIR. USE PRECAUTIONS COMMON WITH COMBUSTIBLE LIQUIDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE WITH ADEQUATE VENT. USE APPROVED RESPIRATOR FOR ORGANIC VAPORS.

Ventilation:NATURAL CROSS VENTILATION, LOCAL (MECHANICAL) PICK UP OR

GENERAL AREA VENT TO PREVENT SOLVENT VAPOR ACCUMULATION.

Protective Gloves:COTTON OR LOOP-PILE

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:210 TO 250F

Vapor Pres:>AIR

Spec Gravity:1.10

Solubility in Water:APPRECIABLE

Appearance and Odor:OFF WHITE COLOR, HEAVY BODY PASTE W/SLIGHT AROMATIC ODOR.

===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: OXIDES OF CARBON AND OTHER TOXIC VAPORS AND GASES THAT ARE COMMON IN THERMAL DEGRADATION OF ORGANIC COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods: DONT REUSE CONTAINER. DISPOSE OF CONTAINER AND ANY UNUSED CONTENTS IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS. DONT FLUSH UNUSED RESIDUE OR CONTENTS DOWN DRAIN.

Disc

laimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.