

Product ID:ORANGE ESSENCE #2 MSDS Date:12/23/1995 FSC:7930 NIIN:01-436-7969 MSDS Number: CGNPT === Responsible Party === **Company Name: CLEAN SOLUTIONS** Address:650 SOUTH SECOND STREET City:LOUISVILLE State:KY ZIP:40202 Country:US Info Phone Num:502-581-1021 Emergency Phone Num:606-273-0116 Preparer's Name: JER **RY SENN** CAGE:04A57 === Contractor Identification === Company Name: CLEAN SOLUTIONS Address:650 SOUTH SECOND STREET Box:City:LOUISVILLE State:KY ZIP:40202 Country:US Phone:502-581-1021 CAGE:04A57 Company Name: JONES J E SUPPLY CO Address:191 TIVERTON WAY Box:UNKNOW City:LEXINTON State:KY ZIP:40517 Country:US Phone:606-273-0116 CAGE:02TC4

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60-100% Other REC Limits:N

ONE RECOMMENDED

Ingred Name:D-LIMONENE CAS:5989-27-5 RTECS #:GW6360000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKANEMMIDE Fraction by Wt: 10-30% Other REC Limits:NONE RECOMMENDED

Ingred Name:NONIONIC SURFACTANTS Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acut e and Chronic:EYE: IRRITATION. SKIN: IRRITATION. INHAL: IRRITATION TO NOSE/MUCOUS MEMBRANE. INGEST: GI IRRITATION, NAUSEA, DYSENTERY.

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES, LIFTING LIDS. SKIN: WASH W/MILD SOAP & WATER. INGEST: GIVE 2 LARGE GLASSES WATER. GET MED AID. INHAL: GET FRESH AIR & REST. GET MED AID.

Flash Point Method:CC Flas h Point:124F,51C Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NE Upper Limits:NE Extinguishing Media:USE MEDIA PROPER TO THE PRIMARY CAUSE OF FIRE. Fire Fighting Procedures:USE PROPER PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:AVOID IGNIT SOURCES.

Spill Release Procedures: FLUSH W/WATER. MOP UP. USE SAND. DONT LET FLOW INTO PUBLIC WATERWAYS. Neutralizing Agent: WATER

====== Handling and

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. AVOID ANY SOURCES OF IGNITION. Other Precautions:AVOID OXIDIZERS. KEEP AWAY FROM CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. W/GOOD VENTILATION. Ventilation:ADEQUATE ROOM VENTILATION Protective Gloves:RUBBER Supplemental Safety and Health *PH ADDITIONAL: 7.4 TO 9.0

Boiling Pt:B.P. Text:220F,104C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Pres:NE Vapor Density: