

SHARP CORP -- TONER -- 6850-01-437-2796

===== Product Identification =====

Product ID:TONER

MSDS Date:01/23/1995

FSC:6850

NIIN:01-437-2796

MSDS Number: CGQQW

=== Responsible Party ===

Company Name:SHARP CORP

Address:22-22 NAGAIKE-CHO, ABENO-KU

City:OSAKA, JAPAN

Info Phone Num:201-529-0223; 905-890-2100

Emergency Phone Num:800-255-3924;800-424-9300(CHEMTREC)

CAGE:S4117

=== Contractor Identification

===

Company Name:SHARP CORPORATION

Address:22 22 NAGAIKE CHO ABENO KU

Box:City:OSAKA, JAPAN

Country:JA

Phone:800-237-4277/800-255-3924

CAGE:S4117

===== Composition/Information on Ingredients =====

Ingred Name:ORGANIC PIGMENTS CONTAINING INGREDIENTS 3-5

Fraction by Wt: 2%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:ACRYLIC ACID BUTYL ESTER POLYMER WITH STYRENE; (STYRENE
ACRYLATE COPOLYMER)

CAS:25767-47-9

Fraction by Wt: 89%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:CARBON B

LACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 4%
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

Ingred Name:2NAPHTHALENE CARBOXAMIDE 3HYDROXY4((2HYDROXY3,5
DINITROPHEN)AZO)-N-PHENY-CHROMIUM COMPLEX
CAS:109125-51-1
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:PIGMENTS
CAS:109125-60-0
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:DYE
CAS:84179-66-8
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:POLYPROPYLENE
CAS:25085-53-4
Fraction by Wt: 1.5%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:POLYETHYLENE
CAS:900
2-88-4
RTECS #:TQ3325000
Fraction by Wt: 1.5%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:TRIMETHYLATED SILICA; (SILICA)
CAS:68909-20-6
Fraction by Wt: 1%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:IRON OXIDE
CAS:1317-61-9
Fraction by Wt: 1%
OSHA PEL:10 MG/M3
ACGIH TLV:5 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES O

SHA:NO

Health Hazards Acute and Chronic:MINIMAL IRRITATION TO RESPIRATORY TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST.

Explanation of Carcinogenicity:CARBON BLACK: IARC MONOGRAPHS, VOL 65, PG 149, 1996:GROUP 2B.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE.

===== First Aid Measures =====

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . INHAL: REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT MEDICAL PERSONNEL. EYES: IN CASE OF CONTACT, IMMEDIATE LY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES.

===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM OR WATER.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:THIS MATERIAL HAS NO UNUSUAL FIRE OR EXPLOSION HAZARDS.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP OR CLEAN UP WITH VACUUM CLEANER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ve

ntilation:NOT REQUIRED.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER .
Work Hygienic Practices:WHEN HANDLING LARGE QUANTITY, INHALATION SHOULD
BE AVOIDED.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Spec Gravity:1.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:FINE POWDER; ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON MONOXIDE AND NO*X.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED
UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE AND LOCAL
ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.