View NSN Online: https://aerobasegroup.kr/nsn/1377-01-314-5163

OEA AEROSPACE INC. -- 50595-495A MILD SHIELDED, DETONATING CORD ASSEMBLY -- 1377-01-314-5163

============= Product Identification ========================

Product ID:50595-495A MILD SHIELDED, DETONATING CORD ASSEMBLY

MSDS Date:03/17/1995

FSC:1377

NIIN:01-314-5163

MSDS Number: CGWSG === Responsible Party ===

Company Name: OEA AEROSPACE INC.

Address: HWY 12 AND ET RD

Box:KK

City:FAIRFIELD

State:CA

ZIP:94533-0659 Country:US

In

fo Phone Num:707-422-1880

Emergency Phone Num:707-422-1880

Preparer's Name: SCHOOLFIELD/J KOHRING

CAGE:17610

=== Contractor Identification ===

Company Name: OEA AEROSPACE INC

Address:3530 BRANSCOMBE RD

Box:KK

City:FAIRFIELD

State:CA

ZIP:94533-0659 Country:US

Phone:707-422-1880

CAGE:17610

======= Composition/Information on Ingredients ========

Ingred Name:DIPAM (HEXANITROBIPHENYL)

Ingred Name: HEXANITROSTILBENE I

Ingred Name:X-CHORD, 2.5 GRAINS/FT, SILVER SHEATH

\_\_\_\_\_

== Hazards Identification ==============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION TO THE NOSE, THROAT & MUCOUS MEMBRANES, MAY CAUSE ALLERGIC REACTIONS. SKIN/EYES: IRRITATION. INGESTION: TOXIC, MAY CAUSE DEATH. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, NAUSEA, REDNESS
======================================
First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH IMMEDIATELY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Extinguishing Media:DON'T ATTEMPT TO EXTINGUISH. Fire Fighting Procedures:EVACUATE AREA. USE SELF CONTAINED FULL-FACE BREATHING APPARATUS TO CONTAIN RESULTING FIRE. Unusual Fire/Explosion Hazard:IF EXPOSED TO FIRE, THE UNIT MAY ACTUATE/EXPLODE.
=
========= Accidental Release Measures ============
Spill Release Procedures:REMOVE ALL IGNITION SOURCES. COVER ANY LEAKS/EXPOSED MATERIAL W/VEGETABLE OIL & REMOVE FOR APPROVED DISPOSAL. USE FLAME RETARDANT CLOTHING, SAFETY GLASSES & NON-SPARKING TOOLS.
======================================
Handling and Storage Precautions:THIS MSDS ISN'T INTENDED TO BE AN ORDNANCE HANDLING DOCUMENT.
======= Exposure Controls/Personal Protec tion ========
Respiratory Protection:USE NIOSH APPROVED HEPA RESPIRATOR IF PEL/TLV IS EXCEEDED.  Ventilation:LOCAL EXHAUST FOR TEST FIRING.  Protective Gloves:POLY BENZ IMIDAZOLE  Eye Protection:SAFETY GLASSES  Other Protective Equipment:FLAME RETARDANT COAT & GROUNDING STRAPS TO PREVENT ELECTROSTATIC DISCHARGE.  Supplemental Safety and Health
========= Physical/Chemical Properties ===========
Solubility in Water:SLIGHT
======== Stability and Reactivity D

- 1 -					
OTO.	===:	 	 	 	

Stability Indicator/Materials to Avoid:YES
ALKALIS, ACIDS, COPPER, BRONZE, CORROSIVES & OXIDIZERS
Stability Condition to Avoid:MECHANICAL SHOCK, STATIC ELECTICITY, HEAT,
FLAME/SPARKS

Hazardous Decomposition Products:CO, NITROGEN, NITROUS OXIDES, HYDROGEN, CARBON, CO2, WATER

======= Disposal Considerations ==========

Waste Disposal Methods:UNFIRED UNITS/WASTE SHOULD BE DISPOSED AS REACTIVE (D003) & TOXIC (D011) HAZARDOUS WASTE. DISPOS E OF IN

ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.