

COULTER CORP -- SCATTER-PAK REAGENT SYSTEM, 7585190-A, (SUP DAT) -- 6550-01-357-5419

===== Product Identification =====

Product ID:SCATTER-PAK REAGENT SYSTEM, 7585190-A, (SUP DAT)

MSDS Date:01/27/1992

FSC:6550

NIIN:01-357-5419

Kit Part:Y

MSDS Number: CGZLY

=== Responsible Party ===

Company Name:COULTER CORP

Address:740 WEST 83RD ST

City:HIALEAH

State:FL

ZIP:33014

Country:US

Info Phone Num:305-822-

8250

Emergency Phone Num:800-424-8802

CAGE:FO645

=== Contractor Identification ===

Company Name:COULTER CORP

Address:11800 SW 147TH AVE

Box:169015

City:MIAMI

State:FL

ZIP:33116-9015

Country:US

Phone:305-380-5000

CAGE:FO645

Company Name:COULTER CORPORATION

Address:11800 S. W. 147 AVENUE

Box:City:MIAMI

State:FL

ZIP:33196

Country:US

Phone:800-526-7694

CAGE:6Z677

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NONE WITH NORMAL USE. MAY CAUSE IRRITATION TO EYES. IF INGESTED, NAUSEA AND VOMITING MAY OCCUR. DO NOT INGEST REAGENT AND AVOID CONTACT WITH EYES AND SKIN. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carc

inogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN/EYES: FLUSH CONTACT AREA WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. INGESTION: DRINK 1 OR 2-8 OZ GLASSES OF WATER AND INDUCE VOMITING. INHALATION: REMOVE VICTIM TO FRESH AIR.

===== Fire Fighting Measures =====

Extinguish

ing Media:ANY APPROVED EXTINGUISHING MEDIA.

Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILL USING ABSORBENT MATERIAL. CONTAIN ABSORBENT WASTE IN DISPOSAL BAGS. FLUSH SPILL AREA THOROUGHLY WITH WATER TO APPROVED OUTSIDE DRAINAGE. VENTILATE AREA IMMEDIATE TO SPILL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE IN CLOSED CONTAINER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:INSURE ADEQUATE VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHE

M WORKERS GOGGLES .

Other Protective Equipment:EMERGENCY EYEWASH AND DELUGE SHOWER MEETING
ANSI DESIGN CRITERIA . LABORATORY COAT.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

TRADE NAME/PART #: STABILYSE REAGENT.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.05 (H*2O=1)

Solubility in Water:100%

Appearance and Odor:CLEAR LIQUID

===== Stability and Reactivity Data ==
=====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:EXTREME HEAT OR COLD.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:METHOD OF WASTE DISPOSAL MUST COMPLY WITH
FEDERAL, STATE AND LOCAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The Unite

d States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.