View NSN Online: https://aerobasegroup.kr/nsn/7930-01-436-8313

NEW PIG CORP -- BLUE PIG SOCK ABSORBENT, MAT 204J -- 7930-01-436-8313

Product ID:BLUE PIG SOCK ABSORBENT, MAT 204J MSDS Date:12/08/1995 FSC:7930 NIIN:01-436-8313 MSDS Number: CGZMS === Responsible Party === Company Name:NEW PIG CORP Address:ONE PORK AVE **City:TIPTON** State:PA ZIP:16684-0304 Country:US Info Phone Num:800-684-0101 Emergency Phone Num:800-468-4647 Pre parer's Name: CAMERON W. SHERRY CAGE:1JA49 === Contractor Identification === Company Name: NEW PIG CORPORATION Address:ONE PORK AVENUE Box:City:TIPTON State:PA ZIP:16684-0304 Country:US Phone:800-468-4647 CAGE:1JA49 Ingred Name: OUTER MATERIAL CONSISTING OF INGREDIENTS 2-3 RTECS #:9999992Z OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:CELLULOSE CAS:9004-34-6 RTECS #:FJ5691460 Fraction by Wt: 3% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10

MG/M3

Ingred Name:POLY(OXYETHYLENEOXYTEREPHTHALOYL); (POLYESTER) CAS:25038-59-9 RTECS #:TR2725000 Fraction by Wt: 2% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:INNER MATERIAL CONSISTING OF INGREDIENT 5 RTECS #:99999992Z OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:MAGNESIUM ALUMINOSILICATE MINERAL; (MAGNESIUM ALUMINOSILICATE) CAS:1318-00-9 Fraction by Wt: 95% OSHA PEL:N/K ACGIH TLV:N/K

LD50 LC50 Mixture:NONE SPECIFIED BY M ANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE MINOR PHYSICAL OR MECHANICAL IRRITATION. INGESTION: NOT CONSIDERED HARMFUL. INHALATION: IF OUTER MATERIAL IS PUNCTURED, BREATHING OF EXCESSIVE AIRBORNE DUST MAY CAUSE SYMPTOMS T YPICAL OF NUISANCE DUSTS, IE COUGHING, SNEEZING OR MINOR UPPER RESPIRATORY IRRITATION. SKIN CONTACT: (EFTS OF OVEREXP)

Expl

anation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: NOT EXPECTED TO CAUSE ANY HARMFUL EFFECTS. CHRONIC: NOT APPLICABLE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION, BLINKING OR TEARING OCCUR AND PER SIST, CONSULT MD. INHALATION: REMOVE TOFRESH AIR. IF SYMPTOMS PERSIST, CONSULT MD.

Flash Point:NON-FLAMMABLE Extinguishing Media:UNUSED FORM: WATER, CHEMICAL FOAM, DRY CHEMICAL OR CARBON DIOXIDE. (NOTE:INNER MATERIAL IS NNONFLAMMABLE.) (SUPDAT) Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . UNUSED FORM: NOT APPLICABLE. USED FORM: REFER TO ABSORBED LIQUID(S) MSDS(S). Unusual Fire/E xplosion Hazard:REFER TO ABSORBED LIQUID(S) MSDS(S). THE

PIG ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR LESS HAZARDOUS.

Spill Release Procedures: IF MATERIAL IS UNUSED, SWEEP OR VACUUM PRODUCT AND DISPOSE OF AS A NONHAZARDOUS MATERIAL. IF SWEEPING, DAMPEN WITH WATER SPRAY TO AVOID CREATING DUST. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

======================= Handling and Storage

Handling and Storage Precautions:DO NOT SUBJECT PRODUCT TO EXCESSIVE HEAT. AVOID PUNCTURING OR TEARING OUTER MATERIAL. AVOID CREATING DUST.

Other Precautions:REFER TO ABSORBED LIQUID(S) MSDS(S). THE PIG ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR LESS HAZARDOUS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USE NIOSH APPROVED DUST RESPIRATOR IF MATERIAL IS USED IN UNVENTILATED AREA OR I

F DUST CONCENTRATIONS EXCEED SPECIFIED EXPOSURE LIMITS.

Ventilation: PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO KEEP CONCENTRATIONS BELOW PEL/TLV.

Protective Gloves: CLOTH, CANVAS OR LEATHER GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SPEC GRAV: 0.05-0.19 (H*2O=1). MP: >1832F,>1000C. APPEAR/ODOR: SOCK; EARTHY O DOR. EXTING MEDIA: USED FORM:THAT WHICH IS COMPAT TO LIQ(S) ABSORBED. WASTE DISP METH: A HAZARDOUS COMPONENT. IN SUCH INSTA NCES THE MATERIAL SHOULD BE DISPOSED OFVIA AN APPROVED WASTE DISPOSAL SERVICE AND THE APPROPRIATE MANIFESTING OBTAINED.

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:SUPDAT Spec Gravity:SUPDAT Solubility in Water:NEGLIGIBLE Appearance and Odor:FREE-FLOWING PARTICLES, BROWN TO GRAY IN COLOR, ENCLOSED IN A FABRIC (SUPDAT)

Stability Indicator/Materials to Avoid:YES PRODUCT MAY BE AFFECTED BY ACIDS, BASES AND OXIDIZERS. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:WILL NOT OCCUR.

Waste Disposal Methods: IF UNUSED, NO SPECIAL PRECAUSTIONS ARE NECESSARY. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. IN CERT AIN TYPES OF CLEANUP APPLICATIONS THE NATURE OF

THE MATERIAL RECOVERED WILL CLASSIFY THE RESULTING SPENT MATERIAL AS (SUPDAT)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.