View NSN Online: https://aerobasegroup.kr/nsn/4240-00-491-0494

## MINE SAFETY APPLIANCES CO DBA MSA -- SODA LIME -- 4240-00-491-0494

Product ID:SODA LIME MSDS Date:01/01/1990

FSC:4240

NIIN:00-491-0494

MSDS Number: CHHNM === Responsible Party ===

Company Name: MINE SAFETY APPLIANCES CO DBA MSA

Address:3880 MEADOWBROOK RD

City:MURRYSVILLE

State:PA

ZIP:15668-1753 Country:US

Info Phone Num:412-325-1313 Emergency Phone Num:412-325-13

13

CAGE:55799

=== Contractor Identification ===

Company Name: MINE SAFETY APPLIANCES CO DBA MSA

Address:3880 MEADOWBROOK RD

Box:City:MURRYSVILLE

State:PA

ZIP:15668-1753 Country:US

Phone:724-733-9272

CAGE:55799

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM HYDROXIDE (CERCLA)

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 5-12%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred N

ame:CALCIUM HYDROXIDE CAS:1305-62-0 RTECS #:EW2800000 Fraction by Wt: 70-90% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:5 MG/M3; 9596 Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 5-15% Other REC Limits: NONE RECOMMENDED OSHA PEL:NOT RELEVANT **ACGIH TLV:NOT RELEVANT** ============= Hazards Identification ======================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health H azards Acute and Chronic:EYE:SEVERE DAMAGE. LIME BURNS. SKIN:SKIN SENSITIZATION. SEVERE BURNS WITH DEEP ULCERATION. INHALATION: DANGEROUS TO LIFE AND HEALTH. INGESTION: SEVERE ABDOMINAL PAIN, CORROSION OF LIPS, MOUTH, TONGUE, PHARYNX. Effects of Overexposure: EYES: EDEMA AND ULCERATION. SKIN: BURNS. INHALATION: IRRITATION. INGESTION: VOMITING OF CHUNKS OF MUCOUS. Medical Cond Aggravated by Exposure: NO INFORMATION. First Aid:EYES:HOLD EYELIDS OPEN AND FLUSH WITH PLENTY OF WATER FOR 15 MIN. LIGT UPPER AND LOWER EYELIDS TO FLUSH UNDERLID AREAS.

First Aid:EYES:HOLD EYELIDS OPEN AND FLUSH WITH PLENTY OF WATER FOR 15 MIN. LIGT UPPER AND LOWER EYELIDS TO FLUSH UNDERLID AREAS. SKIN:REMOVE CONTAMINATED CLOTHING IMMEDIATELY. WASH AFFECTED AREAS WITH SOAP AND LARGE AMOUNTS OF WATER FOR 15-20 MIN. TO COMPLETELY REMOVE CHEMICAL. INHALATION:REMOVE VICTIM TO FRESH AIR. ASSIST W/BREATHING SUPPORT MEASURES. INGESTION:IF VICTIM CONSCIOUS, GIVE 2 GLASSES WATER.

======= Fire Fighting Measures ======

Flash Point:NON-FLAMMABLE Extinguishing Media:WATER SPRAY, FOAM. Fire Fighting Procedures:WEAR PRESSURE DEMAND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE AND IMPERVIOUS COVERING. Unusual Fire/Explosion Hazard:WATER MAY LEACH SODIUM HYDROXIDE FROM SODA LIME PRODUCING A CAUSTIC RUN-OFF SOLUTION. AVOID SKIN CONTACT WITH RUN-OFF WATER.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR RECOMMENDED PROTECTIVE GEA R. CLEAN-UP ON A DRY BASIS. SHOVEL MATERIAL INTO A CLEAN DRY CONTAINER AND COVER.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A CLOSED CONTAINER IN A COOL, DRY PLACE. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED RESPIRATOR FOR SODIUM HYDROXIDE DUST.  Ventilation:USE WITH ADEQUATE VENTILATION TO AVOID DUST CONDITIONS.  Protective Glove s:CHEMICAL RESISTANT AND WATER IMPERVIOUS. Eye Protection:CHEMICAL PROTECTIVE GOGGLES. Other Protective Equipment:IMPERVIOUS CLOTHING. Supplemental Safety and Health NONE
======================================
HCC:B1 Spec Gravity:2.3 pH:SOLID Solubility in Water:135 MG/100CM3 @ 32F Appearance and Odor:WHITE GRANULES, ODORLESS.
========= Stability and Reactivity Data ==========
STRONG ACIDS AND HALOGENATED HYDROCARBONS.
========= Dis

==========

posal Considerations =========

Waste Disposal Methods:DISPOSAL SHOULD BE CARRIED OUT BY A PERMITTED FACILITY EQUIPPED TO HANDLE CORROSIVE WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.