View NSN Online: https://aerobasegroup.kr/nsn/6750-01-388-7764

Product ID:825 4237 T-MAX RS DEVELOPER AND REPLENISHER, PART B MSDS Date:02/11/1998 FSC:6750 NIIN:01-388-7764 MSDS Number: CHHWV === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Composition/Informa

tion on Ingredients =========

Ingred Name:DIETHYLENE GLYCOL CAS:111-46-6 RTECS #:ID5950000 Fraction by Wt: 95% Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (CERCLA) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9596 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:1,4-DIPHENYL-3-(PHENYLIAMINO)-1H-1,2,4-TRIAZOLIUM HYDROXIDE CAS:2218-94-2 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMEND ED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, CNS, KIDNEY AND GASTROINTESTINAL TRACT. ACUTE- CAUSES EYE IRRITATION. LOW HAZARD BY SKIN CONTACT. EXPECTED TO BE A LOW HAZARD BY INHALATION. HARMFUL IF SWALLOWED. CAN CAUSE KIDNEY D AMAGE AND CENTRAL NERVOUS SYSTEM EFFECTS FOLLOWING INGESTION. CHRONIC - UNKNOWN.

Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, TEARING

First Aid:CALL PHYSICIAN IF SYMPTOMS DEVELOP. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:MOVE TO FRESH AIR. ORAL:ONLY INDUCE VOMITING AT INSTRUCTION OF PHYSICIAN. CALL A PHYSICIAN/POISON CONTRO

- CENTER IMMEDIATELY. NEVER GIVE FLUID OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAS CONVULSIONS.
======================================
Flash Point:>200F,>93C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE (CO2), ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE F ORMED.
Jnusual Fire/Explosion Hazard:FORMS PEROXIDES OF UNKNOWN STABILITY.
======================================
Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CO NTAMINATION. Neutralizing Agent:NOT RELEVANT
======================================
Ha ndling and Storage Precautions:STORE AWAY FROM HEAT, LIGHT AND STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID INHALATION OF VAPORS. KEEP OUT OF REACH OF CHILDREN. FOR LABORATORY USE ONLY. NOT FOR DRUG, FOOD/HOUSEHOLD USE. USE WITH ADEQUATE VENTILATION.
======================================
Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTR ATIONS BELOW TLV, A NIOSH-APPROVED FULL-FACE ORGANIC VAPOR RESPIRATOR MUST BE WORN. A PROGRAM SHOULD BE INSTITUTED TO ASSURE COMPLIANCE WITH OS HA STANDARD 29 CFR 1910.134. /entilation: GOOD GENERAL VENTILATION IS SUFFICIENT FOR MOST CONDITIONS (10 ROOM VOLUMES PER HOUR).

Protective Gloves:RUBBER FOR REPEATED/PROLONGED CONTACT Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOGGLES Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER Work Hygienic Practices:OBSERVE GO OD INDUSTRIAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR DRINKING.

Supplemental Safety and Health

KEY1:V5. FORMULA CHANGED; SEE PNI B. SEE PNI C FOR PART A AND W FOR WORKING SOLUTION. ECOLOGICAL INFORMATION: A LOW BIOCHEMICAL OXYGEN DEMAND, A LOW POTENTIAL TO AFFECT AQUATIC ORGANISMS. AFTER DILUTI ON WITH WATER AND SECONDARY WASTE TREATMENT, THIS MATERIAL IS NOT EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFFECTS.

\_\_\_\_\_

HCC:V5

NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 @ 68F Vapor Density:0.6 Spec Gravity:1.12 Solubility in Water:COMPLETE Appearance and Odor:AMBER LIQUID - VINEGAR ODOR Percent Volatiles by Volume:< 5

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:FORMS PEROXIDES OF UNKNOWN STABILITY. Hazardo us Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER, IF ALLOWED. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW L ABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies): This inform

ation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.