

VERBATIM CORPORATION -- EP-N LASER TONER CARTRIDGE (NX) -- 6850-01-398-2398

=====
Product Identification
=====

Product ID:EP-N LASER TONER CARTRIDGE (NX)

MSDS Date:10/28/1994

FSC:6850

NIIN:01-398-2398

MSDS Number: CHHXC

=== Responsible Party ===

Company Name:VERBATIM CORPORATION

Address:1200 W.T. HARRIS BLVD

City:CHARLOTTE

State:NC

ZIP:28262

Country:US

Info Phone Num:704-547-6500

Emergency Phone N

um:704-547-6500/800-424-9300(CHEMTREC)

CAGE:0E6G7

=== Contractor Identification ===

Company Name:VERBATIM CORP

Address:1200 W. T. HARRIS BOULEVARD

Box:City:CHARLOTTE

State:NC

ZIP:28213

Country:US

Phone:704-547-6500

CAGE:0E6G7

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE ACRYLATE COPOLYMER

CAS:25153-46-2

Fraction by Wt: 55-60%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: NP

Other REC Limits:

NONE RECOMMENDED
OSHA PEL:10 MG/M3 (FE)
ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:METAL AZO DYE
CAS:84179-66-8
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYOLEFIN WAX
CAS:25322-69-4
RTECS #:TR5250000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: NP
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER.INHAL:REMOVE FROM EXPOSURE.SKIN:WASH
W/SOAP/WATER.ORAL:DRINK SEVERAL GLASSES OF WATER.

=====
===== Fire Fighting Measures =====

=

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:WATER, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:AVOID BREATHING SMOKE.
Unusual Fire/Explosion Hazard:EXCESS DUST IN AIR CAN FORM EXPLOSIVE
MIXTURE:COMBUSTIBLE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:NONE
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

=

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:NONE
Other Protective Equipment:NONE
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NA
Mel
t/Freeze Pt:M.P/F.P Text:>248F,>120C
Decomp Temp:Decomp Text:NP
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:1.1
pH:NP
Viscosity:NP
Evaporation Rate & Reference:NA
Solubility in Water:INSOLUBLE
Appearance and Odor:FNE BLACK POWDER/RESIN ODOR
Percent Volatiles by Volume:NA
Corrosion Rate:NP

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:PRODUCTS OF COMBUSTIO
N ARE TOXIC.AVOID
SMOKE INHALATION.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE.DISPOSE OF IN ACCORDANCE WITH
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate an

d

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.