

MCGEAN-ROHCO INC -- CEE BEE R-256 -- 8010-01-023-0343

=====
Product Identification
=====

Product ID:CEE BEE R-256

MSDS Date:05/01/1997

FSC:8010

NIIN:01-023-0343

MSDS Number: CHKHT

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Info Phone Num:404-441-4900

Emergency Phone Num:404-441-4900

CAGE:8U841

=== Contrac

tor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA 313) (CERCLA)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 30-40%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL (SARA 302/313) (CERCLA)

CAS:

108-95-2
RTECS #:SJ3327000
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:19 MG/CU METER
ACGIH TLV:19 MG/CU METER
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA)
CAS:7775-11-3
RTECS #:GB2955000
Fraction by Wt: .1-1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:.05 MG/CU METER
ACGIH TLV:0.05 MG/CU METER
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation
:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYE: IRRITATION OR BURNING. SKIN: IRRITATION OR
BURNING. INHAL: HEADACHE,DIZINESS. INGEST: NAUSEA, SEVERE ABDOMINAL
PAIN.
Medical Cond Aggravated by Exposure:DERMATITIS LIVER AND KIDNEY
DISEASES.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, GET MED AID. SKIN: WASH OFF IN
FLOWING WATER. WASH W/SOAP & WATER. INH
AL: REMOVE TO FRESH AIR.
CALL DR. INGEST: GIVE LARGE QUANTITY OF WATER. DONT INDUCE
VOMITING. CALL DR. AND TRANSPORT TO EMERGENCY MEDICAL FACILITY.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:WATER FOG
Fire Fighting Procedures:WEAR FULL PROTECTIVE GEAR AND POSITIVE
PRESSURE SCBA.
Unusual Fire/Explosion Hazard:FLAMMABLE VAPOR/AIR MIXTURES POSSIBLE

=====
===== Accidental Release Me

asures =====

Spill Release Procedures:MOP, WIPE UP OR SOAK UP W/ABSORBENTS. WEAR PROPER PROTECTIVE EQUIPMENT.

Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY WELL VENTILATED AREA AT 32-90F.

Other Precautions:OPEN CONTAINER SLOWLY TO VENT PRESSURE BUILDUP.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TWA EXCEEDED, WEAR NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation:SUFFICIENT TO KEEP BELOW TWA LIMITS.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGLES AND FACE SHIELD.

Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT.

Work Hygienic Practices:EYEWASH STATION AND SAFETY SHOWER.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:110F,43C

Decomp Temp:Decomp Text:NA

Vapor Pres:70 @ 20C

Vapor Density:2.9 AIR=1

Spec Gravity:1.1

pH:9-

10

Viscosity:NA

Evaporation Rate & Reference: