

EMERSON CUMING INC. -- CATALYST 24LV -- 5970-01-015-2097

===== Product Identification =====

Product ID:CATALYST 24LV

MSDS Date:01/17/1996

FSC:5970

NIIN:01-015-2097

Kit Part:Y

MSDS Number: CHKYB

=== Responsible Party ===

Company Name:EMERSON CUMING INC.

Address:55 HAYDEN AVE

City:LEXINGTON

State:MA

ZIP:02173

Country:US

Info Phone Num:617-402-9100/617-861-6600

Emergency Phone Num:800-424-9300(CHEMTR  
EC)

Preparer's Name:DAVID HAAS

CAGE:0B562

=== Contractor Identification ===

Company Name:EMERSON & CUMING

Address:55 HAYDEN AVE

Box:City:LEXINGTON

State:MA

ZIP:02173

Country:US

Phone:617-861-6600

CAGE:0B562

Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

===== Composition/Information on Ingredients =====

Ingred Name:POLYGLYCOL DIAMINE

Fraction by Wt: 100%

Othe

r REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:CORRO,BURNS,CORNEAL INJURY.PERM

IMPAIRMENT OF VISION,BLINDNESS.SKIN:CORRO,SEVERE

BURNS,BLISTERING.SKIN SENS/ALLERGIC RX-SEVERE IN CERTAIN

PEOPLE.HARMFUL IF ABSORBED THRU SKIN.INHAL:VAP IRRIT,

NAU,H

EADACHE.INEST:HARMFUL,BURNS MOUTH/UPPERGASTROINTESTINAL

TRACT.CHRONIC:NONE KNOWN.

Effects of Overexposure:EYE CORRO,BURNS,CORNEAL INJURY,PERM IMPAIRMENT

OF VISION,BLINDNESS.SKIN CORR,SEVERE BURNS,BLISTERING.SKIN

SENS/ALLERGIC RX.NAU,HEADCHE.HARMFUL IF INGEST,BURNS MOUTH/UPPER GI

TRACT.

Medical Cond Aggravated by Exposure:EXPOSURE MAY AGGRAVATE PRE-EXISTING

SKIN &/OR EYE DISORDERS.

===== First Aid Measures =====

First Aid:EYE:I

MMED FLUSH WELL W/H2O @LEAST 15MINS WHILE EYELIDS

OPN.GET IMMED MED ATTN.SKIN:IMMED FLUSH W/LOTS OF H2O WHILE REMOVE

CONTM CLOTH/SHOES.THEN WASH WELL W/SOAP/H2O.AVOID SCRUB-INCR

ABSORPT/WORSEN EF FECT.GET MED ATTN.INHAL:MOVE TO FRESH

AIR.CONSC/ALERT DIL BY GIVING H2O TO DRINK.NEVER GIVE ANYTHING BY

MOUTH IF DROWSY/UNCONSC/CONVULS.GET IMMED MED ATTN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:260F,127C

Lower Limit

s:NE

Upper Limits:NE

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:FIREFIGHTERS/RESCUE PERSONNEL SHOULD WEAR

+PRESSURE SCBA & FULL PROT EQPMT.COOL EXPO CNTNRS W/WATER-PREVENT

PRESSURE BUILDUP.LG QUANT MATL INVOLVED (SUPPLEMENT)

Unusual Fire/Explosion Hazard:DECOMPO/COMBUST PROD MAY BE TOXIC.CLOSED

CONTAINERS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release

Procedures:RESPONSE OPERATION MUST BE CONDUCTED IAW  
PROVISIONS OF 29CFR1910.120.REVIEW ENTIRE MSDS BEF PROCEEDING  
W/RESPONSE.ACTIVATE AVAI EXHAU VENTI IN IMMED AREA.WIPEUP/ABSORB  
W/VERMI/SIMILAR MATL.WASH AREA W /SOAPY H2O-REMOVES RESIDUE.COLLECT  
ABSORBED (SUPP)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY LOCATION W/ADEQU  
VENTI.KEEP CNTRN TIGHTLY SE  
AL WHEN NOT IN USE.KEEP AWAY FRM OPN  
FLAME/HEAT SOURCES.

Other Precautions:CONSULT PROD TECHN BULLETIN FOR DETAIL STORAGE INFO.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROPRIATE PROPERLY FITTED RESPIRATOR IF  
EXPOSURES EXCEED PEL/TLV VALUES.TYPE OF PROTECTION  
SELECTED(SCBA,AIR-PURIFYING,ETC)WILL DEPEND UPON CONDITIONS OF  
USE.OBSERVE OSHA REGS FOR RESPIRATORY PR OTECTION (29CFR1910.134).

Ventilation:PROVIDE SUFFI MECH EXHU  
VENTI-DRAW VAP/MIST/FUME FRM

PROCESSES AWAY FRM WORKER,ESPEC HI TEMP WORK.

Protective Gloves:APROPR PROTECTIVE GLOVES

Eye Protection:FCSHLD W/SPLA PROOF CHEM GOG/CHEM SAF GL

Other Protective Equipment:PROPER CHEM-RESIST APRON,ADDN IMPERV  
CLOTH.EMERG EYEWASH FACI,SAFETY SHOWER AVAI.WASH BEF  
EAT/DRINK/SMOKE.

Work Hygienic Practices:DONT REUSE CONTAM CLOTH TIL PROPERLY  
CLEAN.CONTAM LEATHER ART/SHOES CANT BE DECONTAM-DESTROY.WASH  
HAND/FC WELL AFT HNDLG

Supplemental Safety and Hea

lth

FIREFIGHT:EVACUATE AREA,FIGHT FIRE FROM SAFE DISTANCE. DECOMPO  
PRODS:WILL VARY DEPENDING ON COMBUST CONDITIONS. SPILL:MATL/WATER  
RINSES IN APPROP CNTNR.DISPO OF IAW CURRENT FED/STATE/LOC  
REGS.LG:LIMIT ACCESS.SHUT OFF W/O RISK.ACTIVATE VENTI.DIKE/PREVENT  
ENTRY SEWER/DRAIN/WATERWAYS.COLLECT/DISPO IAW CURRENT FED/STATE/LO

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>480F,>249C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Deco

mp Text:NP  
Vapor Pres:AIR  
Spec Gravity:1.00  
pH:NP  
Evaporation Rate & Reference:NP  
Solubility in Water:SOLUBLE  
Appearance and Odor:AMBER LIQUID, AMINE ODOR  
Percent Volatiles by Volume:ND  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS,ACIDS,BASES,EPOXIDES.  
Stability Condition to Avoid:AVOID STORAGE IN OPN CNTNR,EXPO TO OPN  
FLAMES,UNCNTRLD EXPO TO HEAT/UNCNTRLD MIX W/EPOXIES OR EXPO TO  
I  
NCOMPAT SUBSTANCE  
Hazardous Decomposition Products:CO,CO2,OXIDES OF NITROGEN,AMINES,OTHER  
ORG SUBST MAY BE FORM DURING COMBUST.CHEM NATURE/QUANT OF DECOMPO  
BYPRODS(SUPPLE)  
Conditions to Avoid Polymerization:UNCONTROLLED MIXING  
W/AMINES,ANHYDRIDES,MERCAPTANS,IMIDAZOLES MAY CAUSE HAZ  
POLYMERIZATON.

===== Disposal Considerations =====

Waste Disposal Methods:DOESNT CONTAIN ANY SUBSTANCES REG BY SARA SEC  
313.DISPOSE OF IAW CURRENT LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to th  
eir  
particular situation.