View NSN Online: https://aerobasegroup.kr/nsn/6850-01-416-7995

Product ID:120 OSIS FX-2 TONER MSDS Date:03/13/1997 FSC:6850 NIIN:01-416-7995 MSDS Number: CHQPK === Responsible Party === Company Name: OASIS IMAGING PRODUCTS, INC. Address:1517 SOUTHWOOD DRIVE City:MASHUA State:NH ZIP:03063 Country:US Info Phone Num:603-880-3991 Emergency Phone Num:603-880-3 991 CAGE:OASIS === Contractor Identification === Company Name: AUTOMATION AIDS INC (800-234-2790) Address:420 BABYLON RD, SUITE B **Box:UNKNOW** City:HORSHAM State:PA ZIP:19044 Country:US Phone:800-817-4448 CAGE:01QM9 Company Name: OASIS IMAGING PRODUCTS, INC. Box:UNKNOW CAGE:0ASIS Company Name: OASIS IMAGING PRODUCTS, INC. Address:20 HAMPSHIRE DR Box:City:HUDSON State:NH ZIP:03051 Country:US Phone:603-880-3991 CAGE:OASIS

Ingred Nam

e:STYRENE ACRYLATE COPOLYMER CAS:25153-46-2 Fraction by Wt: 60-70% Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYPROPYLENE WAX CAS:9003-07-0 RTECS #:TR5000000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE; MAGNETITE CAS:1309-38-2 RTECS #:OM4800000 Fraction by Wt: 30-40% Other REC Limits:NONE RECOMMENDED

Ingred Name:METAL COMPLEX AXO DYE CAS:88377-66-6 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO KNOWN HEALTH HAZARD WHEN USED AS INTENDED IN COPY MACHINE. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY/NTP/IARC/OSHA:NO. Effects of Overexposure:IRRITATION OF EYES AND RESPIRATORY TRACT MAY OCCUR IN HEAVY DUST CONDITION. Medical Cond Aggravated by Exposure:NONE KNO WN.

First Aid:REMOVE FROM EXPOSURE.EYE:FLUSH W/WATER.IF IRRIT PERSISTS GET MED ATTN.SKIN:WASH THOROUGHLY W/SOAP/WATER.INHAL:REMOVE TFROM EXPOSURE.GARGLE WITH WATER.INGEST:DILUTE STOMACH CONTENTS WITH SEVERAL GLASSE S OF WATER.

Flash Point:NA Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER FO

G, FOAM, DRY CHEMICAL AND CARBON DIOXIDE. Fire Fighting Procedures: AVOID INHALATION OF SMOKE WEAR MSHA/NIOSHA SELF-CONTAINED BREATHING APPARATUS.COOL FIRE EXPOSURED. Unusual Fire/Explosion Hazard: THIS MATERIAL HAS NOT UNUSUAL FIRE OR EXPLOSIVE HAZARDS. Spill Release Procedures: VACUUM OR SWEEP AS WITH ANY NON-TOXIC POWDER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. \_\_\_\_\_ Handling and Storage Precautions: DO NOT STORE NEXT TO STRONG OXIDIZERS.EYE PROTECTION AND RESPIRATIONS MAY BE REQUIRED FOR BULK HANDLING. Other Precautions: AVOID EXCESSIVE EXPOSURE TO HEAT. Respiratory Protection: NONE REQUIRED WHEN PRODUCT IS USED AS INTENDED. Ventilation:LOCAL EXHAUST/MECHANICAL:NORMAL OFFICE CONDITIONS.SPEC/OTHER:NONE. Protective Gloves: NONE REQUIRED WHEN USED AS INTENDED F ve Protection:NONE REQUIRED WHEN USED AS INTENDED Other Protective Equipment: NONE REQUIRED WHEN PRODUCT USED AS INTENDED. Work Hygienic Practices: AVOID BREATHING DUST IF SAMPLE IS SPILLED. Supplemental Safety and Health HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:>248F,>120C Decomp Temp:Decomp Text:NP Vapor Pres:NA Vapor Density:NA Spec Gravity:1.05 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NA Solubil

ity in Water:INSOLUBLE Appearance and Odor:BLACK POWDER, FAINT ODOR Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES NONE W/COMMON MATERIAL WITH WHICH Stability Condition to Avoid:AVOID OPEN FLAME. Hazardous Decomposition Products:TOXIC DECOMPOSITION PRODUCTS FORMED ON COMBUSTION.

Waste Disposal Methods:DISPOSE ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suit ability of this information to their particular situation.