View NSN Online: https://aerobasegroup.kr/nsn/6850-01-256-5029

AIR TECHNIQUES INC -- FORMULA 2000 COMPONENT 2 -- 6850-01-256-5029

Product ID:FORMULA 2000 COMPONENT 2 MSDS Date:12/03/1993 FSC:6850 NIIN:01-256-5029 Status Code:A MSDS Number: CHSWC === Responsible Party === Company Name: AIR TECHNIQUES INC Address:70 CANTIAGUE ROCK RD City:HICKSVILLE State:NY ZIP:11801 Country:US Info Phone Num:516-433-7676 **Emergency Phone Num:8** 00-424-9300(CHEMTREC) CAGE:53542 === Contractor Identification === Company Name: AIR TECHNIQUES INC. Address:70 CANTIAQUE ROCK ROAD Box:City:HICKSVILLE State:NY ZIP:11801 Country:US Phone:516-433-7676 CAGE:53542 Ingred Name:SODIUMPEROXODISULPHATE. LD50: (ORAL, RAT) 1000 MG/KG. CAS:7775-27-1 RTECS #:SE0525000 Fraction by Wt: 50% **OSHA PEL:N/K** ACGIH TLV:N/K

LD50 LC50 Mixture:SEE INGREDIENT 1 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: MAY CAUSE SENSITIZATION BY INHALATION. SKIN CONTACT: MAY CAUSE SENSITIZATION WITH SKIN CONTACT. EYE CONTACT: MAY CAUSE SLIGHT IRRITATION. INGESTION: MAY BE HARMFUL IF SWALLOWED. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Expo sure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: IN THE EVENT OF TROUBLE IN BREATHING, LET PERSON CONCERNED LEAVE THE ROOM AND BREATHE FRESH AIR. SKIN: WASH WITH PLENTY OF WATER. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MI NUTES AND CONSULT MD. INGESTION: WHEN PRODUCT IS SWALLOWED, DRINK 500 ML OF WATER IMMEDIATELY AND CONSULT MD.

\_\_\_\_\_

Extinguishing Media: IN CASE OF FIRE USE WATER.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . KEEP AWAY FROM COMBUSTIBLE MATERIALS. Unusual Fire/Explosion Hazard:FIRE HAZARD WHEN CONTACTED WITH INFLAMMABLE MATERIALS. HAZARDOUS COMBUSTION PRODUCTS: SULPHUR DIOXIDE, SULPHUR TRIOXIDE, OZONE.

Spill Release Procedures: PREVENT PRODUCT FROM ENTERING WATER SUPPLIES AND

SEWERAGE. DILUTE SPILLED OR RELEASED PRODUCT WITH PLENTY OF WATER AND DISPOSE OF IN ACCORDANCE WITH LOCAL ENVIRONMENTAL CODES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE PRODUCT IN A COOL AND DRY PLACE; PROTECT FROM HEAT AND HUMIDITY.
Other Precautions:DO NOT BREATHE DUST. USE ONLY IN ADEQUATELY VENTILATED ROOMS. AVOID CONTACT WITH EYES AND SKIN OR INGESTION. PLEAS E OBSERVE INSTRUCTIONS FOR USE BEFORE APPLICATION.

Stability Indicator/Materials to Avoid:YES

KEEP AWAY FROM COMBUSTIBLE MATERIALS, LEACHES, ALKALIES. Stability Condition to Avoid:DECOMP TAKES PLACE UNDER THE ACTION OF

HEAT (>180C). CONCENTRATED AQUEOUS SOLNS OF SODIUMPERSULPHATE DECOMPOSES (SUPDAT)

Hazardous Decomposition Products: SLIGHT DEVELOPMENT OF SULPHUR TRIOXIDE AND OZONE UNDER THE ACTION OF HEAT.

Waste Disposal Methods:NO SPECIAL METHODS ARE NECESSARY. DISPOSAL MUST CONFORM TO FEDERAL, STATE AND LOCAL REGULATIONS. REQUEST PERMISSION OF LOCAL SEWER AUTHORITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.