View NSN Online: https://aerobasegroup.kr/nsn/6505-00-782-3959

NOVARTIS CONSUMER HEALTH, INC -- DESENEX POWDER -- 6505-00-782-3959

Product ID: DESENEX POWDER MSDS Date:07/07/1992 FSC:6505 NIIN:00-782-3959 Status Code:A MSDS Number: CHVVT === Responsible Party === Company Name: NOVARTIS CONSUMER HEALTH, INC Address:560 MORRIS AVE City:SUMMIT State:NJ ZIP:07901-1312 Country:US Info Phone Num:908-598-7600 **Emergency Phone Num:908-**598-7600 CAGE:EO373 === Contractor Identification === Company Name:NOVARTIS CONSUMER HEALTH, INC Address:560 MORRIS AVE Box:City:SUMMIT State:NJ ZIP:07901-1312 Country:US Phone:908-598-7600 CAGE:EO373 Ingred Name:TALC CAS:14807-96-6 Other REC Limits:NONE RECOMMENDED **OSHA PEL:20 MPPCF**

ACGIH TLV:2 MG/M3,DUST IN AIR

Ingred Name:ZINC UNDECYLENATE CAS:557-08-4 Other REC Limits:NONE RECOMMENDED

Ingred Name:UNDECYLENIC ACID CAS:11

2-38-9 RTECS #:YQ2975000 Other REC Limits:NONE RECOMMENDED

Ingred Name:FRAGRANCE Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: HEALTH HAZARDS ASSOCIATED WITH TALC AND UNDECYLENATE ACID. ACUTE: MAY CAUSE MECHANICAL IRRITATION TO EYES, SKIN, AND RESPIRATORY TRACT. CHRONIC: BASED ON INHALATION OF LARGE AMOUNTS OF TALC: MAY CAUSE SCARRING OF LUNGS. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION OF EYES, SKIN, AND RESPIRATORY TRACT. SKIN RASH MAY DEVELOP. SCARRING OF LUNGS. Medical Cond Aggravated by Exposure: PERSONS SUFFERING FROM CHRONIC RESPIRATORY DISEASE, COLDS, ALLERGIES, ASTHMA, EMPHYSEMA, PSORIASIS, AND LOW BLOOD PRESSURE MAY BE AT INCREASED RISK. First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING. FOR LARGE AMOUNTS, INDUCE VOMITING WITH IPECAC. DO NOT INDUCE VOMITING IF THE PERSON IS COMATOSE. G ET MEDICAL ATTENTION. Extinguishing Media: USE MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE PROCEDURES ESTABLISHED FOR THE TYPE OF SURROUNDING FIRE.

U

nusual Fire/Explosion Hazard:NONE KNOWN.

Spill Release Procedures:SWEEP UP OR VACUUM UP SPILLAGE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY AREA. ROOM TEMPERATURES 59-86F Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Resp

iratory Protection:NOT REQUIRED FOR PRODUCT.
Ventilation:GENERAL.
Protective Gloves:NONE REQUIRED FOR PRODUCT.
Eye Protection:NONE REQUIRED FOR PRODUCT.
Other Protective Equipment:NONE REQUIRED FOR PRODUCT.
Work Hygienic Practices:WASH EXPOSED SKIN WITH SOAP AND WATER. FOR EMPLOYEES HANDLING BULK PRODUCT, KEEP EXPOSURES BELOW PERMISSIBLE LIMITS.
Supplemental Safety and Health

NONE.

HCC:N1 Spec Gravity:2.7-2.8 TALC App earance and Odor:WHITE, FREE FLOWING POWDER.

Stability Indicator/Materials to Avoid:YES NONE KNOWN. Stability Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:NONE KNOWN. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE WITH GENERAL REFUSE. CONFIRM WITH APPLICABLE LOCAL, STATE AND FEDERAL DISPOSAL REGULATIO NS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular si tuation.