View NSN Online: https://aerobasegroup.kr/nsn/2910-01-128-5503

Product ID:PRIMER SURFACE CONDITIONER, PART A MSDS Date:09/22/1998 FSC:2910 NIIN:01-128-5503 Status Code:A MSDS Number: CHVXZ === Responsible Party === Company Name: PERMABOND INTERNATIONAL, DIV NATIONAL STARCH & CHEM Address:480 S. DEAN ST. City:ENGLEWOOD Sta te:NJ ZIP:07631 Country:US Info Phone Num:201-567-9494 Emergency Phone Num:201-567-9494 Preparer's Name: DOD HMIS/DSCR-VBA CAGE:61078 === Contractor Identification === Company Name: PERMABOND INTERNATIONAL, DIV NATIONAL STARCH & CHEM Address:480 S. DEAN ST. Box:City:ENGLEWOOD State:NJ ZIP:07631 Country:US Phone:201-685-5000 CAGE:61078 Company Name: U S ARMY TANK AUTOMOTIVE COMMAND AMSTA-TFP Address:11 MILE RD Box:City:WARREN State:MI ZIP:48397 Country:US Phone: AV 786-6293 MSDS CALL SKIP ROBERTS CAGE

:19207

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III) CAS:71-55-6 RTECS #:KJ2975000 Fraction by Wt: 91% Other REC Limits:NONE RECOMMENDED OSHA PEL:350 PPM/450 STEL ACGIH TLV:350 PPM/450 STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Health Hazards Acute and Chronic:EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION. Explanation of Carcinogenicity:NONE Effects of Overexposure:INHALATION: DIZZINESS, WEAKNESS, NAUSEA, HEADACHE, POSSIBLY UNCONSCIOUSNESS. CONTACT WITH EYES: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN C AUSE IRRITATION & DERMATITIS. INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING.

======= First Aid Measures

First Aid:INHALATION: REMOVE TO FRESH AIR, IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION & GET MEDICAL ATTENTION. DO NOT GIVE STIMULANTS. EYE CONTACT: FLUSH WITH WATER, SEE PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN. SKIN CONTACT: WASH WITH SOAP AND WATER.

Extinguishing Media:CO2, DRY CHEMICAL, FOAM. Fire Fighting Procedures:WATER MAY BE USED TO KEEP FIRE E

<ul> <li>XPOSED</li> <li>CONTAINERS COOL UNTIL FIRE IS OUT. USE AIR SUPPLIED MASK AND</li> <li>PROCEDURE FOR CHEMICAL FIRES.</li> <li>Unusual Fire/Explosion Hazard: AEROSOLS MUST BE KEPT AT TEMPERATURES</li> <li>BELOW 130 F TO PREVENT ANY POTENTIAL HAZARD. BURNING PRODUCT GIVES</li> <li>OFF HYDROGEN CHLORIDE AND TRACES OF PHOSGENE CHLORINE.</li> </ul>
======================================
Spill Release Procedures:PROVIDE ADEQUATE VENTILATION. SOAK UP WITH SAND, CLAY, EARTH OR OTHER ABSORBENT MATERIAL AND SHOV EL INTO CONTAINER.
======================================
Handling and Storage Precautions:STORE IN A COOL LOCATION (60-80 F) AWAY FROM SUNLIGHT OR ANY SOURCE OF HEAT, SPARKS OR FLAME. Other Precautions:USE NORMAL GOOD INDUSTRIAL HYGIENIC PRACTICES.
======================================
Respiratory Protection:IF TLV IS EXCEEDED, AN APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED. Ventilation:LOCAL EXHAUST PREFERRED. Protectiv e Gloves:POLYETHYLENE OR POLYVINYL ALCOHOL. Eye Protection:SAFETY GLASSES, FACE SHIELD. Other Protective Equipment:EYE WASH FOUNTAIN. Work Hygienic Practices:AVOID PROLONGED BREATHING OF VAPORS OR CONTACT WITH EYES. DO NOT DIRECT SPRAY TOWARD FACE. Supplemental Safety and Health
KEY1:V2. THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME NSN, CAGE 05972, FOR PART B DATA.
======================================
HCC:V2 Boiling Pt:B.P. Text:165F,74C Vapor Pres:100 @ 68 F Spec Gravity:1 Solubility in Water:INSOLUBLE Appearance and Odor:GREEN AEROSOL SPRAY

Appearance and Odor: GREEN AEROSOL SPRAY

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH WATER, REACTIVE METALS AND CAUSTIC SODA. Stability Condition to Avoid:EXCESSIVE TEMPERATURES. Hazardous Decomposition Products:CO2, CO, HCL FUMES AND TRACE AMOUNTS OF PHOSGENE FORMED IF COMBUSTION OCCURS IN THE AEROSOL FORM. Considerations ===============

Waste Disposal Methods:DISPOSE IN AN APPROVED WASTE DISPOSAL TERMINAL. AEROSOL CANS MUST BE DISPOSED OF IN AN ENVIRONMENTALLY ACCEPTED MANNER DUE TO THEIR POTENTIAL TO PRESENT AN EXPLOSION HAZARD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informati on to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.