

DOW CORNING CORP -- 1204 RTV PRIME COAT -- 8040-01-245-3039

=====
Product Identification
=====

Product ID:1204 RTV PRIME COAT

MSDS Date:04/09/1997

FSC:8040

NIIN:01-245-3039

Status Code:A

MSDS Number: CHVYT

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000/6315/8577 (DISP/TRANS)

Eme

rgency Phone Num:517-496-5900/800-424-9300(CHEMTREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:DIMETHYL SILOXANE W/METHYL SILO

SQUIOXANE, HYDROXY-TERMINATED
CAS: 68554-67-6
Fraction by Wt: 2%
Other REC Limits: NONE RECOMMENDED

Ingred Name: LIGHT ALIPHATIC PETROLEUM SOLVENT NAPHTHA
CAS: 64742-89-8
Fraction by Wt: 65%
Other REC Limits: NONE RECOMMENDED

Ingred Name: TOLUENE (SARA 313) (CERCLA)
CAS: 108-88-3
RTECS #: XS5250000
Fraction by Wt: 19%
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 200 PPM; Z-2
ACGIH TLV: S, 50 PPM; 9596
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Ingred Name: XYLENES (O-, M-, P- ISOMERS) (SARA 313) (CERCLA)
CAS
: 1330-20-7
RTECS #: ZE2100000
Fraction by Wt: 35C
Melt/Freeze Pt: M.P/F.P Text: NA
Decomp Temp: Decomp Text: NP
Vapor Pres: N/D
Vapor Density: N/D
Spec Gravity: 0.89
pH: NA
Viscosity: 1.00 CST
Evaporation Rate & Reference: NP
Solubility in Water: N/D
Appearance and Odor: LIQUID, COLORLESS, SOLVENT ODOR
Percent Volatiles by Volume: ND
Corrosion Rate: NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
OXIDIZING MATL CAN CAUSE REACTION. WATER, MOI

STURE,HUMID AIR CAN CAUSE HZ
VAP TO FORM.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON OXIDES,TRACES OF INCOMPLETELY
BURNED CARBON COMPOUNDS.SILICON DIOXIDE.METAL OXIDES.FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD MATL AS REC-FED HAZ WASTE D001.STTE/LOC
LAWS MAY IMPOSE ADDN REG REQMTS REGARDING DISPO.CALL DOW CORNING
ENVIRO MGMT 517-496-6315 IF ADDN INFO REQUIRED.SEC 304 CERCLA/SEC

313 CHEMS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
p
articular situation.