

ECOLINK INC -- PREP RITE -- 6850-01-454-6489

===== Product Identification =====

Product ID:PREP RITE  
MSDS Date:05/28/1998  
FSC:6850  
NIIN:01-454-6489  
Status Code:A  
MSDS Number: CHWCR  
=== Responsible Party ===  
Company Name:ECOLINK INC  
Address:1481 ROCK MOUNTAIN BLVD  
City:STONE MOUNTAIN  
State:GA  
ZIP:30083  
Country:US  
Info Phone Num:(800) 886-8240 OR 404-621-8240  
Emergency Phone Num:(800) 886-8240 OR 404-621-8240  
CAGE:0WU71  
=== Contractor Identification ===  
Company Name:ECOLINK INC  
Address:1481 ROCK MOUNTAIN BLVD  
Box:City:STONE MOUNTAIN  
State:GA  
ZIP:30083-1505  
Country:US  
Phone:800-886-8240/770-621-8240  
CAGE:0WU71

===== Composition/Information on Ingredients =====

Ingred Name:N-METHYLPYRROLIDONE  
CAS:872-50-4  
RTECS #:UY5790000  
Fraction by Wt: 91%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE  
CAS:102-71-6  
RTECS #:KL9275000  
Fraction by Wt: 5-8%  
Other REC Limits

:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES-VAPORS SLIGHTLY UNCOMFORTABLE,  
SPLASHING IRRITATING. SKIN-WILL CAUSE SEVERE DERMATITIS ON REPEATED  
PROLONGED CONTACT.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:INHALATION-PALLOR, NAUSEA, L  
ACK OF

COORDINATION, STUPOR. EYES-WILL CAUSE PAINFUL BURNING OR STINGING  
OF EYES AND LIDS, WATERING EYES AND INFLAMMATION OF CONJUNCTIVIA.  
SKIN-BLISTERS, CRACKING, EDEMA, REDNESS.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE-FLUSH EYES WITH WATER FOR AT LEAST 15 MIN. CONSULT A  
PHYSICIAN. SKIN CONTACT-WASH AFFECTED AREA WELL WITH SOAP AND  
WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

INHALATION-REMOVE TO AN UNCONTAMINATED AREA, ADMINISTER OXYGEN IF  
NECESSARY. IF VICTIM HAS STOPPED BREATHING, BEGIN CPR. GET MEDICAL  
ATTENTION. INGESTED-IF CONSCIOUS, GIVE WATER BUT DO NOT INDUCE  
VOMITING. GET IMMEDIATE MED. AID.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Extinguishing Media:WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL OR CARBON  
DIOXIDE.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POSITIVE  
PRESSURE,

SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE. COOL FIRE  
EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. DANGEROUS FIRE HAZARD  
WHEN EXPOSED TO HEAT OR FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION! ABSORB LIQUID  
WITH EARTH, SAND OR SIMILAR INERT MATERIAL AND DISPOSE OF WITH  
SOLID WASTE ACCORDING TO LOCAL, STATE AND FEDERAL REG

ULATIONS.

FLUSH SPILL AREA WITH WATER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER AND VAPORS AWAY FROM  
HEAT AND FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE CONDITIONS.

Ventilation:LOCAL EXHAUST/HOOD OR FAN MAY BE U

SED. SET TO MAINTAIN

BELOW TLV. MECHANICAL/NONE REQUIRED.

Protective Gloves:IMPERVIOUS GLOVES ARE RECOMMENDED.

Eye Protection:CHEMICAL GOGGLES ARE RECOMMENDED.

Other Protective Equipment:NONE NORMALLY REQUIRED.Y SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING  
MIST OR VAPOR. USE WITH ADEQUATE VENTILATION.

Supplemental Safety and Health

WASH EQUIPMENT WITH STEAM OR WARM WATER UNTIL CLEAN.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:200F,93C

Melt/Freeze Pt:M.P/F.P Text:-4F,-20C

Vapor Pres:3.0

Spec Gravity:1.03

Evaporation Rate & Reference: