

LUBRICATION TECHNOLOGY INC -- CHRISTO-LUBE MCG 200

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 00-267-7188  
MSDS Date: 10/10/1997  
MSDS Num: CHWYC  
Product ID: CHRISTO-LUBE MCG 200  
MFN: 01  
Responsible Party  
Cage: 0JRD3  
Name: LUBRICATION TECHNOLOGY INC  
Address: 310 MORTON ST  
City: JACKSON OH 45640  
Inf  
o Phone Number: 614-286-2644  
Emergency Phone Number: 614-286-2644  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 0JRD3  
Name: LUBRICATION TECHNOLOGY INC  
Address: 310 MORTON ST  
City: JACKSON OH 45640  
Phone: 740-286-2644  
Cage: 0PGK2  
Name: SDB CONSULTANTS LTD  
Address: 401 WHITNEY AVE SUITE 120  
City: GRETNA LA 70056  
Phone: 504-366-9105

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: GREASE,AIRCRAFT  
Unit of Issue: TU  
Quantitative Expression: 0000000005GM  
UI Container Qty: 0  
Type of Container: TUBE

=====  
Ingredients  
=====

Name: NON-HAZARDOUS INGREDIENTS PER MANUFACTURER  
% Wt: 100  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT E

STABLISHED

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NOT GIVEN FOR PRODUCT AS A WHOLE

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: NONE SPECIFIED BY MANUFACTURER.

Explanation Of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT

CARCINOGENS.

Signs And Symptoms Of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. EYES: FLUSH WITH WATER AND CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, CALL PHYSICIA N. INGESTION: DRINK MILK OR WATER. DO NOT INDUCE VOMITING. CALL PHYSICIAN.

=====  
Handling and Disposal  
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL WELL VENTILATED A REA OF LOW

FIRE RISK. AVOID BREATHING VAPORS. USE SELF-CONTAINED BREATHING APPARATUS IF OVER 1000 PPM.

Other Precautions: TOXIC VAPORS MAY EVOLVE ABOVE 600F. PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS TEMPERATURE.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Text: NONFLAMMABLE

Lower Limits: NOT GIVEN

Upper Limits: NOT GIVEN

Extinguishing Media: FOAM, CARBON DIOXIDE, DR

Y CHEMICAL, WATER SPRAY

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard: TOXIC FLUORINE GASES MAY EVOLVE IF HEATED ABOVE 600F.

=====  
Control Measures  
=====

Respiratory Protection: NONE REQUIRED UNDER NORMAL CONDITIONS

Ventilation: EXHAUST VENTILATION SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS BELOW RESPECTIVE TLV'S.

Protective Gloves: PLASTIC DISPOSABLE

Eye Protection: CHEMICAL GOGGLES, SAFETY GLASSES W/SIDES

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health: DO NOT CONTAMINATE SMOKING MATERIALS OR FOOD WITH PRODUCT.

=====  
Physical/Chemical Properties  
=====

HCC: V6

B.P. Text: NOT GIVEN

M.P/F.P Text: >500F,>260C

Decomp Text: NOT GIVEN

Vapor Pres: < 5

Vapor Density: NOT GIVEN

Spec Gravity: 1.30

Viscosity: NOT GIVEN

Evaporation Rate & Reference: NOT GIVEN

Solubility in Water: NIL

Appearance and Odor: YELLOW, FAINT ODOR

Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: OXIDIZING MATERIALS CAN CAUSE A REACTION.

Hazardous Decomposition Products: FLUORINE PRODUCTS, SILICON DIOXIDE, CARBON DIOXIDE, TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====  
=====

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 0JRD3  
Trans ID NO: 64108  
Product ID: CHRISTO-LUBE MCG 200  
MSDS Prepared Date: 10/10/1997  
Review Date: 09/02/1998  
MFN: 1  
Net Unit Weight: 5 GRAMS  
Multiple KIT  
Number: 0  
Review IND: Y  
Unit Of Issue: TU  
Container QTY: 0  
Type Of Container: TUBE

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATE

D FOR THIS MODE OF TRANSPORTATION

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information  
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: CHRISTO-LUBE MCG 200

Cage: 0JRD3

Company Name: LUBRICATION TECHNOLOGY INC

Street: 310 MORTON ST

City: JACKSON OH

Zipcode: 45640

Health Emergency Phone: 614-286-2644

Label Required IND: Y

Date Of Label Review: 09/02/1998

Status Code: C

MFG Label NO: NONE

Label Date: 09/02/1998

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health H

azard: None

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: STORE IN COOL WELL VENTILATED AREA OF LOW FIRE RISK.

AVOID BREATHING VAPORS. USE SELF-CONTAINED BREATHING APPARATUS IF OVER 1000

PPM. FIRST AID: INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIR ATION

IF BREATHING HAS STOPPED. EYES: FLUSH WITH WATER AND CONSULT PHYSICIAN. SKIN:

WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, CALL PHYSICIAN. INGESTION:

DRINK MILK OR WATER. DO NOT IND

UCE VOMITI NG. CALL PHYSICIAN.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or person

s contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.