

EPOXYLITE CORPORTATION THE -- EPOXYLITE 211 -- 8030-00-962-4428

===== Product Identification =====

Product ID:EPOXYLITE 211

MSDS Date:01/02/1997

FSC:8030

NIIN:00-962-4428

Status Code:A

MSDS Number: CJBGP

=== Responsible Party ===

Company Name:EPOXYLITE CORPORTATION THE

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Info Phone Num:714-951-3231

Emergency Phone Num:

714-951-3231

CAGE:GO286

=== Contractor Identification ===

Company Name:EPOXYLITE CORPORTATION THE

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231/FAX 714-472-0980

CAGE:GO286

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231

CAGE:11147

===== Composition/Information on Ingredients =====

Ingred Name:REACTION PRODUCTS OF EPICHLOROHYDRIN & BI

SPHENOL A *98-2*
CAS:25085-99-8
Fraction by Wt: 60-65%

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50(RAT): >10,000 MG/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MINOR IRRITATION. SKIN: MINOR
IRRITATION, MAY CAUSE SENSITIZATION. INGESTION: LOW TOXICITY.
INHALATION: RESPIRATORY TRACT IRRITATION.
Explanation of Carcinogenicity:NONE
E
ffects of Overexposure:IRRITATION, RASHES, HIVES.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & EYE DISORDERS.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/RUNNING WATER FOR 15 MINS. SKIN: WASH W/SOAP &
WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN
ALL CASES. NO SPECIFIC ANTIDOTE.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:485F
Extinguishing Media:FOAM, CO2, DRY CHEMICAL/WATER SPRAY.
Fire Fighting Procedures:WATER SHOULD BE USED TO KEEP CONTAINERS COOL.
USE WATER SPRAY TO DISPERSE THE VAPORS TO PROTECT/STOP A LEAK.
DON'T ENTER CONFINED FIRE-SPACE W/O SCBA.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATERIAL & PLACE IN APPROPRIATE
CONTAINERS W/NON-SPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Preca

utions:STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES & HIGH TEMPS.

Other Precautions:AVOID SKIN & EYE CONTACT. AVOID BREATHING VAPORS OF HEATED MATERIAL.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH RESPIRATOR W/VAPOR/GAS FILTER FOR PERSONAL COMFORT.

Ventilation:GOOD ROOM; USUALLY ADEQUATE FOR MOST OPERATION.

Protective Gloves:IMPERVIOUS TYPE

Eye Protection:SAFETY GLASSES/CHEMICAL GOGGLES

Other Protective Equipment:

CLEAN BODY COVERING CLOTHING.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING. DISCARD CONTAMINATED LEATHER SHOES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Vapor Density:>1

Spec Gravity:1.45

Solubility in Water:INSOLUBLE

Appearance and Odor:COLORED LIGHT PASTE W/LOW ODOR

Percent Volatiles by Volume:0

=====
===== Stability and Reactivity Data =====

S

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS & CAUSTICS.

Stability Condition to Avoid:EXCESS HEATING.

Hazardous Decomposition Products:COMBUSTION: CO, ALDEHYDES & ACIDS.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the D

epartment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.