View NSN Online: https://aerobasegroup.com/nsn/8040-01-056-0875

TECHNICAL WIRE PRODUCTS INC -- CONDUCTIVE ADHESIVE CON RTV 1, 72-00002

MSDS Safety Information

FSC: 8040

NIIN: 01-056-0875 MSDS Date: 06/01/1991 MSDS Num: CJCVX

Product ID: CONDUCTIVE ADHESIVE CON RTV 1, 72-00002

MFN: 02

Responsible Party Cage: 53217

Name: TECHNICAL WIRE PRODUCTS INC

Address: 129 DERMODY ST

City

: CRANFORD NJ 07016

Info Phone Number: 908-272-5500

Emergency Phone Number: 908-272-5500

Proprietary Ind: Y Review Ind: Y Published: Y

Contractor Summary

Cage: 53217

Name: TECHNICAL WIRE PRODUCTS INC DBA TECKNIT INC

Address: 320 N NOPAL ST

City: SANTA BARBARA CA 93103-3225

Phone: UNKNOWN

Cage: 07700

Name: TECHNICAL WIRE PRODUCTS INC, DBA. TECKNIT

Address: 129 DERMODY ST

City: CRANFORD

NJ 07016

Phone: 908-272-5500

Item Description Information

Item Manager: GSA Item Name: ADHESIVE Unit of Issue: LB

Unit of Issue: LB
UI Container Qty: 0

Ingredients

Name: *** PROPRIETARY ***

Health Hazards

Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: PROLONGED OR REPEATED ABSORPTION OF SILVER COMPOUNDS CAN LEAD TO GRAYISH-BLUE DISCOLORATION OF SKIN KNOWN AS ARGYROSIS. RELEASE OF

ACETIC ACID DURING CURE MAY CAUSE RESPIRATORY AILMENTS.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Sympti

ons Of Overexposure: INGEST: MAY CAUSE GASTRIC DISTRESS. SKIN:

UNCURED PROD WILL IRRIT LIPS, GUMS, TONGUE & amp; SKIN. ALSO RPTD & amp;/OR

PRLNGD SKIN CONT W/SILVER CMPDS MAY CAUSE GRAYISH-BLUE DISCOLORATION OF SKIN.

INHAL: CAUSES MOD RESP IRRIT. RPTD & DEPARTMENTS. EYE: UNCURED (SUPDAT)

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: INGESTION: RINSE MOUTH WITH WATER SEVERAL TIMES. SKIN: REMOVE COMPLETELY WIT

H DRY CLOTH OR PAPER TOWEL, BEFORE WASHING WITH DETERGENT AND WATER. INHALATION: MOVE PERSON TO FRESH AIR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

Handling and Disposal

Spill Release Procedures: WIPE OR SOAK UP WITH ABSORBENT MATERIAL AND PUT INTO CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH D

ETERGENT AND WATER TO

REDUCE SLIPPING HAZARD.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATION.

Handling And Storage Precautions: USE CAUTION COMBUSTIBLE MATERIAL.

Other Precautions: AVOID CONT W/SKIN & DESCRIPTION OF CONT LENSES MUST NOT HNDL LENSES UNTIL ALL SEALANT HAS BEEN CLEANED FROM FINGERTIPS. RESIDUAL SILICONE WILL TRANSFER TO LENSES & DESCRIPTION OF THE PROPERTY OF THE PROP

ACET IC

ACID DURING APPLIC & amp; CURING. (SUPDAT)

Fire and Explosion Hazard Information

Flash Point Method: PMCC Flash Point Text: 162F,72C

Extinguishing Media: ALL STANDARD FIRE FIGHTING MEDIA.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE

EQUIPMENT (FP N). EVACUATE ALL NON-ESSENTIAL PERSONNEL.

Unusual Fire/Explosion Hazard: MATERIAL IS COMBUST, FOL

LOW APPROP PROCS. ALSO,

SILVER DUST IS MODERATELY FLAMMABLE WHEN EXPOSED TO FLAME OR CHEMICAL

OXIDIZERS. SOME DECOMP PRODS MAY BE TOXIC.

Control Measures

Respiratory Protection: NONE REQUIRED UNDER NORMAL WORK CONDITIONS. HOWEVER IF LARGE QUANTITIES ARE SPILLED OR IN CASE OF FIRE, USE NIOSH/MSHA APPROVED SCBA.

Ventilation: LOCAL AND MECHANICAL RECOMMENDED.

Protective Gloves: C LOTH GLOVES.

Eye Protection: CHEMICAL SAFETY GOGGLES (FP N).

Other Protective Equipment: NONE KNOWN.

Work Hygienic Practices: FOLLOW STD WORK/HYGIENIC PRACTS. WASH HANDS THORO W/SOAP & WATER AFTER HNDLG, BEFORE EATING/SMOKING, & AT END OF SHIFT. Supplemental Safety and Health: EFFECTS OF OVEREXPOSURE: PRODUCT CONTACT IRRITATES EYES. OTHER PRECAUTIONS: USE MECHANICAL VENTILATION TO STAY BELOW TLV OF 10 PPM. ACETIC ACID. UNCURED PRODUCT CONTACT WILL IRRITATE EYES AND MAY IRRI TATE SKIN.

==

Physical/Chemical Properties

HCC: V4

Spec Gravity: 3.06 +/- 0.05 Solubility in Water: INSOLUBLE

Appearance and Odor: SILVER/TAN COLORED PASTE WITH ACETIC ACID ODOR.

Percent Volatiles by Volume: 5.0

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXPOSUR

E TO MOISTURE BEFORE USING.

Materials To Avoid: MATL WILL HYDROLYZE IN PRESENCE OF WATER/HUMID AIR. ALSO,

SILVER MAY REACT VIOLENTLY WITH OXIDIZING AGENTS, ACIDS/BASES.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, SIO*2,

ACETIC ACID (CH*3COOH).

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

==========

HAZCOM Label

Product ID: CONDUCTIVE ADHESIVE CON RTV 1, 72-00002

Cage: 53217

Company Name: TECHNICAL WIRE PRODUCTS INC DBA TECKNIT INC

Street: 320 N NOPAL ST City: SANTA BARBARA CA

Zipcode: 93103-3225

Health Emergency Phone: 908-272-5500

Label Required IND: Y

Date Of Label Review: 01/26/1999

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the Un

ited

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.