

ANSUL FIRE PROTECTION -- PURPLE-K -- 4210-00-299-0010

===== Product Identification =====

Product ID: PURPLE-K
MSDS Date: 01/06/1992
FSC: 4210
NIIN: 00-299-0010
Status Code: A
MSDS Number: CJCYR
=== Responsible Party ===
Company Name: ANSUL FIRE PROTECTION
Address: ONE STANTON ST
Box: UNKNOW
City: MARINETTE
State: WI
ZIP: 54143-2542
Country: US
Info Phone Num: 715-735-7411
Emergency Phone Num: 715-735-7411
Chemt
rec Ind/Phone: (800)424-9300
CAGE: 04JH1

=== Contractor Identification ===
Company Name: ALL-SAFE INC
Address: 4767 LANGTON RD
Box: 116
City: HILLIARD
State: OH
ZIP: 43026
Country: US
Phone: 614-876-4041
CAGE: 2X264
Company Name: ANSUL FIRE PROTECTION
Address: ONE STANTON ST
Box: UNKNOW
City: MARINETTE
State: WI
ZIP: 54143-2542
Country: US
Phone: 715-735-7411
Contract Num: SP0560-98-M-H-084
CAGE: 04JH1
Company Name: HILLER SYSTEMS INC
Address: 833 PRINCIPAL LN
Box: City: CHESAPEAKE
State: VA
ZIP: 23320
Country: US
Phone: 75

7-549-9123

Contract Num:SP0560-99-M-H005

CAGE:1DA54

=====
===== Composition/Information on Ingredients =====

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS:12001-26-2

RTECS #:VV8760000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:20 MPPCF

ACGIH TLV:3 MG/M3 RDUST; 9293

Ingred Name:MAGNESIUM ALUMINUM SILICATE

CAS:8031-18-3

Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM BICARBONATE

CAS:298-14-6

Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYL HYDROGEN POLYSILOXANE

CAS:63148-57-2

Other REC Limits:NONE RECOMMENDED

Ingred Name:PURPLE PIGMENT

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:OSHA NUISANCE DUST LIMIT OF 15 MG/M3

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MILDLY IRRITATING FOR A SHORT PERIOD OF TIME. SKIN: MAY BE MILDLY IRRITATING. INHALE: TREAT AS A MINER

AL DUST. IRRITANT TO THE RESPIRATORY TRACT. INGEST: NOT AN EXPECTED ROUTE OF ENTRY.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:ACUTE: TRANSIENT COUGH, SHORTNESS OF BREATH. CHRONIC: CHRONIC FIBROSIS OF THE LUNG.

Medical Cond Aggravated by Exposure:REACTIVE AIRWAY

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER AT LEAST 15 MINUTES; IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. SKIN:

WASH WITH

SOAP & WATER; IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INHALE: REMOVE VICTIM TO FRESH AIR. SEEK MD IF DISCOMFORT

CONTINUES. INGEST: IF PATIENT IS CONSCIOUS, GIVE LARGE AMOUNTS OF WATER AND INDUCE VOMITING. SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point:NONE

Fire Fighting Procedures:NONE - THIS IS AN EXTINGUISHING AGENT.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

=====

Spill Release Procedures:SWEEP UP.

===== Handling and Storage =====

Handling and Storage Precautions:SHOULD BE STORED IN ORIGINAL CONTAINER OR ANSUL FIRE EXTINGUISHER.

Other Precautions:DO NOT MIX AGENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DUST MASK WHERE DUSTINESS IS PREVALENT, OR TLV EXCEEDED. NIOSH/MSHA APPROVED MECHANICAL FILTER RESPIRATOR IF EXPOSURE IS PROLONGED.

Vent

ilation:MECHANICAL (GENERAL) RECOMMENDED, LOCAL EXHAUST-- DISCRETIONARY.

Eye Protection:RECOMMENDED AS MECHANICAL BARRIER.

Other Protective Equipment:IF IRRITATION OCCURS, LONG SLEEVES AND IMPERVIOUS GLOVES SHOULD BE WORN.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3

Solubility in Water:SLIGHT

Appearance and Odor:VIOLET COLORED POWDER, NO CHARACTERISTIC ODOR.

=====

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS, NAK ALLOY AND NH₄H₂PO₄.

Hazardous Decomposition Products: CARBON DIOXIDE (CO₂).

=====
Disposal Considerations
=====

Waste Disposal Methods: DISPOSE OF IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.