

WERTH SANITARY SUPPLY CO INC -- FORMULA 99,100216 -- 6840-01-441-2184

===== Product Identification =====

Product ID:FORMULA 99,100216

MSDS Date:01/24/1996

FSC:6840

NIIN:01-441-2184

MSDS Number: CJFMD

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020

Country:US

Info Phone Num:800-535-5053

Emergency Phone Num:800-535-5053

CA

GE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

Contract Num:SP0450-00-M-D075

CAGE:5T372

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

Contract Num:SP0450-99-M-C933

CAGE:5T372

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:

City:EL CAJON
State:CA
ZIP:92020-1637
Country:US
Phone:800-535-5053/619-440-2000
Contract Num:SP0450-99-M-NB30
CAGE:5T372
Company Name:WERTH SANITARY SUPPLY CO INC
Address:1561 PIONEER WAY
Box:City:EL CAJON
State:CA
ZIP:92020-1637
Country:US
Phone:800-535-5053/619-440-2000
Contract Num:SP0450-99-M-ND81
CAGE:5T372
Company Name:WERTH SANITARY SUPPLY CO INC
Address:1561 PIONEER WAY
Box:City:EL CAJON
State:CA
ZIP:92020-1637
Country:US
Phone:800-535-5053/619-440-2000
Contract Num:SP0450-99-M-NF51
CAG
E:5T372
Company Name:WERTH SANITARY SUPPLY CO INC
Address:1561 PIONEER WAY
Box:City:EL CAJON
State:CA
ZIP:92020-1637
Country:US
Phone:800-535-5053/619-440-2000
Contract Num:SP0450-99-M-NF54
CAGE:5T372
Company Name:WERTH SANITARY SUPPLY CO INC
Address:1561 PIONEER WAY
Box:City:EL CAJON
State:CA
ZIP:92020-1637
Country:US
Phone:800-535-5053/619-440-2000
Contract Num:SPO450-00-M-ND26
CAGE:5T372

===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPANOL (SARA 313)

CAS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
OSHA STEL:500 PPM
ACGIH TLV:400 PPM
ACGIH STEL:500 PPM

Ingred Name:PETROLEUM DISTILLATE
CAS:64741-65-7
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:OCTYLPHENOXY POLYETHOXY ETHANOL
CAS:9036-19-5
RTECS #:MD0907600
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER
CAS:20324-32-7
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:150 PPM

Ingre
d Name:AMYL ACETATE (CERCLA)
CAS:123-92-2
RTECS #:NS9800000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) =15.2 G/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CHRONIC: LOW ORDER OF TOXICITY,
FREQUENT OR PROLONGED CONTA

CT MAY IRRITATE SKIN.
Effects of Overexposure:NONE KNOWN.
Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH LARGE AMOUNT OF WATER. MAY CAUSE CORNEAL DAMAGE ON PROLONGED CONTACT. SEEK MEDICAL ATTENTION.
INGESTION: DO NOT GIVE ANYTING BY MOUTH TO AN UNCONSCIOUS PERSON. SEEK MEDICAL ATT N. INHALATION: REMOVE PERSON TO FRESH AIR. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:N/D
Extinguishing Media:CARBON DIOXIDE, DRY FOAM, WATER SPRAY.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT ABSORBENT MATERIAL. WASH UNRECOVERABLE MATERIAL DOWN THE DRAIN WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT OR OPEN FLAME.
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.
Ventilation:MECHANICAL(GENERAL): ADEQUATE. LOCAL EXHAUST: ADEQUATE.
Protective Gloves:RUBBER OR PLASTIC FOR PROLONGED CONTACT.
Eye Protection:SAFETY GOGGLES FOR SPLASH PROTECTION.
Other Protective Equipment:EYE WASH/SHOWER FACILITY NEARBY.
Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES. AVOID SKIN AND EYE CONTACT.
Supplemental Safety and Healt

h

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:ND
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NP
Vapor Pres:NA
Vapor Density:0.98
Spec Gravity:0.99
pH:NP
Viscosity:NP
Evaporation Rate & Reference: