View NSN Online: https://aerobasegroup.kr/nsn/5970-01-388-6094

Product ID: ACRYL FIBERGLASS SLEEVING MSDS Date:06/04/1998 FSC:5970 NIIN:01-388-6094 Status Code:A MSDS Number: CJFNG === Responsible Party === Company Name: BENTLEY HARRIS MFG CO Address:241 WELSH POOL ROAD City:LIONVILLE State:PA ZIP:19353 Country:US Info Phone Num:215-363-2600 Emergency Phone Num:215-363-2600 CAGE:81851 === Contractor Identification === Company Name: BENTLEY HARRIS MFG CO Address:241 WELSH POOL ROAD Box:City:LIONVILLE State:PA ZIP:19353 Country:US Phone:215-363-2600 CAGE:81851 **Company Name:SCHOTT CORPORATION** Address:218 NORTH JEFFERSON Box:City:MINNEOTA State:MN ZIP:56264 Country:US Phone:507-872-6103/5238 FAX CAGE:0CU71

Ingred Name:CONTINOUS FILAMENT FIBERGLASS CAS:65997-17-3 Code:F = Wt:85. Othe

r REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3
Ingred Name:ACRYLIC LATEX (NON-HAZ) = Wt:15.
Other REC Limits:NONE RECOMMENDED
======================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS: EYES, SKIN, RESPIRATORY TRACT. ACUTE - MAY BE IRRITATING TO EYES, SKIN, MOUTH, THROAT, NOSE AND RESPIRATORY TRACT. CHRONIC - UNKNOWN.
Expl anation of Carcinogenicity:NONE Effects of Overexposure:RASH, ITCHING, CONJUNCTIVITIS Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.
======================================
<ul> <li>First Aid:SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT, IF NECESSARY. INHALATION: IF OVERCOME BY FUMES, GET TO WELL-VENTILATED AREA. EY</li> <li>E CONTACT: IMMEDIATELY FLUSH WITH CLEAR WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. AVOID RUBBING IRRITATED EYE. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. SKIN CONTACT: RINSE SKIN WITH COOL WATER AND USE A MILD SOAP. AVOID SCRATCHING AND RUBBING IRRI TATED AREAS. INGESTION: UNLIKELY.</li> </ul>
======================================
Flash Point:NONE Extinguishing Media:NONE Fire Fighting Procedures:IN A SUBSTATINED FIRE, SELF CONTAINED BREATHING APPARATUS IS RECOMMENDED Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:NONE
======================================
Handling and Storage Precautions:NONE Other Precautions:AVOID BREATHING FIBERS. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN.
======== Expo

sure Controls/Personal Protection =========

Respiratory Protection: IF CUTTING OR BURNING MATERIAL, USE NIOSH APPROVED RESPIRATOR Ventilation:LOCAL EXHAUST Protective Gloves: ANY TYPE Eye Protection: SAFETY GLASSES WHEN CUTTING Other Protective Equipment: EYE BATH, WASHING FACILITY, LAB COAT OR UNIFORM. Work Hygienic Practices: GOOD PRACTICE REQUIRES THAT GROSS AMOUNT OF ANY CHEMICAL BE REMOVED FROM THE SKIN AS SOON AS PRACTICAL. Supplemental Safety and Health ======= P HCC:N1 Melt/Freeze Pt:=155.C, 311.F Solubility in Water: INSOLUBLE Appearance and Odor: TUBULAR BRAIDED PRODUCT OF VARIOUS COLORS. SMOOTH **TEXTURE. NO ODOR** Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid: AVOID FUMES Hazardous Decomposition Products: MAY FORM CARBON MONOXIDE, CARBON DIOXIDE. NITROGEN OXIDES AND SMALL AMOUNTS AROMATIC OR ALIPHATIC HYDROCARBONS FROM BURNING DRY POLYMER. 

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a

## nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.