View NSN Online: https://aerobasegroup.kr/nsn/6850-01-462-0096

FUJI XEROX CO., LTD -- 5R588, 5750/5760/5765/5790 DOCUCOLOR 40 (SUP DAT) 6850-01-462-0096 Product ID:5R588, 5750/5760/5765/5790 DOCUCOLOR 40 (SUP DAT) MSDS Date:03/30/1999 FSC:6850 NIIN:01-462-0096 Status Code:A MSDS Number: CJKKQ === Responsible Party === Company Name: FUJI XEROX CO., LTD Address:1600 TAKEMATSU, MINAMISHIGARA-SHI City:KANAGAWA-KEN, 250-01 Coun try:JA Info Phone Num:800-828-6571 Emergency Phone Num: (800) 424-9300 Resp. Party Other MSDS Num.:B-0292 Chemtrec Ind/Phone:(800)424-9300 CAGE:TO211 === Contractor Identification === Company Name: FUJI XEROX CO., LTD Address:1600 TAKEMATSU, MINAMISHIGARA-SHI Box:City:KANAGAWA-KEN, 250-01 Country: JA Phone:800-828-6571 CAGE:TO211 Company Name:XEROX CORP Address:150 MAIN ST E GATEWAY CENTRE Box:City:ROCHESTER State:NY ZIP:14604 Country:US Phone:716-423-3721 CAGE:05CA9 Company Name: XEROX CORPORATION А

ddress:6620 W BROAD ST 5TH FLOOR Box:City:RICHMOND State:VA ZIP:23230-1716 Country:US Phone:804-289-5400 Contract Num:SP0450-99-M-NF38 CAGE:1B785 Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:CU-ZN FERRITE POWDER CAS:66402-68-4 > Wt:90.

Ingred Name:BLUE PIGMENT CAS:147-14-8 RTECS #:GL8510000 Minumum % Wt:.2 Maxumum % Wt:.4

Ingred Name:POLYESTER CAS:128781-91-9 > Wt:4.5

LD50 LC50 Mixture:ORAL LD50: >5 G/KG (RATS) Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE PRESENT Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Medical Cond Aggravated b

y Exposure:NONE WHEN USED AS INTENDED BY PRODUCT LITERATURE.

First Aid:EYES-FLUSH WITH WATER. SKIN-WASH WITH SOAP AND WATER. INHALATION-REMOVE FROM EXPOSURE. INGESTION-DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER.

Flash Point:N.A Lower Limits:N.A Upper Limits:N.A Extinguishing Media:USE WATER SPRAY, FOG OR FOAM. Fire Fighting Procedure s:AVOID INHALATION OF SMOKE. WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:TONER IS A COMBUSTIBLE POWDER. LIKE MOST ORGANIC MATERIALS IN POWDER FORM, IT CAN FORM EXPLOSIVE MIXTURES WHEN DISPERSED IN AIR.

Spill Release Procedures:SWEEP UP/VACUUM SPILLED TONER & CAREFUALLY TRANSFER INTO SEALABLE WASTE CONTAINER. SWEEP SLOWLY TO MINIMIZE GENERATION OF CHEST DURI

NG CLEANUP. IF A VACUUM IS USED, THE MOTOR MUST BE RATE AS DUST TIGH T. A CONDUCTIVE HOSE BONDED TO THE MACHINE SHOULD BE USED TO REDUCE STATIC BUILDUP. RESIDUE CAN BE REMOVED WITH SOAP & COLD WATER. GARMENTS MAY BE WASHED OR DRY-CLEANED, AFTER REMOVAL OF LOOSE TONER.

Handling and Storage Precautions:NONE Other Precautions:AVOID PROLONGED INHALATION OF EXCESSIVE DUST.

======= Exposure Controls/Personal

Protection =========

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Protective Gloves:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Eye Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Supplemental Safety and Health

DOCUCOLOR 4/ 30CP/ 30 PRO CYAN DEVELOPER. FOR USE OTHER THAN NORMAL CUSTOMER-OPERATING PROCEDURES (SUCH AS IN BULK TONER PROCESSING FACILITIES), GOGGLES AND RESPIRATORS MAY BE REQUIRED. FOR MORE INFO

RMATION CONTACT XEROX.

HCC:N1 Boiling Pt:B.P. Text:N.A Melt/Freeze Pt:M.P/F.P Text:N.A Vapor Pres:N.A Vapor Density:N.A. Spec Gravity:N.D. pH:N.A. Evaporation Rate & amp; Reference:N.A. Solubility in Water:N.D. Appearance and Odor:BLUE POWDER / FAINT ODOR Percent Volatiles by Volume:N.A. Stability Indicator/Materials to Avoid:YES NONE KNOWN Hazardous Deco mposition Products: PRODUCTS OF COMBUSTION MAY BE TOXIC. AVOID BREATHING SMOKE. Conditions to Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information:TLV: 10 MG/M3 (TOTAL DUST) DERMAL LD50: >5 G/KG (RABBIT) PRACTICALLY NON-TOXIC. PEL: 15 MG/M3 (TOTAL DUST). INHALATION LC50: >5 MG/L (RATS, CALCULATED 1 HR EXPOSURE) NON-POISONOUS, DOT. EYE IRRITATION : NOT AN EYE IRRITANT. SKIN SENSITIZATION: NOT A SENSI

TIZER. SKIN IRRITATION: NOT AN IRRITANT. HUMAN PATCH: NON-IRRITATING, NON-SENSITIZING. MUTAGENICITY: NON-MUTAGENIC IN AMES ASSAY. AQUATIC LC50: > 1000 MG/L (RAINBOW TROUT) NON-TOXIC. XEL: 2.5 MG/M3 (TOTAL DUST), 0.4 MG/M3 (RESPIRABLE DUST).

Waste Disposal Methods: THIS MATERIAL IS NOT A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATION 40 CFR 261 WHEN DISPOSED. STATE AND LOCAL WASTE DISPOSAL REQUIREMENTS

HOWEVER, MAY BE MORE RESTRICTIVE. PLEASE, CONSULT WITH THE APPROPIATE STATE AND LOCAL WASTE DISPOSAL AUTHORITIES. INCINERATE ONLY IN A CLOSED CONTAINER.
======================================
Transport Information: DOT PROPER SHIPPING NAME: NOT REGULATED.
======================================
SARA Title III Information:CU-ZIN FERRITE POWDER IS A TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITL E III OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizin

g this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.