

YORK L T CO -- HYDROGEN PEROXIDE 3% 34-011 -- 6505-00-153-8480

=====  
Product Identification  
=====

Product ID:HYDROGEN PEROXIDE 3% 34-011

MSDS Date:03/23/1993

FSC:6505

NIIN:00-153-8480

Status Code:A

MSDS Number: CJKRC

=== Responsible Party ===

Company Name:YORK L T CO

Address:440 E HELM

City:BROOKFIELD

State:MO

ZIP:64628-2226

Country:US

Info Phone Num:816-258-2291

Emergency Phone Num:816-259-2291/

816-258-5514

Preparer's Name:BOB CLAIBORNE

CAGE:66363

=== Contractor Identification ===

Company Name:SCHOOL HEALTH CORP

Address:865 MUIRFIELD DR

Box:UNKNOW

City:BARTLETT

State:IL

ZIP:60103

Country:US

Phone:800-323-1305

CAGE:1E060

Company Name:YORK L T CO

Address:440 E HELM

Box:City:BROOKFIELD

State:MO

ZIP:64628-2226

Country:US

Phone:816-258-2291

CAGE:66363

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROGEN PEROXIDE

CAS:7722-84-1

RTECS #:MX0899000

= Wt:3.

OSHA PEL:1.4 MG/M3;1 PPM  
ACGIH TLV:1.4 MG/M3;1 PPM

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
= Wt:97.

=====  
===== Hazards Identification =====

Health Hazards Acute and Chronic:ACUTE: EYES: BURNS, CORROSIVE TO EYES. SKIN: MILDLY IRRITATING ON CONTACT. BURNS IF PROLONGED. INHALATION:SEVERE IRRITATION OF LUNGS, THROAT, AND NOSE THAT USUALLY SUBSIDES AFTER EXPOSURE CEASES.IN GESTION: MODERATELY HAZARDOUS. CHRONIC EXPOSURE: N/A.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING. INHALATION: MOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING.

=====  
===== Fire Fighting Measures =====

Flash Point:NOT FLAMMABLE  
Extinguishing Media:WATER

=====  
===== Accidental Release Measures =====

Spill Release Procedures:DILUTE WITH LARGE AMOUNTS OF WATER AND HOLD IN A POND OR DYKED AREA UNTIL HYDROGEN PEROXIDE DECOMPOSES. DO NOT ALLOW SPILL TO ESCAPE INTO SEWERS OR NATURAL WATERCOURSES BEFORE DECOMPOSITION.  
Neutralizing Agent:NONE SPECIFIED.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE.

=====  
===== Exposure Controls/Personal Protection =====

Eye Protection:CUP-TYPE CHEMICAL GOGLES OR FULL FACE MASK.  
Other Protective Equipment:HARD HAT WITH BRIM-FULL

FACE SHIELD, BOOTS,  
OTHER CLOTHING. WHERE EXPOSURE POSSIBLE, WEAR POLYESTER OR ACRYLIC  
OUTER GARMENTS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D1

Boiling Pt:=125.6C, 258.F

Vapor Pres:10.1 @86F

Vapor Density:UNK

Spec Gravity:1.29 @68F

Evaporation Rate & Reference: