View NSN Online: https://aerobasegroup.kr/nsn/9150-01-325-9816

============ Product Identification =========================

MCGEE IND INC -- MCLUBE 1720L -- 9150-01-325-9816

Product ID:MCLUBE 1720L MSDS Date:09/01/1997

FSC:9150

NIIN:01-325-9816

Status Code:A

MSDS Number: CJKYX === Responsible Party ===

Company Name: MCGEE IND INC Address: 9 CROZERVILLE RD

City:ASTON State:PA ZIP:19014 Country:US

Info Phone Num:800-262-5823

Emergency Phone Num:800-262-5823 Chemtrec Ind/Phone:(800)424-930

0

CAGE:04672

=== Contractor Identification === Company Name:MCGEE IND INC Address:9 CROZERVILLE RD

Box:City:ASTON

State:PA ZIP:19014 Country:US

Phone:800-262-5823

Contract Num:SP0450-99-M-B064

CAGE:04672

======= Composition/Information on Ingredients ========

Ingred Name:HEPTANE

CAS:64742-49-0 Minumum % Wt:25. Maxumum % Wt:30.

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:400 PPM

Ingred Name: ETHYL ALCOHOL

CAS:64-17-5

RTECS #:KQ6300000

= Wt:10.

Other REC Limits: NONE RECOMMENDED

OSHA

PEL:1900 MG/M3;1000 PPM

ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name: BUTYL ACETATE

CAS:123-86-4

RTECS #:AF7350000

Minumum % Wt:10.

Maxumum % Wt:15.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:710 MG/M3;150 PPM ACGIH TLV:713 MG/M3;150 PPM ACGIH STEL:950 MG/M3;200 PPM

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:1,1-DICHLORO-1-FLUOROETHANE

CAS:1717-00-6

RTECS #:KI0997000

Minumum % Wt:35.

Maxumum % Wt:40.

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:500 PPM

Ozone Depleting Chemical:2

Ingred

Name:TOLUENE

CAS:108-88-3

RTECS #:XS5250000

<: Wt:3.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:200 PPM OSHA STEL:C 300 PPM

ACGIH TLV:188 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:FLUOROPOLYMER

Minumum % Wt:5. Maxumum % Wt:10.

Other REC Limits: NONE RECOMMENDED

======== Hazards Identification ===============

LD50 LC50 Mixture: EXPOSURE LIMIT: 450 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IAR

C:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS: EYES, SKIN, LIVER,
KIDNEYS, CNS, BLOOD, RESPIRATORY AND REPRODUCTIVE SYSTEMS (NIOSH).
INHALATION: PROLONGED BREATHING OF HIGH CONCENTRATIONS OF VAPOR MAY
CAUSE LIGHTHEADEDNESS, DIZZINE SS AND LOSS OF BALANCE AND MAY LEAD
TO CARDIAC IRREGULARITIES, UNCONSCIOUSNESS OR EVEN DEATH. SKIN
CONTACT: MILD IRRITATION. EYE CONTACT: MILD IRRITATION. INGESTION:
LOW ORAL TOXICITY.
Explanation of Carcinogenicity:NONE OF THE C
OMPONENTS IN THIS PRODUCT
IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

OMPONENTS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:INHALATION: LIGHTHEADEDNESS, DIZZINESS AND LOSS OF BALANCE AND MAY LEAD TO CARDIAC IRREGULARITIES, UNCONSCIOUSNESS OR EVEN DEATH. SKIN CONTACT: MILD IRRITATION. EYE CONTACT: MILD IRRITATION. INGESTION: LOW ORAL TOXICITY.
======================================
First Aid:EYES: FLUSH WITH WATER. CALL A PHYSICIAN. SKIN: WASH OFF IN FLOWING WATER. INH ALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN.
=========== Fire Fighting Measures ============
Flash Point Method:TCC Flash Point:=-4.4C, 24.F Lower Limits:1.9 Upper Limits:11.6 Extinguishing Media:WATER SPRAY, CO2, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. COOL FIRE-EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:VAPORS MAY TRAVEL CON SIDERABLE DISTANCES TO IGNITION SOURCES AND FLASH BACK. HAZARDOUS GASES CAN BE PRODUCED REQUIRING RESPIRATORS.
======== Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE IGNITION SOURCES. SOAK UP WITH INERT ABSORBENT SUCH AS SAND, EARTH OR VERMICULITE AND PUT IN CLOSED CONTAINER FOR PROMPT DISPOSAL.
=========== Handling and Storage ============
Handling and Storage Precautions:KEEP CONTAINERS CLOSED. CONTENTS M

BE UNDER PRESSURE: OPEN CONTAINERS SLOWLY TO RELEASE PRESSURE. WHEN TRANSFERRING PRODUCT, FOLLOW PROPER GROUNDING PROCEDURES. FLAMMABLE LIQUID AND VAPOR - KEEP AWA Y FROM FLAMES AND OTHER IGNITION SOURCES. DO NOT SMOKE WHILE USING NOR CONTAMINATE TOBACCO PRODUCTS.

Other Precautions:AVOID BREATHING VAPORS; USE WITH ADEQUATE VENTILATION ESPECIALLY IN ENCLOSED AREAS. AVOID CONTACT WITH EYES OR SKIN. WASH HANDS THOROUGHLY AFTER HANDLING. EMPTY CONTAINERS RETAIN PRODUCT

RESIDUE; FOLL OW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED. DO NOT CUT, DRILL OR WELD ON OR NEAR CONTAINER.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: IN ABSENCE OF ENVIRONMENTAL CONTROL, APPROVED ORGANIC VAPOR-TYPE RESPIRATOR.

Ventilation: CONTROL VAPOR TO STANDARD, OSHA STANDARD 450 PPM.

Protective Gloves: IMPERMEABLE RECOMMENDED

Eye Protection: SAFETY GLASSES

Other Protective Equipment:BOOTS AND APRON DEPENDING ON EXTENT OR SEVE

RITY OF EXPOSURE.

Supplemental Safety and Health

HEATING SOLID ACTIVE INGREDIENT ABOVE 500F MAY CAUSE FORMATION OF POTENTIALLY TOXIC SUBSTANCES.

======== Physical/Chemical Properties ===========

HCC:F1

Boiling Pt:>32.2C, 90.F B.P. Text:90-260 F Vapor Pres:517 @20C

Vapor Density:4 Spec Gravity:0.95

Evaporation Rate & Description R

Solubility in Water:>1%

Appearance and Odor:WHITE, TRANSLUCENT LIQUID, FRUITY ODOR.

Percent Volatiles by Volume:90-95

===

========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN CHLORIDE, HYDROGEN FLUORIDE AND POSSIBLY SNALL AMOUNTS OF CARBONYL HALIDES.
======= Disposal Considerations ==========
Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.
============ Regulatory Information
SARA Title III Information:TOLUENE AND DICHLOROFLUOROETHANE ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III

State Regulatory Information: TOLUENE CONTAINS TRACES OF BENZENE, A
CHEMICAL ON THE CALIFORNIA PROPOSITION 65 LIST OF CHEMICALS CLASSED
AS CARCINOGEN BY THE STATE OF CALIFORNIA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department.

This information is formulated for use by elements of the Department of Defense. The Unite d States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.