View NSN Online: https://aerobasegroup.kr/nsn/5960-01-044-9439

VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT -- VDX1141 ELECTRON TUBE -- 5960-01-044-9439

============= Product Identification =================

Product ID:VDX1141 ELECTRON TUBE

MSDS Date:02/02/1996

FSC:5960

NIIN:01-044-9439 Status Code:A

MSDS Number: CJLMQ === Responsible Party ===

Company Name: VARIAN ASSOCIATE INC; CROSSED FIELD & RECEIVER PROT

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-1018

Country :US

Info Phone Num:508-922-6000 EXT.285

Emergency Phone Num:508-922-6000 EXT.285

CAGE:88236

=== Contractor Identification ===

Company Name: COMMUNICATIONS AND POWER INDUSTRIES INC

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-5595

Country:US

Phone:978-922-6000 EXT.285 Contract Num:SP0960-96-M-3682

CAGE:88236

======= Composition/Information on Ingredients ========

Ingred Name:TRITIUM

Other REC Limits: NONE RECOMMENDED

Ingred Name: NON-HAZARDOUS INGREDIENTS

Fraction by Wt:

BALANCE Other REC Limits:NONE RECOMMENDED
======================================
LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SIGNIFICANT EXPOSURE TO A RADIONUCLIDE MAY CAUSE CANCER. Explanation of Carcinogenicity:NOT LISTED IN NTP, IARC OR OSHA PER MANUFACTURER. Effects of Overexposure:TRITIUM IS A BETA EMIT TER. IF EXPOSURE IS SUSPECTED, SEEK MEDICAL ATTENTION, URINE ASSAY FOR TRITIUM IS THE ONLY MEANS OF MEASURING THE DEGREE OF EXPOSURE. Medical Cond Aggravated by Exposure:HEALING OF DAMAGED TISSUES MAY BE PROLONGED.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INHALATION: REMOV E TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: A HIGH ORAL FLUID INTAKE SHOULD BE ADMINISTERED FOLLOWING TRITIUM EXPOSURE.
======================================
Flash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:NONFLAMMABLE. USE STANDARD FIREFIGHTING PROCEDURES FOR SURROUNDING MATERIALS IN THE FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. ==================================
Spill Release Procedures:WEAR RADIONUCLIDE CARTRIDGE RESPIRATOR AND PROPER PERSONAL PROTECTIVE CLOTHING/GLOVES/GOGGLES. COLLECT FOR DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:DO NOT GET IN EYES, ON SKIN, MOUTH OR CLOTHING. T

HIS DEVICE IS A RECEIVER PROTECTOR TUBE WHICH CONTAINS A SMALL AMOUNT OF TRITIUM. Other Precautions: TUBE IS CONSIDERED A SEALED SOURCE AND NORMAL HANDLING WILL PRESENT NO RADIATION PROBLEMS. THE DEVICE IS A MANUFACTURED ARTICLE. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF SPILLED, WEAR RADIONUCLIDE CARTRIDGE RESPIRATOR. Ventilation: PLACE AFFECTED COMPONENT IN LOCAL EXHAUST. Protective Gloves: DISPOSABLE GLOVES Eye Protection: GOGG **LES** Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. ========= Physical/Chemical Properties =========== HCC:A2 Boiling Pt:B.P. Text:-414F,-248C Melt/Freeze Pt:M.P/F.P Text:-425F,-25 4C Vapor Pres:18.317 ATM Vapor Density:NOT GIVEN Spec Gravity:6.0 Evaporation Rate & Dr. Reference: NOT GIVEN Solubility in Water: COMPLETE Appearance and Odor: GAS, NO ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES **OXIDIZERS**

Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 400C WILL CAUSE DECOMPOSITION OF TIT2 WITH RELEASE OF TRITIUM GAS.

Hazardous Decomposition Products: UNBOUND TRITIUM

====== Disposal

Considerations ==========

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.